



2016 - 2017

# Christmas Decor

EDITION A





# contents....

## PRESENTATION - PROJECTS

page.....2-15




## GIANT MOTIFS

page.....16-41




## POLE MOUNT & CROSS STREET

page.....42-191



## FACADE

page.....192-211



## TREES

page.....212-257



## MATERIALS & ACCESSORIES

page.....258-333






































# GIANT MOTIFS

## QUALITY CONTROL & GUARANTEE

- ENVIRONMENT PROTECTION
- DESIGN & INNOVATION
- LOW ENERGY CONSUMPTION
- LOW HEAT EMITTING
- LONG LIFETIME
- HIGH LUMINOUS EFFICIENCY
- HIGH QUALITY LED ROPE LIGHT
- HIGH QUALITY LED LIGHT CHAINS
- CERTIFIED & PATENTED LED
- REGISTERED EUROPEAN PATENTS
- CE EUROPEAN STANDARDS
- IP66-68 OUTDOOR RATED
- ISO 9001 : 2008









3D Motif

**IP66 - 68**  
OUTDOOR RATED MOTIFS

Gift Box

Ribbon and Bow are made of 2-3mm powder coated aluminum foil



**15050** GIFT BOX WITH 2 DOORS  
H 2,80m x L 2,75m x W 2,75m - P 371W  
H 5,00m x L 4,80m x W 4,80m - P 1480W





Gift Box

3D Motif



**15051** GIFT BOX  
 H 2,80m x L 2,75m x W 2,75m - P 371W  
 H 5,00m x L 4,80m x W 4,80m - P 1480W




3D Motif

**IP66 - 68**  
OUTDOOR RATED MOTIFS

Gift Box

Ribbon and Bow are made of 2-3mm powder coated aluminum foil



**15052 GIFT BOX**  
H 2,80m x L 2,75m x W 2,75m - P 371W  
H 5,00m x L 4,80m x W 4,80m - P 1480W



Gift Box

3D Motif





3D Motif

**IP66-68**  
OUTDOOR RATED MOTIFS

Knitted Gift Box



**15053 KNITTED GIFT BOX**  
H 3,00 m x L 2,15 m x W 2,15 m - P 230W  
H 4,20 m x L 3,00 m x W 3,00 m - P 333W  
H 5,50 m x L 4,00 m x W 4,00 m - P 440W



Knitted Gift Box

3D Motif





3D Motif

**IP66-68**  
OUTDOOR RATED MOTIFS

Knitted Gift Box



**15054 KNITTED GIFT BOX**  
H 3,00 m x L 2,15 m x W 2,15 m - P 230W  
H 4,20 m x L 3,00 m x W 3,00 m - P 333W  
H 5,50 m x L 4,00 m x W 4,00 m - P 440W



Knitted Gift Box

3D Motif





3D Motif

IP66-68  
OUTDOOR RATED MOTIFS

Christmas Ball



15055 CHRISTMAS BALL WITH 2 DOORS  
H 4,00 m x L 3,00 m x W 3,00 m - P 870W  
H 6,00 m x L 4,50 m x W 4,50 m - P 1350W





# Christmas Ball

3D Motif



**15056 CHRISTMAS BALL**  
H 4,00 m x L 3,00 m x W 3,00 m - P 980W  
H 6,00 m x L 4,50 m x W 4,50 m - P 1550W



3D Motif

**IP66-68**  
OUTDOOR RATED MOTIFS

Knitted Ball



**15057 KNITTED BALL**  
H 3,00 m x L 2,50 m x W 2,50 m - P 300W  
H 4,00 m x L 3,50 m x W 3,50 m - P 440W  
H 5,20 m x L 4,50 m x W 4,50 m - P 580W



Knitted Ball

3D Motif





3D Motif

**IP66-68**  
OUTDOOR RATED MOTIFS

Star Ball



**14001** STAR BALL  
H 2,60 m x Ø 2,00 m - P 144W  
**14002** STAR BALL  
H 4,00 m x Ø 3,00 m - P 250W



Star Ball

3D Motif





3D Motif

**IP66-68**  
OUTDOOR RATED MOTIFS

Knitted Christmas Ball



**15058 KNITTED BALL**  
 H 1,90 m x L 1,50 m x W 1,50 m - P 63W  
 H 2,25 m x L 1,75 m x W 1,75 m - P 72W  
 H 2,65 m x L 2,00 m x W 2,00 m - P 108W  
 H 3,10 m x L 2,30 m x W 2,30 m - P 126W





Knitted Ring

3D Motif



15059 KNITTED RING  
H 1,50 m x L 1,45 m x W 0,40 m - P 45W  
H 2,25 m x L 2,20 m x W 0,50 m - P 72W  
H 3,00 m x L 2,95 m x W 0,60 m - P 108W



3D Motif

**IP66-68**  
OUTDOOR RATED MOTIFS

Corrina



**15060 TREE WITH LEAVES**  
H 2,40m x ø 1,00m x - P 81W  
H 4,00m x ø 1,65m x - P 135W



**15061 BALL WITH LEAVES**  
ø 0,70 m - P 23W  
ø 0,90 m - P 36W  
ø 1,20 m - P 45W





Corrina

3D Motif



**15063 BALL WITH SNOWFLAKES**  
 ø 0,70 m - P 23W  
 ø 0,90 m - P 36W  
 ø 1,20 m - P 45W



**15062 TREE WITH SNOWFLAKES**  
 H 2,40m x ø1,00m x - P 81W  
 H 4,00m x ø1,65m x - P 135W



3D Motif

**IP66-68**  
OUTDOOR RATED MOTIFS

Nefeli



**15064** TREE WITH STARS  
H 2,40 m x ø 1,00 m - P 81W  
H 4,00 m x ø 1,65 m - P 135W



**15065** BALL WITH STARS  
ø 0,70 m - P 23W  
ø 0,90 m - P 36W  
ø 1,20 m - P 45W





Nefeli

3D Motif



**15067 BALL WITH FLOWERS**  
 ø 0,70 m - P 23W  
 ø 0,90 m - P 36W  
 ø 1,20 m - P 45W



**15066 TREE WITH FLOWERS**  
 H 2,40 m x ø 1,00 m - P 81W  
 H 4,00 m x ø 1,65 m - P 135W



3D Motif

IP66-68  
OUTDOOR RATED MOTIFS

Knitted Reindeer



15068 KNITTED REINDEER  
H 5,80 m x L 4,80 m x W 1,50 m - P 550W





Knitted Reindeer

3D Motif





3D Motif

IP66-68  
OUTDOOR RATED MOTIFS

Boat



15069 BOAT  
H 5,00m x L 6,00m x W 1,30m - P 1120W





Boat

3D Motif





# WATERPROOF MOTIFS

---

## QUALITY CONTROL & GUARANTEE

- ENVIRONMENT PROTECTION
- DESIGN & INNOVATION
- LOW ENERGY CONSUMPTION
- LOW HEAT EMITTING
- LONG LIFETIME
- HIGH LUMINOUS EFFICIENCY
- HIGH QUALITY LED ROPE LIGHT
- HIGH QUALITY LED LIGHT CHAINS
- CERTIFIED & PATENTED LED
- REGISTERED EUROPEAN PATENTS
- CE EUROPEAN STANDARDS
- IP66-68 OUTDOOR RATED
- ISO 9001:2008





**IP66-68**  
OUTDOOR RATED MOTIFS

# POLE MOUNT & CROSS STREET MOTIFS

**DIVE INTO THE FUTURE AND DISCOVER  
OUR IP68 WATERPROOF WORLD...**







Pole Mount

**IP66-68**  
OUTDOOR RATED MOTIFS

3D Cylinder



**15080.B2.WW** POLE MOUNT  
H 1,50m Ø 0,60m - P 54W  
H 3,00m Ø 0,60m - P 108W  
H 3,00m Ø 1,20m - P 216W

**15080.B2.WH** POLE MOUNT  
H 1,50m Ø 0,60m - P 54W  
H 3,00m Ø 0,60m - P 108W  
H 3,00m Ø 1,20m - P 216W

**15080.B2.RE** POLE MOUNT  
H 1,50m Ø 0,60m - P 54W  
H 3,00m Ø 0,60m - P 108W  
H 3,00m Ø 1,20m - P 216W

**15080.B2.BL** POLE MOUNT  
H 1,50m Ø 0,60m - P 54W  
H 3,00m Ø 0,60m - P 108W  
H 3,00m Ø 1,20m - P 216W



3D Cylinder

Cross Street





Pole Mount

**IP66-68**  
OUTDOOR RATED MOTIFS

3D Spiral



**15085.B2.WW** POLE MOUNT  
H 2,00m Ø 0,60m - P 84W  
H 2,00m Ø 1,00m - P 120W  
H 3,00m Ø 1,00m - P 180W



**15085.B2.WH** POLE MOUNT  
H 2,00m Ø 0,60m - P 84W  
H 2,00m Ø 1,00m - P 120W  
H 3,00m Ø 1,00m - P 180W



**15085.B2.RE** POLE MOUNT  
H 2,00m Ø 0,60m - P 84W  
H 2,00m Ø 1,00m - P 120W  
H 3,00m Ø 1,00m - P 180W



**15085.B2.BL** POLE MOUNT  
H 2,00m Ø 0,60m - P 84W  
H 2,00m Ø 1,00m - P 120W  
H 3,00m Ø 1,00m - P 180W



3D Spiral

Cross Street





Pole Mount

**IP66-68**  
OUTDOOR RATED MOTIFS


3D Ball




**124001.B2.WW** POLE MOUNT  
 ø 0,70m - P 36W    ø 0,90m - P 54W  
 ø 1,20m - P 90W




**124001.B2.WH** POLE MOUNT  
 ø 0,70m - P 36W    ø 0,90m - P 54W  
 ø 1,20m - P 90W




**124001.CR.B2.WW** POLE MOUNT  
 ø 0,70m - P 36W    ø 0,90m - P 54W  
 ø 1,20m - P 90W




With Crystal Chain



**124001.B2.RE** POLE MOUNT  
 ø 0,70m - P 36W    ø 0,90m - P 54W  
 ø 1,20m - P 90W



**124001.B2.BL** POLE MOUNT  
 ø 0,70m - P 36W    ø 0,90m - P 54W  
 ø 1,20m - P 90W



**124001.CR.B2.RE** POLE MOUNT  
 ø 0,70m - P 36W    ø 0,90m - P 54W  
 ø 1,20m - P 90W





3D Ball

Cross Street





Pole Mount

**IP66-68**  
OUTDOOR RATED MOTIFS

3D Star



**124000.B2.WW.170** POLE MOUNT - 4 sides  
 ø 1,70m - P 157W  
 ø 2,70m - P 357W



**124000.B2.WH.170** POLE MOUNT - 4 sides  
 ø 1,70m - P 157W  
 ø 2,70m - P 357W





3D Star

Cross Street





Pole Mount

**IP66 - 68**  
OUTDOOR RATED MOTIFS

3D Chandelier



**124002.B2.WW.150** POLE MOUNT  
H 1,50m x L 1,10m - P 132W  
H 2,00m x L 1,40m - P 169W



**124002.B2.WH.150** POLE MOUNT  
H 1,50m x L 1,10m - P 132W  
H 2,00m x L 1,40m - P 169W



**124002.B2.RE.150** POLE MOUNT  
H 1,50m x L 1,10m - P 132W  
H 2,00m x L 1,40m - P 169W



**124002.B2.BL.150** POLE MOUNT  
H 1,50m x L 1,10m - P 132W  
H 2,00m x L 1,40m - P 169W





3D Chandelier

Cross Street








Pole Mount

**IP66-68**  
OUTDOOR RATED MOTIFS

Helios



**15100.B2** POLE MOUNT  
H 2,20m x L 1,20m - P 92W



**15100.B2.01** POLE MOUNT  
H 2,20m x L 1,20m - P 92W

**15100.B2.02** POLE MOUNT  
H 2,20m x L 1,20m - P 92W



**15101.A2** CROSS STREET  
L 5,00m x H 1,50m - P 134W



Helios

Cross Street



15102.A2 CROSS STREET  
L 4,00m x H 1,50m - P 153W


15103.B2.FS 3D FLOOR STANDING  
H 2,20m Ø 2,20m - P 368W Central pole included.



Pole Mount

**IP66-68**  
OUTDOOR RATED MOTIFS

Xenophon



**15105.B2** POLE MOUNT  
H 1,50m x L 0,45m - P 12W  
H 2,20m x L 0,65m - P 18W



**15105.B2.01** POLE MOUNT  
H 1,50m x L 0,45m - P 12W  
H 2,20m x L 0,65m - P 18W

**15105.B2.02** POLE MOUNT  
H 1,50m x L 0,45m - P 12W  
H 2,20m x L 0,65m - P 18W



**15106.A2** CROSS STREET  
L 3,20m x H 0,45m - P 24W  
L 4,60m x H 0,65m - P 36W




Xenophon


Cross Street




15107.A2 CROSS STREET  
L 4,75m x H 1,25m - P 45W



15108.A2 2D SUSPENSION  
H 0,70m x L 0,53m - P 9W



15109.B2 GLOBE / LANTERN  
H 1,60m x L 2,10m - P 42W





15110.B2.FS 3D FLOOR STANDING  
H 1,50m Ø 1,10m - P 48W Central pole included.  
H 2,20m Ø 1,50m - P 72W Central pole included.



Pole Mount

**IP66-68**  
OUTDOOR RATED MOTIFS

Chaos



**15112.B2 POLE MOUNT**  
H 1,50m x L 0,45m - P 15W  
H 2,20m x L 0,65m - P 21W



**15112.B2.01 POLE MOUNT**  
H 1,50m x L 0,45m - P 15W  
H 2,20m x L 0,65m - P 21W

**15112.B2.02 POLE MOUNT**  
H 1,50m x L 0,45m - P 15W  
H 2,20m x L 0,65m - P 21W



**15114.A2 CROSS STREET**  
L 3,00m x H 0,45m - P 30W  
L 4,40m x H 0,65m - P 42W



Chaos

Cross Street



**15115.B2** GLOBE / LANTERN  
H 1,55m x L 2,45m - P 42W




**15116.B2.FS** 3D FLOOR STANDING  
H 1,50m Ø 1,10m - P 60W Central pole included.  
H 2,20m Ø 1,50m - P 84W Central pole included.



Pole Mount

**IP66-68**  
OUTDOOR RATED MOTIFS

Hera



**15118.B2** POLE MOUNT  
H 1,50m x L 0,60m - P 24W  
H 2,20m x L 0,90m - P 36W



**15118.B2.01** POLE MOUNT  
H 1,50m x L 0,60m - P 24W  
H 2,20m x L 0,90m - P 36W

**15118.B2.02** POLE MOUNT  
H 1,50m x L 0,60m - P 24W  
H 2,20m x L 0,90m - P 36W



**15119.A2** CROSS STREET  
L 3,00m x H 0,60m - P 48W  
L 4,40m x H 0,90m - P 72W



Hera

Cross Street



**15120.A2 CROSS STREET**  
 L 3,00m x H 0,75m - P 60W  
 L 4,40m x H 1,10m - P 90W



**15121.A2 2D SUSPENSION**  
 H 0,50m x L 0,75m - P 12W  
 H 0,75m x L 1,15m - P 18W



**15122.B2 GLOBE / LANTERN**  
 H 1,25m x L 1,70m - P 18W




**15123.B2.FS 3D FLOOR STANDING**  
 H 1,50m Ø 1,40m - P 96W Central pole included.  
 H 2,20m Ø 2,00m - P 144W Central pole included.



Pole Mount

**IP66-68**  
OUTDOOR RATED MOTIFS

Hecate




**15125.B2** POLE MOUNT  
H 1,50m x L 0,60m - P 14W  
H 2,20m x L 0,90m - P 18W



**15125.B2.01** POLE MOUNT  
H 1,50m x L 0,60m - P 14W  
H 2,20m x L 0,90m - P 18W

**15125.B2.02** POLE MOUNT  
H 1,50m x L 0,60m - P 14W  
H 2,20m x L 0,90m - P 18W



**15126.A2** CROSS STREET  
L 3,00m x H 0,60m - P 28W  
L 4,40m x H 0,90m - P 36W









Pole Mount

**IP66-68**  
OUTDOOR RATED MOTIFS

Dionysus



**15130.B2 POLE MOUNT**  
H 1,50m x L 0,65m - P 9W  
H 2,20m x L 0,95m - P 14W



**15130.B2.01 POLE MOUNT**  
H 1,50m x L 0,65m - P 9W  
H 2,20m x L 0,95m - P 14W

**15130.B2.02 POLE MOUNT**  
H 1,50m x L 0,65m - P 9W  
H 2,20m x L 0,95m - P 14W



**15131.A2 CROSS STREET**  
L 3,00m x H 0,65m - P 18W  
L 4,40m x H 0,95m - P 28W



Dionysus


Cross Street



15132.A2 CROSS STREET  
L 4,50m x H 1,50m - P 37W



15133.B2 GLOBE / LANTERN  
H 1,00m x L 1,40m - P 9W




15134.B2.FS 3D FLOOR STANDING  
H 1,50m Ø 1,50m - P 36W Central pole included.  
H 2,20m Ø 2,10m - P 56W Central pole included.



Pole Mount

**IP66-68**  
OUTDOOR RATED MOTIFS



**15136.B2 POLE MOUNT**  
H 1,50m x L 0,60m - P 21W  
H 2,20m x L 0,90m - P 33W



**15136.B2.01 POLE MOUNT**  
H 1,50m x L 0,60m - P 21W  
H 2,20m x L 0,90m - P 33W

**15136.B2.02 POLE MOUNT**  
H 1,50m x L 0,60m - P 21W  
H 2,20m x L 0,90m - P 33W

Eros



**15137.A2 CROSS STREET**  
L 3,00m x H 0,60m - P 42W  
L 4,40m x H 0,90m - P 66W








Pole Mount

**IP66-68**  
OUTDOOR RATED MOTIFS

Hephaestus



**15143.B2 POLE MOUNT**  
H 1,50m x L 0,50m - P 30W  
H 2,20m x L 0,70m - P 48W



**15143.B2.01 POLE MOUNT**  
H 1,50m x L 0,50m - P 30W  
H 2,20m x L 0,70m - P 48W

**15143.B2.02 POLE MOUNT**  
H 1,50m x L 0,50m - P 30W  
H 2,20m x L 0,70m - P 48W



**15144.A2 CROSS STREET**  
L 3,00m x H 0,50m - P 60W  
L 4,40m x H 0,70m - P 96W



Hephaestus

Cross Street



15145.B2 GLOBE / LANTERN  
H 1,10m x L 1,45m - P 33W



15146.B2.FS 3D FLOOR STANDING  
H 1,50m Ø 1,20m - P 120W Central pole included.  
H 2,20m Ø 1,60m - P 192W Central pole included.



Pole Mount

**IP66-68**  
OUTDOOR RATED MOTIFS

Aura



**15148.B2 POLE MOUNT**  
H 1,50m x L 0,65m - P 21W  
H 2,10m x L 0,90m - P 42W



**15148.B2.01 POLE MOUNT**  
H 1,50m x L 0,65m - P 21W  
H 2,10m x L 0,90m - P 42W

**15148.B2.02 POLE MOUNT**  
H 1,50m x L 0,65m - P 21W  
H 2,10m x L 0,90m - P 42W



**15149.A2 CROSS STREET**  
L 3,00m x H 0,65m - P 42W  
L 4,40m x H 0,90m - P 84W



Aura

Cross Street



**15151.A2** 2D SUSPENSION  
 Ø 1,50m - P 66W  
 Ø 2,20m - P 99W



**15150.A2** CROSS STREET  
 L 5,20m x H 1,40m - P 135W



**15152.A2** 2D SUSPENSION  
 H 1,50m x L 1,40m - P 18W  
 H 2,20m x L 2,05m - P 27W



Pole Mount

**IP66 - 68**  
OUTDOOR RATED MOTIFS

Ourea



**15153.B2 POLE MOUNT**  
H 1,50m x L 0,50m - P 35W  
H 2,20m x L 0,75m - P 53W



**15153.B2.01 POLE MOUNT**  
H 1,50m x L 0,50m - P 35W  
H 2,20m x L 0,75m - P 53W

**15153.B2.02 POLE MOUNT**  
H 1,50m x L 0,50m - P 35W  
H 2,20m x L 0,75m - P 53W



**15154.A2 CROSS STREET**  
L 3,00m x H 0,50m - P 70W  
L 4,40m x H 0,75m - P 106W



Ourea

Cross Street



**15155.B2** GLOBE / LANTERN  
H 1,30m x L 1,25m - P 33W



**15156.B2.FS** 3D FLOOR STANDING  
H 1,50m Ø 1,20m - P 140W Central pole included.  
H 2,20m Ø 1,70m - P 212W Central pole included.




Pole Mount

**IP66-68**  
OUTDOOR RATED MOTIFS

Anemoi




**15158.B2 POLE MOUNT**  
H 1,50m x L 0,50m - P 21W  
H 2,20m x L 0,70m - P 30W



**15158.B2.01 POLE MOUNT**  
H 1,50m x L 0,50m - P 21W  
H 2,20m x L 0,70m - P 30W

**15158.B2.02 POLE MOUNT**  
H 1,50m x L 0,50m - P 21W  
H 2,20m x L 0,70m - P 30W



**15159.A2 CROSS STREET**  
L 3,00m x H 0,50m - P 42W  
L 4,40m x H 0,70m - P 60W



Anemoi

Cross Street



15161.B2 GLOBE / LANTERN  
H 1,05m x L 1,50m - P 21W



15160.A2 CROSS STREET  
L 3,60m x H 0,70m - P 52W




15162.A2 2D SUSPENSION  
 Ø 1,50m - P 66W  
 Ø 2,20m - P 99W  
 Ø 3,00m - P 149W



Pole Mount

**IP66-68**  
OUTDOOR RATED MOTIFS

Iris



**15164.B2 POLE MOUNT**  
H 1,50m x L 0,85m - P 27W  
H 2,20m x L 1,25m - P 38W



**15164.B2.01 POLE MOUNT**  
H 1,50m x L 0,85m - P 27W  
H 2,20m x L 1,25m - P 38W

**15164.B2.02 POLE MOUNT**  
H 1,50m x L 0,85m - P 27W  
H 2,20m x L 1,25m - P 38W



**15165.A2 CROSS STREET**  
L 3,10m x H 0,85m - P 54W  
L 4,50m x H 1,25m - P 76W







Pole Mount

**IP66-68**  
OUTDOOR RATED MOTIFS

Athena



**15171.B2 POLE MOUNT**  
H 1,50m x L 0,50m - P 14W  
H 2,20m x L 0,75m - P 21W



**15171.B2.01 POLE MOUNT**  
H 1,50m x L 0,50m - P 14W  
H 2,20m x L 0,75m - P 21W

**15171.B2.02 POLE MOUNT**  
H 1,50m x L 0,50m - P 14W  
H 2,20m x L 0,75m - P 21W



**15172.A2 CROSS STREET**  
L 3,00m x H 0,50m - P 28W  
L 4,40m x H 0,75m - P 42W







Pole Mount

**IP66-68**  
OUTDOOR RATED MOTIFS

Aeolus



**15178.B2** POLE MOUNT  
H 1,50 m x L 0,80 m - P 23W  
H 2,20 m x L 1,20 m - P 33W



**15178.B2.01** POLE MOUNT  
H 1,50 m x L 0,80 m - P 23W  
H 2,20 m x L 1,20 m - P 33W

**15178.B2.02** POLE MOUNT  
H 1,50 m x L 0,80 m - P 23W  
H 2,20 m x L 1,20 m - P 33W



**15179.A2** CROSS STREET  
L 3,00m x H 0,80m - P 46W  
L 4,40m x H 1,20m - P 66W



Aeolus

Cross Street



**15180.B2** GLOBE / LANTERN  
H 1,20m x L 1,75m - P 24W



**15181.FS** 3D FLOOR STANDING  
H 1,50m Ø 0,80m - P 35W Central pole included.  
H 2,20m Ø 1,20m - P 60W Central pole included.



Pole Mount

**IP66-68**  
OUTDOOR RATED MOTIFS

Artemis



**15183.B2 POLE MOUNT**  
H 1,50 m x L 0,40 m - P 17W  
H 2,20 m x L 0,60 m - P 26W



**15183.B2 01 POLE MOUNT** H 1,50 m x L 0,40 m - P 17W  
**15183.B2 02 POLE MOUNT** H 1,50 m x L 0,40 m - P 17W  
H 2,20 m x L 0,60 m - P 26W H 2,20 m x L 0,60 m - P 26W




**15184.A2 CROSS STREET**  
L 3,00 m x H 0,40 m - P 34W  
L 4,40 m x H 0,60 m - P 52W



Artemis

Cross Street



15186.A2 2D SUSPENSION  
H 0,55 m x L 1,30 m - P 18W



15187.B2 GLOBE / LANTERN  
H 0,55 m x L 1,45 m - P 18W



15185.A2 CROSS STREET  
L 4,40 m x H 0,95 m - P 70W



15188.B2.FS 3D FLOOR STANDING  
H 1,50 m x L 1,00 m - P 68W Central pole included.  
H 2,20 m x L 1,40 m - P 104W Central pole included.




Pole Mount

**IP66-68**  
OUTDOOR RATED MOTIFS

Ligeia



**15190.B2 POLE MOUNT**  
H 1,50m x L 0,55m - P 9W  
H 2,20m x L 0,82m - P 14W



**15190.B2.01 POLE MOUNT**  
H 1,50m x L 0,55m - P 9W  
H 2,20m x L 0,82m - P 14W

**15190.B2.02 POLE MOUNT**  
H 1,50m x L 0,55m - P 9W  
H 2,20m x L 0,82m - P 14W



**15191.A2 CROSS STREET**  
L 3,00m x H 0,55m - P 18W  
L 4,40m x H 0,82m - P 28W



Ligeia

Cross Street



**15192.B2** GLOBE / LANTERN  
H 1,20m x L 2,55m - P 18W





**15193.B2.FS** 3D FLOOR STANDING  
H 1,50m Ø 1,30m - P 36W Central pole included.  
H 2,20m Ø 1,80m - P 56W Central pole included.



Pole Mount

**IP66-68**  
OUTDOOR RATED MOTIFS

Hebe



**15195.B2** POLE MOUNT  
H 1,50m x L 0,60m - P 20W  
H 2,20m x L 0,90m - P 23W



**15195.B2.01** POLE MOUNT H 1,50m x L 0,60m - P 20W  
**15195.B2.02** POLE MOUNT H 1,50m x L 0,60m - P 20W  
H 2,20m x L 0,90m - P 23W



**15196.A2** CROSS STREET  
L 3,00m x H 0,60m - P 40W  
L 4,40m x H 0,90m - P 46W



# Hebe



# Cross Street



**15198.A2 2D SUSPENSION**  
 Ø 0,40m - P 9W  
 Ø 0,60m - P 12W



**15199.B2 GLOBE / LANTERN**  
 H 0,95m x L 1,70m - P 27W



**15200.B2.FS 3D FLOOR STANDING**  
 H 1,50m Ø 1,40m - P 80W Central pole included.  
 H 2,20m Ø 2,00m - P 92W Central pole included.






**15197.A2 CROSS STREET**  
 L 3,40m x H 0,60m - P 49W  
 L 5,00m x H 0,90m - P 58W



Pole Mount

**IP66-68**  
OUTDOOR RATED MOTIFS

Doris



**15201.B2** POLE MOUNT  
H 1,50m x L 0,55m - P 27W  
H 2,20m x L 0,80m - P 45W



**15201.B2.01** POLE MOUNT  
H 1,50m x L 0,55m - P 27W  
H 2,20m x L 0,80m - P 45W

**15201.B2.02** POLE MOUNT  
H 1,50m x L 0,55m - P 27W  
H 2,20m x L 0,80m - P 45W



**15202.A2** CROSS STREET  
L 3,00m x H 0,55m - P 54W  
L 4,40m x H 0,80m - P 90W



Doris

Cross Street



**15203.B2** GLOBE / LANTERN  
H 1,00m x L 1,70m - P 36W




**15204.B2.FS** 3D FLOOR STANDING  
H 1,50m Ø 1,30m - P 108W Central pole included.  
H 2,20m Ø 1,80m - P 180W Central pole included.



Pole Mount

**IP66-68**  
OUTDOOR RATED MOTIFS

Kosmas



**15206.B2 POLE MOUNT**  
H 1,70m x L 0,55m - P 45W  
H 3,10m x L 1,00m - P 90W



**15206.B2.01 POLE MOUNT**  
H 1,70m x L 0,55m - P 45W  
H 3,10m x L 1,00m - P 90W

**15206.B2.02 POLE MOUNT**  
H 1,70m x L 0,55m - P 45W  
H 3,10m x L 1,00m - P 90W



**15207.A2 CROSS STREET**  
L 3,40m x H 0,55m - P 90W  
L 6,20m x H 1,00m - P 180W



Kosmas

Cross Street



15209.B2 POLE MOUNT  
H 1,30m x L 0,50m - P 27W



15208.A2 CROSS STREET  
L 2,60m x H 0,50m - P 54W



15209.B2.01 POLE MOUNT  
H 1,30m x L 0,50m - P 27W


15209.B2.02 POLE MOUNT  
H 1,30m x L 0,50m - P 27W




Pole Mount

**IP66-68**  
OUTDOOR RATED MOTIFS

Pankratios



**15211.B2 POLE MOUNT**  
H 1,50m x L 0,50m - P 21W  
H 2,20m x L 0,70m - P 30W



**15211.B2.01 POLE MOUNT**  
H 1,50m x L 0,50m - P 21W  
H 2,20m x L 0,70m - P 30W

**15211.B2.02 POLE MOUNT**  
H 1,50m x L 0,50m - P 21W  
H 2,20m x L 0,70m - P 30W



**15212.A2 CROSS STREET**  
L 3,00m x H 0,50m - P 42W  
L 4,40m x H 0,70m - P 60W



Pankratios


Cross Street



15215.B2 GLOBE / LANTERN  
H 1,20m x L 2,00m - P 30W



15214.A2 CROSS STREET  
L 3,40m x H 0,76m - P 45W



15216.B2.FS 3D FLOOR STANDING  
H 1,50m Ø 1,20m - P 84W 4sides,Central pole included.  
H 2,20m Ø 1,60m - P 120W 4sides,Central pole included.



Pole Mount

**IP66-68**  
OUTDOOR RATED MOTIFS

Daphnes



**15218.B2 POLE MOUNT**  
H 1,50 m x L 0,55 m - P 24W  
H 2,20 m x L 0,75 m - P 36W



**15218.B2.01 POLE MOUNT**  
H 1,50 m x L 0,55 m - P 24W  
H 2,20 m x L 0,75 m - P 36W

**15218.B2.02 POLE MOUNT**  
H 1,50 m x L 0,55 m - P 24W  
H 2,20 m x L 0,75 m - P 36W



**15219.A2 CROSS STREET**  
L 3,00 m x H 0,55 m - P 48W  
L 4,40 m x H 0,75 m - P 72W



# Daphnes

# Cross Street




**15220.A2 CROSS STREET**  
L 4,40 m x H 0,75 m - P 90W



**15221.A2 2D SUSPENSION**  
H 0,60 m x L 1,60 m - P 18W



**15222.B2 GLOBE / LANTERN**  
H 1,15 m x L 1,30 m - P 36W



**15223.B2.FS 3D FLOOR STANDING**  
H 1,50 m x Ø1,30 m - P 96W Central pole included.  
H 2,20 m x Ø1,70 m - P 144W Central pole included.




Pole Mount

**IP66-68**  
OUTDOOR RATED MOTIFS

Perses



**15225.B2 POLE MOUNT**  
H 1,50m x L 0,70m - P 26W  
H 2,20m x L 1,00m - P 39W



**15225.B2.01 POLE MOUNT**  
H 1,50m x L 0,70m - P 26W  
H 2,20m x L 1,00m - P 39W

**15225.B2.02 POLE MOUNT**  
H 1,50m x L 0,70m - P 26W  
H 2,20m x L 1,00m - P 39W



**15226.A2 CROSS STREET**  
L 3,00m x H 0,70m - P 52W  
L 4,40m x H 1,00m - P 78W



Perses

Cross Street



15227.B2 GLOBE / LANTERN  
H 0,56m x L 0,90m - P 16W



15228.A2 2D SUSPENSION  
H 0,85m x L 0,80m - P 15W




15229.A2 2D SUSPENSION  
H 0,60m x L 0,56m - P 11W



Pole Mount

**IP66-68**  
OUTDOOR RATED MOTIFS

Jonas



**15231.B2** POLE MOUNT  
H 2,20m x L 0,60m - P 35W  
H 3,00m x L 0,82m - P 44W



**15231.B2.01** POLE MOUNT H 2,20m x L 0,60m - P 35W  
**15231.B2.02** POLE MOUNT H 2,20m x L 0,60m - P 35W  
H 3,00m x L 0,82m - P 44W



**15232.A2** CROSS STREET  
L 4,40m x H 0,60m - P 70W  
L 6,00m x H 0,82m - P 88W




Jonas

Cross Street



15233.B2 GLOBE / LANTERN  
H 0,60m x L 1,30m - P 18W




15234.B2.FS 3D FLOOR STANDING  
H 2,20m Ø 1,40m - P 140W Central pole included.  
H 3,00m Ø 1,80m - P 176W Central pole included.




Pole Mount

**IP66-68**  
OUTDOOR RATED MOTIFS

Kaliroi



**15236.B2** POLE MOUNT  
H 2,20m x L 0,60m - P 35W  
H 3,00m x L 0,82m - P 44W



**15236.B2.01** POLE MOUNT  
H 2,20m x L 0,60m - P 35W  
H 3,00m x L 0,82m - P 44W

**15236.B2.02** POLE MOUNT  
H 2,20m x L 0,60m - P 35W  
H 3,00m x L 0,82m - P 44W



**15237.A2** CROSS STREET  
L 4,40m x H 0,60m - P 70W  
L 6,00m x H 0,82m - P 88W




Kaliroi

Cross Street



15238.B2 GLOBE / LANTERN  
H 0,60m x L 1,30m - P 18W



15239.B2.FS 3D FLOOR STANDING  
H 2,20m Ø 1,40m - P 140W Central pole included.  
H 3,00m Ø 1,80m - P 176W Central pole included.



Pole Mount

**IP66-68**  
OUTDOOR RATED MOTIFS

Hermes



**15241.B2** POLE MOUNT  
H 1,50m x L 0,55m - P 33W  
H 2,20m x L 0,75m - P 42W



**15241.B2.01** POLE MOUNT  
H 1,50m x L 0,55m - P 33W  
H 2,20m x L 0,75m - P 42W

**15241.B2.02** POLE MOUNT  
H 1,50m x L 0,55m - P 33W  
H 2,20m x L 0,75m - P 42W



**15242.A2** CROSS STREET  
L 3,00m x H 0,55m - P 66W  
L 4,40m x H 0,75m - P 84W



Hermes

Cross Street



**15244.B2** POLE MOUNT  
 H 1,50m x L 0,45m - P 21W  
 H 2,20m x L 0,65m - P 36W



**15243.A2** CROSS STREET  
 L 3,00m x H 0,45m - P 42W  
 L 4,40m x H 0,65m - P 72W



**15244.B2.01** POLE MOUNT  
 H 1,50m x L 0,45m - P 21W  
 H 2,20m x L 0,65m - P 36W

**15244.B2.02** POLE MOUNT  
 H 1,50m x L 0,45m - P 21W  
 H 2,20m x L 0,65m - P 36W



Pole Mount

**IP66-68**  
OUTDOOR RATED MOTIFS

Persephone



**15247.B2** POLE MOUNT  
H 1,50m x L 0,75m - P 36W  
H 2,20m x L 1,10m - P 60W



**15247.B2.01** POLE MOUNT H 1,50m x L 0,75m - P 36W  
**15247.B2.02** POLE MOUNT H 1,50m x L 0,75m - P 36W  
H 2,20m x L 1,10m - P 60W



**15248.A2** CROSS STREET  
L 4,00m x H 1,00m - P 90W



Persephone

Cross Street



**15249.B2 POLE MOUNT**  
 H 1,40m x L 0,65m - P 24W  
 H 2,20m x L 1,00m - P 38W



**15250.B2 GLOBE / LANTERN**  
 H 1,00m x L 1,35m - P 21W




**15251.B2.FS 3D FLOOR STANDING**  
 H 1,40m Ø 1,50m - P 96W Central pole included.  
 H 2,20m Ø 2,20m - P 152W Central pole included.



Pole Mount

**IP66-68**  
OUTDOOR RATED MOTIFS

Pheme



**15487.B2** POLE MOUNT  
H 1,50m x L 0,60m - P 27W  
H 2,20m x L 0,90m - P 39W



**15487.B2.01** POLE MOUNT  
H 1,50m x L 0,60m - P 27W  
H 2,20m x L 0,90m - P 39W

**15487.B2.02** POLE MOUNT  
H 1,50m x L 0,60m - P 27W  
H 2,20m x L 0,90m - P 39W



**15488.A2** CROSS STREET  
L 3,00m x H 0,60m - P 54W  
L 4,40m x H 0,90m - P 78W



Pheme

Cross Street



15489.B2 GLOBE / LANTERN  
H 1,00m x L 1,00m - P 36W




15490.B2.FS 3D FLOOR STANDING  
H 1,50m Ø 1,40m - P 108W Central pole included.  
H 2,20m Ø 2,00m - P 156W Central pole included.



Pole Mount



Pheme



**15253.B2** POLE MOUNT  
H 1,50m x L 0,60m - P 27W  
H 2,20m x L 0,90m - P 39W



**15253.B2.01** POLE MOUNT  
H 1,50m x L 0,60m - P 27W  
H 2,20m x L 0,90m - P 39W

**15253.B2.02** POLE MOUNT  
H 1,50m x L 0,60m - P 27W  
H 2,20m x L 0,90m - P 39W



**15254.A2** CROSS STREET  
L 3,00m x H 0,60m - P 54W  
L 4,40m x H 0,90m - P 78W



PHEME

Cross Street



15255.B2 GLOBE / LANTERN  
H 1,00m x L 1,00m - P 36W



15256.B2.FS 3D FLOOR STANDING  
H 1,50m Ø 1,40m - P 108W Central pole included.  
H 2,20m Ø 2,00m - P 156W Central pole included.



Pole Mount

**IP66-68**  
OUTDOOR RATED MOTIFS

Philandros




**15258.B2** POLE MOUNT  
H 1,50m x L 0,95m - P 30W  
H 2,20m x L 1,40m - P 42W



**15258.B2.01** POLE MOUNT  
H 1,50m x L 0,95m - P 30W  
H 2,20m x L 1,40m - P 42W

**15258.B2.02** POLE MOUNT  
H 1,50m x L 0,95m - P 30W  
H 2,20m x L 1,40m - P 42W



**15259.A2** CROSS STREET  
L 3,00m x H 0,95m - P 60W  
L 4,40m x H 1,40m - P 84W



Philandros

Cross Street



15260.B2 GLOBE / LANTERN  
H 1,30m x L 2,00m - P 60W



15261.B2.FS 3D FLOOR STANDING  
H 1,50m Ø 2,10m - P 120W Central pole included.  
H 2,20m Ø 3,00m - P 168W Central pole included.



Pole Mount

**IP66-68**  
OUTDOOR RATED MOTIFS

Eumelia



**15263.B2** POLE MOUNT  
H 1,50m x L 0,60m - P 14W  
H 2,20m x L 0,90m - P 23W



**15263.B2.01** POLE MOUNT  
H 1,50m x L 0,60m - P 14W  
H 2,20m x L 0,90m - P 23W

**15263.B2.02** POLE MOUNT  
H 1,50m x L 0,60m - P 14W  
H 2,20m x L 0,90m - P 23W



**15264.A2** CROSS STREET  
L 3,00m x H 0,60m - P 28W  
L 4,40m x H 0,90m - P 46W



Eumelia

Cross Street



15265.B2 GLOBE / LANTERN  
H 0,75m x L 1,60m - P 9W



15266.B2.FS 3D FLOOR STANDING  
H 1,50m Ø 1,40m - P 56W Central pole included.  
H 2,20m Ø 2,00m - P 92W Central pole included.



Pole Mount

**IP66-68**  
OUTDOOR RATED MOTIFS

Aphrodite



**15268.A2 POLE MOUNT**  
L 1,50m x H 0,45m - P 18W  
L 2,20m x H 0,65m - P 24W



**15269.A2 CROSS STREET**  
L 3,00m x H 0,40m - P 36W  
L 4,40m x H 0,60m - P 48W



**15270.B2.01 POLE MOUNT**  
H 1,50m x L 0,30m - P 9W  
H 2,20m x L 0,45m - P 12W

**15270.B2.02 POLE MOUNT**  
H 1,50m x L 0,30m - P 9W  
H 2,20m x L 0,45m - P 12W



**15271.B2.FS 3D FLOOR STANDING**  
H 1,50m Ø 0,80m - P 36W Central pole included.  
H 2,20m Ø 1,10m - P 48W Central pole included.











Pole Mount


**IP66-68**  
OUTDOOR RATED MOTIFS

Triton



**15276.B2** POLE MOUNT  
H 1,50m x L 0,28m - P 17W  
H 2,20m x L 0,40m - P 20W

**15277.B2** POLE MOUNT  
H 1,50m x L 0,28m - P 20W  
H 2,20m x L 0,40m - P 26W



**15276.B2.01** POLE MOUNT  
H 1,50m x L 0,28m - P 17W  
H 2,20m x L 0,40m - P 20W

**15276.B2.02** POLE MOUNT  
H 1,50m x L 0,28m - P 17W  
H 2,20m x L 0,40m - P 20W



**15278.A2** CROSS STREET  
L 3,00m x H 0,28m - P 34W  
L 4,40m x H 0,40m - P 40W




Triton

Cross Street



**15279.B2.FS 3D FLOOR STANDING**  
 H 1,50m Ø 0,75m - P 80W Central pole included.  
 H 2,20m Ø 1,00m - P 104W Central pole included.




**15280.B2.FS 3D FLOOR STANDING**  
 H 1,50m Ø 0,75m - P 68W Central pole included.  
 H 2,20m Ø 1,00m - P 80W Central pole included.



Pole Mount

**IP66-68**  
OUTDOOR RATED MOTIFS

Hestia



**15281.B2** POLE MOUNT  
H 1,50m x L 0,40m - P 20W  
H 2,20m x L 0,60m - P 29W



**15281.B2.01** POLE MOUNT  
H 1,50m x L 0,40m - P 20W  
H 2,20m x L 0,60m - P 29W

**15281.B2.02** POLE MOUNT  
H 1,50m x L 0,40m - P 20W  
H 2,20m x L 0,60m - P 29W



**15282.A2** CROSS STREET  
L 3,00m x H 0,40m - P 40W  
L 4,40m x H 0,60m - P 58W




Hestia

Cross Street



**15283.B2 GLOBE / LANTERN**  
H 0,60m x L 2,00m - P 45W



**15284.B2.FS 3D FLOOR STANDING**  
H 2,00m Ø 2,40m - P 100W Central pole included.



Pole Mount

**IP66-68**  
OUTDOOR RATED MOTIFS

Aether



**15286.B2** POLE MOUNT  
H 1,50m x L 0,35m - P 18W  
H 2,20m x L 0,55m - P 24W



**15286.B2.01** POLE MOUNT  
H 1,50m x L 0,35m - P 18W  
H 2,20m x L 0,55m - P 24W

**15286.B2.02** POLE MOUNT  
H 1,50m x L 0,35m - P 18W  
H 2,20m x L 0,55m - P 24W



**15287.A2** CROSS STREET  
L 3,00m x H 0,35m - P 36W  
L 4,40m x H 0,55m - P 48W



Aether

Cross Street




**15288.A2** CROSS STREET  
L 5,00m x H 0,85m - P 63W



**15289.A2** 2D SUSPENSION  
H 0,85m x L 0,53m - P 15W



**15290.B2** GLOBE / LANTERN  
H 1,10m x L 1,50m - P 24W




**15291.B2.FS** 3D FLOOR STANDING  
H 1,50m Ø 0,90m - P 72W Central pole included.  
H 2,20m Ø 1,30m - P 96W Central pole included.



Pole Mount

**IP66-68**  
OUTDOOR RATED MOTIFS

Elpis



**15292.B2** POLE MOUNT  
H 2,20m x L 0,60m - P 38W  
H 3,00m x L 0,82m - P 44W



**15292.B2.01** POLE MOUNT  
H 2,20m x L 0,60m - P 38W  
H 3,00m x L 0,82m - P 44W

**15292.B2.02** POLE MOUNT  
H 2,20m x L 0,60m - P 38W  
H 3,00m x L 0,82m - P 44W



**15293.A2** CROSS STREET  
L 4,40m x H 0,60m - P 76W  
L 6,00m x H 0,82m - P 88W




Elpis

Cross Street



15294.B2 GLOBE / LANTERN  
H 0,70m x L 1,35m - P 24W



15295.B2.FS 3D FLOOR STANDING  
H 2,20m Ø 1,40m - P 152W Central pole included.  
H 3,00m Ø 1,80m - P 176W Central pole included.



Pole Mount

**IP66-68**  
OUTDOOR RATED MOTIFS


Leto



**15297.B2** POLE MOUNT  
H 2,20m x L 1,60m - P 86W  
H 3,00m x L 2,15m - P 108W



**15298.B2** POLE MOUNT  
H 1,50m x L 1,30m - P 30W  
H 2,20m x L 1,90m - P 42W






Leto

Cross Street



15299.B2 POLE MOUNT  
H 1,50m x L 1,40m - P 63W



15300.B2 POLE MOUNT  
H 1,05m x L 1,00m - P 33W



Pole Mount

**IP66-68**  
OUTDOOR RATED MOTIFS

Platon



**15302.B2** POLE MOUNT  
H 1,50m x L 0,70m - P 27W  
H 2,20m x L 1,00m - P 42W



**15302.B2.01** POLE MOUNT  
H 1,50m x L 0,70m - P 27W  
H 2,20m x L 1,00m - P 42W

**15302.B2.02** POLE MOUNT  
H 1,50m x L 0,70m - P 27W  
H 2,20m x L 1,00m - P 42W



**15303.A2** CROSS STREET  
L 3,10m x H 0,65m - P 54W  
L 4,50m x H 0,95m - P 84W



Platon

Cross Street



15304.B2 GLOBE / LANTERN  
H 1,00m x L 1,66m - P 30W



15305.B2.FS 3D FLOOR STANDING  
H 1,50m Ø 1,60m - P 108W Central pole included.  
H 2,20m Ø 2,20m - P 168W Central pole included.



Pole Mount

**IP66-68**  
OUTDOOR RATED MOTIFS

Cronus



**15307.B2** POLE MOUNT  
H 1,50m x L 0,55m - P 45W  
H 2,20m x L 0,80m - P 59W



**15307.B2.01** POLE MOUNT  
H 1,50m x L 0,55m - P 45W  
H 2,20m x L 0,80m - P 59W

**15307.B2.02** POLE MOUNT  
H 1,50m x L 0,55m - P 45W  
H 2,20m x L 0,80m - P 59W



**15308.A2** CROSS STREET  
L 3,00m x H 0,55m - P 90W  
L 4,40m x H 0,80m - P 118W



Cronus

Cross Street



15309.A2 2D SUSPENSION  
 Ø 0,70m - P 14W




15310.B2.FS 3D FLOOR STANDING  
 H 1,50m Ø 1,30m - P 180W Central pole included.  
 H 2,20m Ø 1,80m - P 236W Central pole included.



Pole Mount

**IP66-68**  
OUTDOOR RATED MOTIFS

Praxiteles



**15311.B2 POLE MOUNT**  
H 1,50m x L 0,55m - P 24W  
H 2,20m x L 0,85m - P 48W



**15311.B2.01 POLE MOUNT**  
H 1,50m x L 0,55m - P 24W  
H 2,20m x L 0,85m - P 48W

**15311.B2.02 POLE MOUNT**  
H 1,50m x L 0,55m - P 24W  
H 2,20m x L 0,85m - P 48W



**15312.A2 CROSS STREET**  
L 3,00m x H 0,55m - P 48W  
L 4,40m x H 0,85m - P 96W



Praxiteles

Cross Street



15316.B2 GLOBE / LANTERN  
H 1,00m x L 1,90m - P 30W



15314.A2 CROSS STREET & 3D SUSPENSION With 4 Sides  
L 4,60m x H 1,50m - P 174W  
15315.A2 CROSS STREET & 3D SUSPENSION With 8 Sides  
L 4,60m x H 1,50m - P 252W



15317.A2 3D SUSPENSION With 4 Sides  
H 1,50m Ø 1,50m - P 78W  
15318.A2 3D SUSPENSION With 8 Sides  
H 1,50m Ø 1,50m - P 156W



Pole Mount

**IP66-68**  
OUTDOOR RATED MOTIFS

Morpheus



**15319.B2** POLE MOUNT  
H 2,20m x L 0,40m - P 15W



**15319.B2.01** POLE MOUNT  
H 2,20m x L 0,40m - P 15W

**15319.B2.02** POLE MOUNT  
H 2,20m x L 0,40m - P 15W



**15320.A2** CROSS STREET  
L 4,40m x H 0,40m - P 30W



Morpheus

Cross Street



15321.A2 CROSS STREET  
L 4,40m x H 0,40m - P 30W



15322.B2 POLE MOUNT  
H 2,20m x L 0,40m - P 15W



15322.B2.01 POLE MOUNT  
H 2,20m x L 0,40m - P 15W


15322.B2.02 POLE MOUNT  
H 2,20m x L 0,40m - P 15W



Pole Mount

**IP66-68**  
OUTDOOR RATED MOTIFS

Nemesis



**15324.B2** POLE MOUNT  
H 1,50m x L 0,50m - P 33W  
H 2,20m x L 0,75m - P 45W



**15324.B2.01** POLE MOUNT  
H 1,50m x L 0,50m - P 33W  
H 2,20m x L 0,75m - P 45W

**15324.B2.02** POLE MOUNT  
H 1,50m x L 0,50m - P 33W  
H 2,20m x L 0,75m - P 45W



**15325.A2** CROSS STREET  
L 3,00m x H 0,50m - P 66W  
L 4,40m x H 0,75m - P 90W



Nemesis

Cross Street



15326.A2 CROSS STREET  
L 4,00m x H 1,40m - P 117W



15327.B2 GLOBE / LANTERN  
H 0,95m x L 1,60m - P 36W




15328.B2.FS 3D FLOOR STANDING  
H 1,50m Ø 1,20m - P 132W Central pole included.  
H 2,20m Ø 1,70m - P 180W Central pole included.



Pole Mount

**IP66-68**  
OUTDOOR RATED MOTIFS

Icarus



**15329.B2 POLE MOUNT**  
H 1,50m x L 0,60m - P 21W  
H 2,20m x L 0,85m - P 57W



**15329.B2.01 POLE MOUNT**  
H 1,50m x L 0,60m - P 21W  
H 2,20m x L 0,85m - P 57W

**15329.B2.02 POLE MOUNT**  
H 1,50m x L 0,60m - P 21W  
H 2,20m x L 0,85m - P 57W



**15330.A2 CROSS STREET**  
L 3,00m x H 0,60m - P 42W  
L 4,40m x H 0,85m - P 114W




Icarus

Cross Street



15331.B2 GLOBE / LANTERN  
H 0,30m x L 1,00m - P 21W




15332.B2.FS 3D FLOOR STANDING  
H 1,50m Ø 1,40m - P 84W-4sides, P 168W-8sides. Central pole included.  
H 2,20m Ø 1,90m - P 228W-4sides, P 456W-8sides. Central pole included.



Pole Mount

**IP66-68**  
OUTDOOR RATED MOTIFS

Eris



**15334.B2 POLE MOUNT**  
H 1,50m x L 0,45m - P 18W  
H 2,20m x L 0,65m - P 24W



**15334.B2.01 POLE MOUNT** **15334.B2.02 POLE MOUNT**  
H 1,50m x L 0,45m - P 18W H 1,50m x L 0,45m - P 18W  
H 2,20m x L 0,65m - P 24W H 2,20m x L 0,65m - P 24W



**15335.A2 CROSS STREET**  
L 3,00m x H 0,45m - P 36W  
L 4,40m x H 0,65m - P 48W



Eris

Cross Street



15336.A2 CROSS STREET  
L 4,40m x H 1,25m - P 60W



15337.A2 2D SUSPENSION  
H 0,90m x L 0,50m - P 12W



15338.B2 GLOBE / LANTERN  
H 1,30m x L 1,50m - P 24W



15339.B2.FS 3D FLOOR STANDING  
H 1,50m Ø 1,10m - P 72W Central pole included.  
H 2,20m Ø 1,50m - P 96W Central pole included.



Pole Mount

**IP66-68**  
OUTDOOR RATED MOTIFS

Hedone



**15341.B2** POLE MOUNT  
H 1,50m x L 0,50m - P 26W  
H 2,20m x L 0,75m - P 36W



**15341.B2.01** POLE MOUNT  
H 1,50m x L 0,50m - P 26W  
H 2,20m x L 0,75m - P 36W

**15341.B2.02** POLE MOUNT  
H 1,50m x L 0,50m - P 26W  
H 2,20m x L 0,75m - P 36W



**15342.A2** CROSS STREET  
L 3,00m x H 0,50m - P 52W  
L 4,40m x H 0,75m - P 72W



Hedone

Cross Street



15343.B2 GLOBE / LANTERN  
H 1,00m x L 2,00m - P 48W





15344.B2.FS 3D FLOOR STANDING  
H 1,50m Ø 1,20m - P 104W Central pole included.  
H 2,20m Ø 1,70m - P 144W Central pole included.




Pole Mount

**IP66-68**  
OUTDOOR RATED MOTIFS

Gaia




**15346.B2 POLE MOUNT**  
H 1,50m x L 0,45m - P 21W  
H 2,20m x L 0,65m - P 33W



**15346.B2.01 POLE MOUNT**  
H 1,50m x L 0,45m - P 21W  
H 2,20m x L 0,65m - P 33W

**15346.B2.02 POLE MOUNT**  
H 1,50m x L 0,45m - P 21W  
H 2,20m x L 0,65m - P 33W



**15347.A2 CROSS STREET**  
L 3,00m x H 0,45m - P 42W  
L 4,40m x H 0,65m - P 66W








Pole Mount

**IP66-68**  
OUTDOOR RATED MOTIFS

Calypso



**15352.B2** POLE MOUNT  
H 1,50m x L 0,60m - P 30W  
H 2,20m x L 0,90m - P 42W



**15352.B2.01** POLE MOUNT  
H 1,50m x L 0,60m - P 30W  
H 2,20m x L 0,90m - P 42W

**15352.B2.02** POLE MOUNT  
H 1,50m x L 0,60m - P 30W  
H 2,20m x L 0,90m - P 42W



**15353.A2** CROSS STREET  
L 3,00m x H 0,60m - P 60W  
L 4,40m x H 0,90m - P 84W




Calypso


Cross Street



15354.A2 CROSS STREET  
L 4,00m x H 1,30m - P 72W



15355.A2 2D SUSPENSION  
H 0,50m x L 0,30m - P 6W



15356.B2 GLOBE / LANTERN  
H 0,90m x L 1,90m - P 30W



15357.A2 3D SUSPENSION  
H 1,15m x L 2,20m - P 80W



Pole Mount

**IP66-68**  
OUTDOOR RATED MOTIFS

Achilles



15358.B2 POLE MOUNT  
H 2,50m x L 0,75m - P 47W



15358.B2.01 POLE MOUNT  
H 2,50m x L 0,75m - P 47W

15358.B2.02 POLE MOUNT  
H 2,50m x L 0,75m - P 47W



15359.A2 CROSS STREET  
L 5,00m x H 0,75m - P 94W



Achilles

Cross Street



15360.A2 CROSS STREET  
L 5,00m x H 0,75m - P 103W



15361.A2 2D SUSPENSION  
Ø 0,50m - P 9W



15362.B2.FS 3D FLOOR STANDING  
H 2,50m Ø 1,70m - P 188W Central pole included.



Pole Mount

**IP66-68**  
OUTDOOR RATED MOTIFS

Alkioni



**15363.B2** POLE MOUNT  
H 1,50m x L 0,55m - P 24W  
H 2,20m x L 0,80m - P 39W



**15363.B2.01** POLE MOUNT  
H 1,50m x L 0,55m - P 24W  
H 2,20m x L 0,80m - P 39W

**15363.B2.02** POLE MOUNT  
H 1,50m x L 0,55m - P 24W  
H 2,20m x L 0,80m - P 39W



**15364.A2** CROSS STREET  
L 3,00m x H 0,55m - P 48W  
L 4,40m x H 0,80m - P 78W



Alkioni

Cross Street



15365.B2 GLOBE / LANTERN  
H 1,20m x L 1,70m - P 30W



15366.B2.FS 3D FLOOR STANDING  
H 1,50m Ø 1,30m - P 96W Central pole included.  
H 2,20m Ø 1,80m - P 156W Central pole included.

Pole Mount

**IP66-68**  
OUTDOOR RATED MOTIFS

Pluto



**15368.B2** POLE MOUNT  
H 1,50m x L 0,75m - P 45W  
H 2,20m x L 1,10m - P 63W



**15368.B2.01** POLE MOUNT  
H 1,50m x L 0,75m - P 45W  
H 2,20m x L 1,10m - P 63W

**15368.B2.02** POLE MOUNT  
H 1,50m x L 0,75m - P 45W  
H 2,20m x L 1,10m - P 63W



**15369.A2** CROSS STREET  
L 3,75m x H 0,75m - P 75W  
L 5,50m x H 1,10m - P 105W







Pole Mount

**IP66-68**  
OUTDOOR RATED MOTIFS

Niobe



**15373.B2** POLE MOUNT  
H 1,90m x L 0,95m - P 27W  
H 2,90m x L 1,40m - P 41W



**15373.B2.01** POLE MOUNT  
H 1,90m x L 0,95m - P 27W  
H 2,90m x L 1,40m - P 41W

**15373.B2.02** POLE MOUNT  
H 1,90m x L 0,95m - P 27W  
H 2,90m x L 1,40m - P 41W



**15374.A2** CROSS STREET  
L 3,00m x H 0,75m - P 54W  
L 4,40m x H 1,10m - P 82W








Pole Mount

**IP66 - 68**  
OUTDOOR RATED MOTIFS

Xanthe



15379.B2 POLE MOUNT  
H 2,20m x L 1,15m - P 57W



15379.B2.01 POLE MOUNT  
H 2,20m x L 1,15m - P 57W

15379.B2.02 POLE MOUNT  
H 2,20m x L 1,15m - P 57W



15380.A2 CROSS STREET  
L 4,00m x H 1,00m - P 60W



Xanthe

Cross Street



15382.B2 GLOBE / LANTERN  
H 1,05m x L 0,83m - P 21W



15381.A2 CROSS STREET  
L 3,50m x H 1,45m - P 84W



15383.B2.FS 2D FLOOR STANDING  
H 2,00m x L 1,66m - P 42W

Pole Mount

**IP66 - 68**  
OUTDOOR RATED MOTIFS

Phoebe



**15384.B2** POLE MOUNT  
H 1,50m x L 0,85m - P 33W  
H 2,20m x L 1,25m - P 42W



**15385.B2** POLE MOUNT  
H 2,20m x L 1,80m - P 65W



**15386.A2** CROSS STREET  
L 4,40m x H 1,80m - P 130W



Phoebe

Cross Street



15387.B2 GLOBE / LANTERN  
H 1,40m x L 1,40m - P 27W




15388.B2.FS FLOOR STANDING  
H 3,00m Ø 2,70m - P 118W Central pole included.

Pole Mount

**IP66-68**  
OUTDOOR RATED MOTIFS

Harmonia




**15390.B2** POLE MOUNT  
H 1,50m x L 0,55m - P 21W  
H 2,20m x L 0,80m - P 30W



**15390.B2.01** POLE MOUNT  
H 1,50m x L 0,55m - P 21W  
H 2,20m x L 0,80m - P 30W

**15390.B2.02** POLE MOUNT  
H 1,50m x L 0,55m - P 21W  
H 2,20m x L 0,80m - P 30W



**15391.A2** CROSS STREET  
L 3,00m x H 0,55m - P 42W  
L 4,40m x H 0,80m - P 60W




# Harmonia

# Cross Street



**15392.A2 CROSS STREET**  
 L 3,00m x H 1,10m - P 60W  
 L 4,40m x H 1,60m - P 84W



**15393.A2 SUSPENSION**  
 H 0,55m x L 1,60m - P 18W  
 H 0,80m x L 2,30m - P 24W



**15394.B2 GLOBE / LANTERN**  
 H 0,80m x L 1,95m - P 24W




**15395.B2.FS FLOOR STANDING**  
 H 1,50m Ø 1,30m - P 84W Central pole included.  
 H 2,20m Ø 1,80m - P 120W Central pole included.


Pole Mount

**IP66-68**  
OUTDOOR RATED MOTIFS

Zeus




**15396.B2 POLE MOUNT**  
H 1,50m x L 0,70m - P 41W  
H 2,20m x L 1,05m - P 56W



**15396.B2.01 POLE MOUNT**  
H 1,50m x L 0,70m - P 41W  
H 2,20m x L 1,05m - P 56W

**15396.B2.02 POLE MOUNT**  
H 1,50m x L 0,70m - P 41W  
H 2,20m x L 1,05m - P 56W



**15397.A2 CROSS STREET**  
L 3,00m x H 0,70m - P 82W  
L 4,40m x H 1,05m - P 112W




Zeus

Cross Street



15398.A2 CROSS STREET  
L 4,40m x H 1,05m - P 121W



15399.A2 2D SUSPENSION  
H 0,30m x L 0,65m - P 9W



15400.B2 GLOBE / LANTERN  
H 0,50m x L 1,50m - P 12W




15401.B2.FS 3D FLOOR STANDING  
H 1,50m Ø 1,60m - P 164W Central pole included.  
H 2,20m Ø 2,30m - P 224W Central pole included.

Pole Mount

**IP66-68**  
OUTDOOR RATED MOTIFS

Dione



**15403.B2** POLE MOUNT  
H 1,50m x L 0,45m - P 24W  
H 2,20m x L 0,65m - P 33W



**15403.B2.01** POLE MOUNT  
H 1,50m x L 0,45m - P 24W  
H 2,20m x L 0,65m - P 33W

**15403.B2.02** POLE MOUNT  
H 1,50m x L 0,45m - P 24W  
H 2,20m x L 0,65m - P 33W



**15404.A2** CROSS STREET  
L 3,00m x H 0,45m - P 48W  
L 4,40m x H 0,65m - P 66W



Dione

Cross Street



15406.B2 GLOBE / LANTERN  
H 0,50m x L 1,50m - P 30W



15407.B2.FS 3D FLOOR STANDING  
H 1,50m - P 27W




15405.A2 CROSS STREET  
L 4,00m x H 0,65m - P 54W


Pole Mount

**IP66-68**  
OUTDOOR RATED MOTIFS

Argus



**15409.B2 POLE MOUNT**  
H 1,50m x L 0,55m - P 18W  
H 2,20m x L 0,80m - P 24W



**15409.B2.01 POLE MOUNT**  
H 1,50m x L 0,55m - P 18W  
H 2,20m x L 0,80m - P 24W

**15409.B2.02 POLE MOUNT**  
H 1,50m x L 0,55m - P 18W  
H 2,20m x L 0,80m - P 24W




**15410.A2 CROSS STREET**  
L 3,00m x H 0,55m - P 36W  
L 4,40m x H 0,80m - P 48W



Argus

Cross Street



15411.B2 GLOBE / LANTERN  
H 0,75m x L 1,15m - P 24W



15412.B2.FS 3D FLOOR STANDING  
H 1,50m Ø 1,30m - P 72W Central pole included.  
H 2,20m Ø 1,80m - P 96W Central pole included.

Pole Mount

**IP66-68**  
OUTDOOR RATED MOTIFS

Odysseus



**15414.B2** POLE MOUNT  
H 1,50m x L 0,65m - P 27W  
H 2,20m x L 0,95m - P 36W



**15414.B2.01** POLE MOUNT  
H 1,50m x L 0,65m - P 27W  
H 2,20m x L 0,95m - P 36W

**15414.B2.02** POLE MOUNT  
H 1,50m x L 0,65m - P 27W  
H 2,20m x L 0,95m - P 36W



**15415.A2** CROSS STREET  
L 3,00m x H 0,65m - P 54W  
L 4,40m x H 0,95m - P 72W




Odysseus


Cross Street




15416.B2 GLOBE / LANTERN  
H 1,20m x L 2,10m - P 30W



15417.A2 CROSS STREET L 4,40m x H 0,95m - P 135W



15418.A2 CROSS STREET L 4,40m x H 0,95m - P 135W



15419.A2 CROSS STREET L 4,40m x H 0,95m - P 135W




Pole Mount

**IP66-68**  
OUTDOOR RATED MOTIFS

Uranus



**15421.B2 POLE MOUNT**  
H 1,50m x L 1,05m - P 27W  
H 2,20m x L 1,40m - P 39W



**15422.B2 POLE MOUNT**  
H 1,50m x L 1,30m - P 51W




**15423.A2 CROSS STREET**  
L 4,50m x H 0,85m - P 102W




Uranus

Cross Street



15424.B2 GLOBE / LANTERN  
H 0,65m x L 1,00m - P 18W



15425.B2.FS 3D FLOOR STANDING  
H 2,20m x L 1,30m - P 54W Central pole included.

Pole Mount

**IP66-68**  
OUTDOOR RATED MOTIFS

Theia



**15427.B2** POLE MOUNT  
H 1,50m x L 0,50m - P 9W  
H 2,20m x L 0,75m - P 14W



**15427.B2.01** POLE MOUNT  
H 1,50m x L 0,50m - P 9W  
H 2,20m x L 0,75m - P 14W

**15427.B2.02** POLE MOUNT  
H 1,50m x L 0,50m - P 9W  
H 2,20m x L 0,75m - P 14W



**15428.A2** CROSS STREET  
L 4,50m x H 0,95m - P 41W



Theia

Cross Street



15430.B2 GLOBE / LANTERN  
H 0,75m x L 1,60m - P 18W



15429.A2 CROSS STREET  
L 4,50 m x H 1,00 m - P 50W




15431.B2 POLE MOUNT  
H 2,65m x L 1,20m - P 37W

Pole Mount

**IP66-68**  
OUTDOOR RATED MOTIFS

Rhea



**15433.B2** POLE MOUNT  
H 1,50m x L 0,75m - P 21W  
H 2,20m x L 1,10m - P 30W



**15433.B2.01** POLE MOUNT  
H 1,50m x L 0,75m - P 21W  
H 2,20m x L 1,10m - P 30W

**15433.B2.02** POLE MOUNT  
H 1,50m x L 0,75m - P 21W  
H 2,20m x L 1,10m - P 30W



**15434.A2** CROSS STREET  
L 4,00m x H 1,20m - P 114W





Pole Mount

**IP66-68**  
OUTDOOR RATED MOTIFS

Astraeus



15438.B2 POLE MOUNT  
H 2,20m x L 0,95m - P 48W



15438.B2.01 POLE MOUNT  
H 2,20m x L 0,95m - P 48W

15438.B2.02 POLE MOUNT  
H 2,20m x L 0,95m - P 48W



15439.A2 CROSS STREET  
L 4,40m x H 0,95m - P 96W



Astraeus

Cross Street



15440.B2 GLOBE / LANTERN  
H 0,60m x L 1,15m - P 30W



15441.B2.FS 3D FLOOR STANDING  
H 2,20m Ø 2,10m - P 192W Central pole included.



Pole Mount

**IP66 - 68**  
OUTDOOR RATED MOTIFS

Epiktetos



15468.B2 POLE MOUNT  
H 1,50m x L 1,50m - P 45W



15469.B2 POLE MOUNT  
H 1,50m x L 1,50m - P 51W



15470.B2 POLE MOUNT  
H 1,50m x L 1,50m - P 51W



15471.B2 POLE MOUNT  
H 1,50m x L 1,50m - P 42W



15472.B2 POLE MOUNT  
H 1,50m x L 1,50m - P 42W




15473.B2 POLE MOUNT  
H 1,50m x L 1,50m - P 39W





Epiktetos

Cross Street



15475.B2 POLE MOUNT  
H 1,15m x L 1,00m - P 27W




15476.B2 POLE MOUNT  
H 0,90m x L 1,00m - P 29W



15477.B2 POLE MOUNT  
H 1,05m x L 1,20m - P 33W



15478.B2 POLE MOUNT  
H 1,40m x L 0,90m - P 24W



15474.A2 CROSS STREET  
L 4,00m x H 1,50m - P 138W



15479.B2 POLE MOUNT  
H 1,20m x L 1,25m - P 24W



15480.B2 POLE MOUNT  
H 1,05m x L 1,05m - P 25W



Pole Mount

**IP66-68**  
OUTDOOR RATED MOTIFS

Euclid



**15482.B2** POLE MOUNT  
H 1,45m x L 0,90m - P 27W

**15483.B2** POLE MOUNT  
H 2,00m x L 1,20m - P 45W



**15484.B2.FS** 2D FLOOR STANDING  
H 2,20m x L 1,60m - P 69W





Euclid

Cross Street





15485.B2.FS 3D FLOOR STANDING  
H 2,20m x L 1,60m x W 0,40m - P 160W

Pole Mount

**IP66 - 68**  
OUTDOOR RATED MOTIFS

Niketa





Niketa

Cross Street



Pole Mount

**IP66-68**  
OUTDOOR RATED MOTIFS

Galenos



**15443.B2** POLE MOUNT  
H 1,50m x L 0,60m - P 33W  
H 2,20m x L 0,90m - P 51W



**15443.B2.01** POLE MOUNT  
H 1,50m x L 0,60m - P 33W  
H 2,20m x L 0,90m - P 51W

**15443.B2.02** POLE MOUNT  
H 1,50m x L 0,60m - P 33W  
H 2,20m x L 0,90m - P 51W



**15444.A2** CROSS STREET  
L 3,00m x H 0,60m - P 66W  
L 4,40m x H 0,90m - P 102W



Galenos

Cross Street



**15445.A2 2D SUSPENSION**  
 H 1,50m x L 1,50m - P 71W  
 H 2,20m x L 2,20m - P 105W



**15446.B2.FS 3D FLOOR STANDING**  
 H 1,50m Ø 1,40m - P 132W Central pole included.  
 H 2,20m Ø 2,00m - P 204W Central pole included.



Pole Mount

**IP66-68**  
OUTDOOR RATED MOTIFS

Scylla



**15448.A2 2D SUSPENSION**  
Ø 1,50m - P 54W    Ø 2,20m - P 90W  
Ø 3,00m - P 118W



**15449.B2.01 POLE MOUNT**  
H 1,50m x L 0,75m - P 27W  
H 2,20m x L 1,10m - P 45W  
H 3,00m x L 1,50m - P 59W

**15449.B2.02 POLE MOUNT**  
H 1,50m x L 0,75m - P 27W  
H 2,20m x L 1,10m - P 45W  
H 3,00m x L 1,50m - P 59W





Scylla

Facade



**15450.A2 2D SUSPENSION**  
 Ø 1,50m - P 76W    Ø 2,20m - P 108W  
 Ø 3,00m - P 162W



**15451.B2.01 POLE MOUNT**  
 H 1,50m x L 0,75m - P 38W  
 H 2,20m x L 1,10m - P 54W  
 H 3,00m x L 1,50m - P 81W

**15451.B2.02 POLE MOUNT**  
 H 1,50m x L 0,75m - P 38W  
 H 2,20m x L 1,10m - P 54W  
 H 3,00m x L 1,50m - P 81W



Pole Mount

**IP66 - 68**  
OUTDOOR RATED MOTIFS

Erasmus



**15453.A2 2D SUSPENSION**  
H 1,50m x L 1,40m - P 66W    H 2,20m x L 2,05m - P 96W  
H 3,00m x L 2,80m - P 132W



**15454.B2.01 POLE MOUNT**  
H 1,50m x L 0,70m - P 36W  
H 2,20m x L 1,00m - P 50W  
H 3,00m x L 1,40m - P 69W

**15454.B2.02 POLE MOUNT**  
H 1,50m x L 0,70m - P 36W  
H 2,20m x L 1,00m - P 50W  
H 3,00m x L 1,40m - P 69W





Erasmus

Facade



**15465.A2 2D SUSPENSION**  
 H 1,50m x L 1,42m - P 81W    H 2,20m x L 2,08m - P 113W  
 H 3,00m x L 2,85m - P 156W



**15466.B2.01 POLE MOUNT**  
 H 1,50m x L 0,71m - P 41W  
 H 2,20m x L 1,04m - P 59W  
 H 3,00m x L 1,42m - P 79W

**15466.B2.02 POLE MOUNT**  
 H 1,50m x L 0,71m - P 41W  
 H 2,20m x L 1,04m - P 59W  
 H 3,00m x L 1,42m - P 79W



Pole Mount

**IP66 - 68**  
OUTDOOR RATED MOTIFS

Talos



**15463.A2 2D SUSPENSION**  
 Ø 1,50m - P 72W    Ø 2,20m - P 108W  
 Ø 3,00m - P 144W



**15464.B2.01 POLE MOUNT**  
 H 1,50m x L 0,75m - P 36W  
 H 2,20m x L 1,10m - P 54W  
 H 3,00m x L 1,50m - P 72W

**15464.B2.02 POLE MOUNT**  
 H 1,50m x L 0,75m - P 36W  
 H 2,20m x L 1,10m - P 54W  
 H 3,00m x L 1,50m - P 72W





Talos

Facade



**15460.A2 2D SUSPENSION**  
 Ø 1,50m - P 72W    Ø 2,20m - P 102W  
 Ø 3,00m - P 144W



**15461.B2.01 POLE MOUNT**  
 H 1,50m x L 0,75m - P 36W  
 H 2,20m x L 1,10m - P 51W  
 H 3,00m x L 1,50m - P 72W

**15461.B2.02 POLE MOUNT**  
 H 1,50m x L 0,75m - P 36W  
 H 2,20m x L 1,10m - P 51W  
 H 3,00m x L 1,50m - P 72W



Pole Mount

**IP66-68**  
OUTDOOR RATED MOTIFS

Nestor



**15458.A2 2D SUSPENSION**  
Ø 1,50m - P 57W    Ø 2,20m - P 84W  
Ø 3,00m - P 126W



**15459.B2.01 POLE MOUNT**  
H 1,50m x L 0,75m - P 30W  
H 2,20m x L 1,10m - P 42W  
H 3,00m x L 1,50m - P 63W

**15459.B2.02 POLE MOUNT**  
H 1,50m x L 0,75m - P 30W  
H 2,20m x L 1,10m - P 42W  
H 3,00m x L 1,50m - P 63W





Nestor

Facade



**15455.A2 2D SUSPENSION**  
 H 1,50m x L 1,20m - P 56W    H 2,20m x L 1,75m - P 72W  
 H 3,00m x L 2,40m - P 108W



**15456.B2.01 POLE MOUNT**  
 H 1,50m x L 0,60m - P 27W  
 H 2,20m x L 0,88m - P 36W  
 H 3,00m x L 1,20m - P 54W

**15456.B2.02 POLE MOUNT**  
 H 1,50m x L 0,60m - P 27W  
 H 2,20m x L 0,88m - P 36W  
 H 3,00m x L 1,20m - P 54W



# FACADE DECORATION

## QUALITY CONTROL & GUARANTEE

- ENVIRONMENT PROTECTION
- DESIGN & INNOVATION
- LOW ENERGY CONSUMPTION
- LOW HEAT EMITTING
- LONG LIFETIME
- HIGH LUMINOUS EFFICIENCY
- HIGH QUALITY LED ROPE LIGHT
- HIGH QUALITY LED LIGHT CHAINS
- CERTIFIED & PATENTED LED
- REGISTERED EUROPEAN PATENTS
- CE EUROPEAN STANDARDS
- IP66-68 OUTDOOR RATED
- ISO 9001:2008









Facade

IP66-68  
OUTDOOR RATED MOTIFS

Isocrates





## Isocrates


## Facade



**12911.RE.200.FC** FACADE  
H 2,00m x L 2,00m - P 106W

**12911.RE.300.FC** FACADE  
H 3,00m x L 3,00m - P 151W

**12911.RE.400.FC** FACADE  
H 4,00m x L 4,00m - P 244W



**12912.RE.60.FC** FACADE  
H 0,60m x L 2,00m - P 18W

**12912.RE.75.FC** FACADE  
H 0,75m x L 2,00m - P 22W


**12912.RE.90.FC** FACADE  
H 0,90m x L 2,00m - P 27W



**12911.GO.200.FC** FACADE  
H 2,00m x L 2,00m - P 106W

**12911.GO.300.FC** FACADE  
H 3,00m x L 3,00m - P 151W


**12911.GO.400.FC** FACADE  
H 4,00m x L 4,00m - P 244W



**12912.GO.60.FC** FACADE  
H 0,60m x L 2,00m - P 18W

**12912.GO.75.FC** FACADE  
H 0,75m x L 2,00m - P 22W

**12912.GO.90.FC** FACADE  
H 0,90m x L 2,00m - P 27W



**12914.RE.FC**

**12922.150.FC** FACADE  
H 1,50m x L 1,15m - P 15W


**12922.200.FC** FACADE  
H 2,00m x L 1,55m - P 18W

**12922.250.FC** FACADE  
H 2,50m x L 1,90m - P 22W


**12922.300.FC** FACADE  
H 3,00m x L 2,20m - P 30W

**12922.400.FC** FACADE  
H 4,00m x L 3,00m - P 36W

**12922.500.FC** FACADE  
H 5,00m x L 3,38m - P 48W



**12914.BL.FC**



**12914.GO.FC**



**12914.SI.FC**





Facade

**IP66 - 68**  
OUTDOOR RATED MOTIFS

Porphyriion



**15501.A2.FC** FACADE  
H 3,50m x L 2,00m - P 194W  
H 5,30m x L 3,00m - P 290W



**15502.A2.FC** FACADE  
H 3,50m x L 2,00m - P 230W  
H 5,30m x L 3,10m - P 350W



Porphyrion

Facade





Facade



Mnason



15503.A2.FC FACADE  
H 2,90m x L 2,50m - P 160W  
H 4,70m x L 4,00m - P 270W





Mnason

Facade




15504.A2.FC FACADE  
H 2,90m x L 2,20m - P 130W  
H 4,70m x L 3,50m - P 220W



Facade

**IP66-68**  
OUTDOOR RATED MOTIFS

Metis



15505.A2.FC FACADE  
 ø 2,20m - P 184W    ø 4,00m - P 325W  
 ø 3,00m - P 235W



15151.A2.FC FACADE  
 ø 1,50m - P 66W    ø 3,00m - P 149W  
 ø 2,20m - P 99W    ø 4,00m - P 198W





Metis

Facade



**15445.A2.FC FACADE**  
 Ø 1,50m - P 71W    Ø 3,00m - P 126W  
 Ø 2,20m - P 105W    Ø 4,00m - P 170W



**15508.A2.FC FACADE**  
 Ø 1,50m - P 66W    Ø 3,00m - P 149W  
 Ø 2,20m - P 99W    Ø 4,00m - P 195W



Facade

**IP66-68**  
OUTDOOR RATED MOTIFS

Helena



15448.A2.FC FACADE

∅ 1,50m - P 54W    ∅ 2,20m - P 90W  
∅ 3,00m - P 118W    ∅ 4,00m - P 160W



15450.A2.FC FACADE

∅ 1,50m - P 76W    ∅ 2,20m - P 108W  
∅ 3,00m - P 162W    ∅ 4,00m - P 216W





Helena

Facade



**15453.A2.FC** FACADE  
 H 1,50m x L 1,40m - P 66W    H 2,20m x L 2,05m - P 96W  
 H 3,00m x L 2,80m - P 132W    H 4,00m x L 3,75m - P 180W



**15465.A2.FC** FACADE  
 H 1,50m x L 1,42m - P 81W    H 2,20m x L 2,08m - P 113W  
 H 3,00m x L 2,85m - P 156W    H 4,00m x L 3,80m - P 192W



Facade

**IP66-68**  
OUTDOOR RATED MOTIFS


Anaxagoras



15458.A2.FC FACADE  
 ∅ 1,50m - P 57W    ∅ 2,20m - P 84W  
 ∅ 3,00m - P 126W    ∅ 4,00m - P 174W



15463.A2.FC FACADE  
 ∅ 1,50m - P 72W    ∅ 2,20m - P 108W  
 ∅ 3,00m - P 144W    ∅ 4,00m - P 180W





Anaxagoras

Facade



**15455.A2.FC FACADE**  
 H 1,50m x L 1,20m - P 56W    H 2,20m x L 1,75m - P 72W  
 H 3,00m x L 2,40m - P 108W    H 4,00m x L 3,20m - P 144W



**15460.A2.FC FACADE**  
 Ø 1,50m - P 72W    Ø 2,20m - P 102W  
 Ø 3,00m - P 144W    Ø 4,00m - P 194W



Facade

**IP66-68**  
OUTDOOR RATED MOTIFS


Themis



15521.A2.FC FACADE  
H 2,20m x L 1,60m - P 86W  
H 3,00m x L 2,15m - P 108W



15522.A2.FC FACADE  
H 1,50m x L 1,30m - P 30W  
H 2,20m x L 1,90m - P 42W






Themis

Facade



15523.A2.FC FACADE  
H 1,50m x L 1,40m - P 63W



15524.A2.FC FACADE  
H 1,05m x L 1,00m - P 33W



Facade

**IP66 - 68**  
OUTDOOR RATED MOTIFS

Anaximander



- 12918.150.FC** FACADE  
H 1,50m x L 1,15m - P 65W
- 12918.200.FC** FACADE  
H 2,00m x L 2,05m - P 80W
- 12918.250.FC** FACADE  
H 2,50m x L 2,55m - P 98W
- 12918.300.FC** FACADE  
H 3,00m x L 3,05m - P 112W
- 12918.400.FC** FACADE  
H 4,00m x L 4,05m - P 150W
- 12918.500.FC** FACADE  
H 5,00m x L 5,07m - P 195W



- 12919.150.FC** FACADE  
H 1,50m x L 1,55m - P 40W
- 12919.200.FC** FACADE  
H 2,00m x L 2,05m - P 54W
- 12919.250.FC** FACADE  
H 2,50m x L 2,55m - P 70W
- 12919.300.FC** FACADE  
H 3,00m x L 3,05m - P 90W
- 12919.400.FC** FACADE  
H 4,00m x L 4,05m - P 110W
- 12919.500.FC** FACADE  
H 5,00m x L 5,07m - P 150W



- 12921.150.FC** FACADE  
H 1,50m x L 1,30m - P 60W
- 12921.200.FC** FACADE  
H 2,00m x L 1,75m - P 85W
- 12921.250.FC** FACADE  
H 2,50m x L 2,15m - P 105W
- 12921.300.FC** FACADE  
H 3,00m x L 2,60m - P 125W
- 12921.400.FC** FACADE  
H 4,00m x L 4,50m - P 160W
- 12921.500.FC** FACADE  
H 5,00m x L 4,35m - P 220W



- 12920.150.FC** FACADE  
H 1,50m x L 1,15m - P 24W
- 12920.200.FC** FACADE  
H 2,00m x L 2,10m - P 33W
- 12920.240.FC** FACADE  
H 2,40m x L 2,50m - P 39W
- 12920.380.FC** FACADE  
H 2,80m x L 2,90m - P 45W
- 12920.375.FC** FACADE  
H 3,75m x L 3,90m - P 60W
- 12920.465.FC** FACADE  
H 4,65m x L 4,80m - P 75W





Anaximander

Facade



- 12922.150.FC FACADE  
H 1,50m x L 1,15m - P 15W
- 12922.200.FC FACADE  
H 2,00m x L 1,55m - P 18W
- 12922.250.FC FACADE  
H 2,50m x L 1,90m - P 22W
- 12922.300.FC FACADE  
H 3,00m x L 2,20m - P 30W
- 12922.400.FC FACADE  
H 4,00m x L 3,00m - P 36W
- 12922.500.FC FACADE  
H 5,00m x L 3,38m - P 48W






Facade

IP66-68  
OUTDOOR RATED MOTIFS

Miltiades





Miltiades

Facade





# TREES

## QUALITY CONTROL & GUARANTEE

- ENVIRONMENT PROTECTION
- DESIGN & INNOVATION
- LOW ENERGY CONSUMPTION
- LOW HEAT EMITTING
- LONG LIFETIME
- HIGH LUMINOUS EFFICIENCY
- HIGH QUALITY LED ROPE LIGHT
- HIGH QUALITY LED LIGHT CHAINS
- CERTIFIED & PATENTED LED
- REGISTERED EUROPEAN PATENTS
- CE EUROPEAN STANDARDS
- IP66-68 OUTDOOR RATED
- ISO 9001 : 2008

**IP66-68**  
OUTDOOR RATED MOTIFS









Tree

**IP66-68**  
OUTDOOR RATED MOTIFS

Giant Branch Tree



**14064**

|   |        |
|---|--------|
| H | 10,80m |
| Ø | 4,35m  |
| P | 1.566W |

with 45.240 tips  
without star

**14065**

|   |        |
|---|--------|
| H | 12,80m |
| Ø | 5,00m  |
| P | 1.998W |

with 57.720 tips  
without star

**14066**

|   |        |
|---|--------|
| H | 14,80m |
| Ø | 5,65m  |
| P | 2.538W |

with 73.320 tips  
without star

**14067**

|   |        |
|---|--------|
| H | 16,80m |
| Ø | 6,30m  |
| P | 3.078W |

with 88.920 tips  
without star

**14068**

|   |        |
|---|--------|
| H | 18,80m |
| Ø | 6,95m  |
| P | 3.618W |

with 104.520 tips  
without star

**14069**

|   |        |
|---|--------|
| H | 20,80m |
| Ø | 7,60m  |
| P | 4.158W |

with 120.120 tips  
without star





Giant Branch Tree

Tree





Tree

**IP66-68**  
OUTDOOR RATED MOTIFS

Giant Branch Tree

**14070**

|   |        |
|---|--------|
| H | 11,50m |
| Ø | 4,70m  |
| P | 1.782W |


without star





# Giant Branch Tree

# Tree





Tree

**IP66-68**  
OUTDOOR RATED MOTIFS

Walk Through Tree



Trees without star

**15600**

|   |       |
|---|-------|
| H | 6,60m |
| Ø | 4,35m |
| P | 270W  |

**15601**

|   |       |
|---|-------|
| H | 8,60m |
| Ø | 5,00m |
| P | 405W  |

**15602**

|   |        |
|---|--------|
| H | 10,80m |
| Ø | 5,65m  |
| P | 1566W  |

Trees with star

**15603**

|   |       |
|---|-------|
| H | 7,10m |
| Ø | 6,30m |
| P | 280W  |

**15604**

|   |       |
|---|-------|
| H | 8,90m |
| Ø | 6,95m |
| P | 428W  |

**15605**

|   |        |
|---|--------|
| H | 11,80m |
| Ø | 7,60m  |
| P | 1590W  |





Walk Through Tree

Tree



Trees without star

**15610**

|   |       |
|---|-------|
| H | 6,60m |
| Ø | 4,35m |
| P | 270W  |

**15611**

|   |       |
|---|-------|
| H | 8,60m |
| Ø | 5,00m |
| P | 405W  |

**15612**

|   |        |
|---|--------|
| H | 10,80m |
| Ø | 5,65m  |
| P | 1566W  |

Trees with star

**15613**

|   |       |
|---|-------|
| H | 7,10m |
| Ø | 6,30m |
| P | 280W  |

**15614**

|   |       |
|---|-------|
| H | 8,90m |
| Ø | 6,95m |
| P | 428W  |

**15615**

|   |        |
|---|--------|
| H | 11,80m |
| Ø | 7,60m  |
| P | 1590W  |



Tree

**IP66-68**  
OUTDOOR RATED MOTIFS

Branch Tree

**14071**

|   |       |
|---|-------|
| H | 2,60m |
| Ø | 1,10m |
| P | 54W   |

**BGR/WW**  
Green branches  
Warm white LED

**14072**

|   |       |
|---|-------|
| H | 3,60m |
| Ø | 1,40m |
| P | 99W   |

**14073**

|   |       |
|---|-------|
| H | 4,60m |
| Ø | 1,70m |
| P | 144W  |

**14074**

|   |       |
|---|-------|
| H | 5,60m |
| Ø | 2,10m |
| P | 216W  |

**14075**

|   |       |
|---|-------|
| H | 6,60m |
| Ø | 2,40m |
| P | 270W  |

**14076**

|   |       |
|---|-------|
| H | 8,60m |
| Ø | 3,10m |
| P | 405W  |



**BGR/CW**  
Green branches  
Cool white LED





Branch Tree

Tree





Tree

**IP66-68**  
OUTDOOR RATED MOTIFS

Branch Tree



**14077**

|   |       |
|---|-------|
| H | 2,60m |
| Ø | 1,10m |
| P | 54W   |

**BWH/CW**

White branches  
Cool white LED



**BWH/WW**

White branches  
Warm white LED



**BGL/WW**

Gold branches  
Warm white LED



**14078**

|   |       |
|---|-------|
| H | 3,60m |
| Ø | 1,40m |
| P | 99W   |

**14079**

|   |       |
|---|-------|
| H | 4,60m |
| Ø | 1,70m |
| P | 144W  |

**14080**

|   |       |
|---|-------|
| H | 5,60m |
| Ø | 2,10m |
| P | 216W  |

**14081**

|   |       |
|---|-------|
| H | 6,60m |
| Ø | 2,40m |
| P | 270W  |

**14082**

|   |       |
|---|-------|
| H | 8,60m |
| Ø | 3,10m |
| P | 405W  |



Branch Tree

Tree





Tree

**IP66-68**  
OUTDOOR RATED MOTIFS

Branch Tree with Star



**124400**

|   |       |
|---|-------|
| H | 2,50m |
| Ø | 1,00m |
| P | 59W   |

**BGR/CW**  
Green branches  
Cool white LED



**BGR/WW**

Green branches  
Warm white LED



**BWH/WW**

White branches  
Warm white LED



**124401**

|   |       |
|---|-------|
| H | 3,70m |
| Ø | 1,30m |
| P | 104W  |

**124402**

|   |       |
|---|-------|
| H | 4,70m |
| Ø | 1,60m |
| P | 121W  |

**124403**

|   |       |
|---|-------|
| H | 5,70m |
| Ø | 2,00m |
| P | 225W  |

**124404**

|   |       |
|---|-------|
| H | 6,70m |
| Ø | 2,30m |
| P | 262W  |

**124405**

|   |       |
|---|-------|
| H | 8,90m |
| Ø | 3,00m |
| P | 422W  |





Branch Tree with Star

Tree






**14420**

|   |       |
|---|-------|
| L | 1,50m |
| H | 0,50m |
| W | 2,40m |
| P | 54W   |

Gift Box for 3,20m tree





Gift Box For Pre-Decorated Trees

Tree



**14421**

|   |       |
|---|-------|
| L | 1,50m |
| H | 0,50m |
| W | 2,40m |
| P | 54W   |

Gift Box for 3,20m tree



Tree

**IP66-68**  
OUTDOOR RATED MOTIFS

Cone Tree with Carpet

**TREE.220.MAT**

|   |       |
|---|-------|
| H | 2,20m |
| Ø | 0,72m |
| P | 54W   |

**TREE.320.MAT**

|   |       |
|---|-------|
| H | 3,20m |
| Ø | 1,00m |
| P | 99W   |

**TREE.420.MAT**

|   |       |
|---|-------|
| H | 4,20m |
| Ø | 1,32m |
| P | 144W  |

**TREE.520.MAT**

|   |       |
|---|-------|
| H | 5,20m |
| Ø | 1,70m |
| P | 216W  |

**TREE.620.MAT**

|   |       |
|---|-------|
| H | 6,20m |
| Ø | 2,00m |
| P | 270W  |

**TREE.820.MAT**

|   |       |
|---|-------|
| H | 8,20m |
| Ø | 2,70m |
| P | 405W  |





Cone Tree with Carpet

Tree





Tree

**IP66-68**  
OUTDOOR RATED MOTIFS

Cone Tree with carpet & star

**121503**

|   |       |
|---|-------|
| H | 2,50m |
| Ø | 0,72m |
| P | 54W   |

**121504**

|   |       |
|---|-------|
| H | 3,70m |
| Ø | 1,00m |
| P | 99W   |

**121505**

|   |       |
|---|-------|
| H | 4,70m |
| Ø | 1,32m |
| P | 144W  |

**121840**

|   |       |
|---|-------|
| H | 5,70m |
| Ø | 1,70m |
| P | 216W  |

**121841**

|   |       |
|---|-------|
| H | 6,70m |
| Ø | 2,00m |
| P | 270W  |

**122582**

|   |       |
|---|-------|
| H | 8,90m |
| Ø | 2,70m |
| P | 405W  |





Cone Tree with carpet & star

Tree





Tree

**IP66 - 68**  
OUTDOOR RATED MOTIFS

Ribbon Tree

**122576**

|   |       |
|---|-------|
| H | 2,50m |
| Ø | 0,72m |
| P | 95W   |

**122577**

|   |       |
|---|-------|
| H | 3,70m |
| Ø | 1,00m |
| P | 174W  |

**122578**

|   |       |
|---|-------|
| H | 4,70m |
| Ø | 1,32m |
| P | 239W  |

**122579**

|   |       |
|---|-------|
| H | 5,70m |
| Ø | 1,70m |
| P | 341W  |

**122580**

|   |       |
|---|-------|
| H | 6,90m |
| Ø | 2,00m |
| P | 422W  |

**122581**

|   |       |
|---|-------|
| H | 8,90m |
| Ø | 2,70m |
| P | 620W  |





Ribbon Tree

Tree





Tree

**IP66-68**  
OUTDOOR RATED MOTIFS

Star Tree

3D

**124414**

|   |       |
|---|-------|
| H | 2,50m |
| Ø | 0,72m |
| P | 84W   |

**124415**

|   |       |
|---|-------|
| H | 3,70m |
| Ø | 1,00m |
| P | 152W  |

**124416**

|   |       |
|---|-------|
| H | 4,70m |
| Ø | 1,32m |
| P | 211W  |

**124417**

|   |       |
|---|-------|
| H | 5,70m |
| Ø | 1,70m |
| P | 302W  |

**124418**

|   |       |
|---|-------|
| H | 6,70m |
| Ø | 2,00m |
| P | 380W  |

**124419**

|   |       |
|---|-------|
| H | 8,90m |
| Ø | 2,70m |
| P | 602W  |





Star Tree

Tree





Tree

**IP66 - 68**  
OUTDOOR RATED MOTIFS

Snowflake Tree



**124420**

|   |       |
|---|-------|
| H | 3,70m |
| Ø | 1,00m |
| P | 162W  |

**124421**

|   |       |
|---|-------|
| H | 4,70m |
| Ø | 1,32m |
| P | 230W  |

**124422**

|   |       |
|---|-------|
| H | 5,70m |
| Ø | 1,70m |
| P | 326W  |

**124423**

|   |       |
|---|-------|
| H | 6,70m |
| Ø | 2,00m |
| P | 402W  |

**124424**

|   |       |
|---|-------|
| H | 8,90m |
| Ø | 2,70m |
| P | 605W  |





Snowflake Tree

Tree





Tree

**IP66 - 68**  
OUTDOOR RATED MOTIFS

Lacy Tree



**123055**

|   |       |
|---|-------|
| H | 2,50m |
| Ø | 0,72m |
| P | 124W  |

**123056**

|   |       |
|---|-------|
| H | 3,70m |
| Ø | 1,00m |
| P | 267W  |

**123057**

|   |       |
|---|-------|
| H | 4,70m |
| Ø | 1,32m |
| P | 394W  |

**123058**

|   |       |
|---|-------|
| H | 5,70m |
| Ø | 1,70m |
| P | 592W  |

**123059**

|   |       |
|---|-------|
| H | 6,70m |
| Ø | 2,00m |
| P | 759W  |

**123060**

|   |        |
|---|--------|
| H | 8,90m  |
| Ø | 2,70m  |
| P | 1.324W |





Lacy Tree

Tree





Tree

**IP66-68**  
OUTDOOR RATED MOTIFS

Frosted Tree



**122570**

|   |       |
|---|-------|
| H | 2,20m |
| Ø | 0,72m |
| P | 61W   |

**122571**

|   |       |
|---|-------|
| H | 3,20m |
| Ø | 1,00m |
| P | 100W  |

**122572**

|   |       |
|---|-------|
| H | 4,20m |
| Ø | 1,32m |
| P | 140W  |

**122573**

|   |       |
|---|-------|
| H | 5,20m |
| Ø | 1,70m |
| P | 203W  |

**122574**

|   |       |
|---|-------|
| H | 6,20m |
| Ø | 2,00m |
| P | 250W  |

**122575**

|   |       |
|---|-------|
| H | 8,20m |
| Ø | 2,70m |
| P | 370W  |





Frosted Tree

Tree





Tree

**IP66-68**  
OUTDOOR RATED MOTIFS

Bauble Tree

**12961**

|   |       |
|---|-------|
| H | 2,20m |
| Ø | 0,73m |
| P | 54W   |

**12962**

|   |       |
|---|-------|
| H | 3,20m |
| Ø | 1,00m |
| P | 99W   |

**12963**

|   |       |
|---|-------|
| H | 4,20m |
| Ø | 1,32m |
| P | 144W  |

**12964**


|   |       |
|---|-------|
| H | 5,20m |
| Ø | 1,70m |
| P | 216W  |

**12965**

|   |       |
|---|-------|
| H | 6,20m |
| Ø | 2,00m |
| P | 270W  |

**12966**

|   |       |
|---|-------|
| H | 8,20m |
| Ø | 2,70m |
| P | 405W  |



**12961.STAR**

|   |       |
|---|-------|
| H | 2,20m |
| Ø | 0,73m |
| P | 54W   |

**12962.STAR**

|   |       |
|---|-------|
| H | 3,20m |
| Ø | 1,00m |
| P | 99W   |

**12963.STAR**

|   |       |
|---|-------|
| H | 4,20m |
| Ø | 1,32m |
| P | 144W  |

**12964.STAR**

|   |       |
|---|-------|
| H | 5,20m |
| Ø | 1,70m |
| P | 216W  |

**12965.STAR**

|   |       |
|---|-------|
| H | 6,20m |
| Ø | 2,00m |
| P | 270W  |

**12966.STAR**

|   |       |
|---|-------|
| H | 8,20m |
| Ø | 2,70m |
| P | 405W  |





Bauble Tree

Tree





Tree

**IP66-68**  
OUTDOOR RATED MOTIFS

Crystal Chain Tree



**15650**

|   |       |
|---|-------|
| H | 2,20m |
| Ø | 0,73m |
| P | 54W   |

**15651**

|   |       |
|---|-------|
| H | 3,20m |
| Ø | 1,00m |
| P | 99W   |

**15652**

|   |       |
|---|-------|
| H | 4,20m |
| Ø | 1,32m |
| P | 144W  |

**15653**

|   |       |
|---|-------|
| H | 5,20m |
| Ø | 1,70m |
| P | 216W  |

**15654**

|   |       |
|---|-------|
| H | 6,20m |
| Ø | 2,00m |
| P | 270W  |

**15655**

|   |       |
|---|-------|
| H | 8,20m |
| Ø | 2,70m |
| P | 405W  |



WITH OR WITHOUT  
STAR  
AND DECORATIVE  
CRYSTAL CHAIN

WITH STAND



WITH STAND





Crystal Chain Tree

Tree





Tree

**IP66-68**  
OUTDOOR RATED MOTIFS

Branch Tree

**13102**

|   |       |
|---|-------|
| H | 5,30m |
| L | 4,40m |
| W | 4,40m |
| P | 670W  |





Branch Tree

Tree





Tree

**IP66-68**  
OUTDOOR RATED MOTIFS

Tree with knitted balls

**14048**

|   |       |
|---|-------|
| H | 3,90m |
| Ø | 1,90m |
| P | 284W  |

**14049**

|   |       |
|---|-------|
| H | 4,60m |
| Ø | 2,00m |
| P | 365W  |

**14050**

|   |       |
|---|-------|
| H | 5,60m |
| Ø | 2,50m |
| P | 473W  |

**14051**


|   |       |
|---|-------|
| H | 6,70m |
| Ø | 2,60m |
| P | 581W  |

**14052**

|   |       |
|---|-------|
| H | 8,10m |
| Ø | 3,20m |
| P | 770W  |

**14053**

|   |       |
|---|-------|
| H | 9,40m |
| Ø | 3,30m |
| P | 959W  |





Tree with knitted balls

Tree





Tree

**IP66 - 68**  
OUTDOOR RATED MOTIFS

Branch Tree



**123006.WH**

|   |       |
|---|-------|
| H | 3,90m |
| L | 2,10m |
| P | 394W  |

**123007.WH**

|   |       |
|---|-------|
| H | 5,70m |
| L | 3,60m |
| P | 834W  |

**123008.WH**

|   |        |
|---|--------|
| H | 7,30m  |
| L | 4,85m  |
| P | 1.401W |

**123001.BA.WH**

|   |       |
|---|-------|
| H | 3,90m |
| L | 2,10m |
| P | 394W  |

with balls

**123002.BA.WH**


|   |       |
|---|-------|
| H | 5,70m |
| L | 3,60m |
| P | 834W  |

with balls

**123003.BA.WH**

|   |        |
|---|--------|
| H | 7,30m  |
| L | 4,85m  |
| P | 1.401W |

with balls



WITH OR WITHOUT  
PLASTIC BALLS  
AND DECORATIVE  
CRYSTAL CHAIN



3D GLITTER  
PLASTIC BALLS



RED



GOLD



SILVER



GREEN



BLUE



PURPLE



BRONZE



BLACK



Branch Tree

Tree





Tree

**IP66 - 68**  
OUTDOOR RATED MOTIFS

Golden Tree





**14055**

|   |        |
|---|--------|
| H | 3,05m  |
| L | 2,25m  |
| W | 2,25m  |
| P | 1.512W |

**14054**

|   |        |
|---|--------|
| H | 4,70m  |
| L | 3,80m  |
| W | 3,80m  |
| P | 3.456W |





Golden Tree

Tree





Tree

**IP66 - 68**  
OUTDOOR RATED MOTIFS

Ring Tree

**123035.250**

|   |       |
|---|-------|
| H | 2,50m |
| L | 1,25m |
| P | 117W  |

**123035.350**

|   |       |
|---|-------|
| H | 3,50m |
| L | 1,75m |
| P | 218W  |

**123035.450**

|   |       |
|---|-------|
| H | 4,50m |
| L | 2,25m |
| P | 304W  |



WITH OR WITHOUT  
PLASTIC BALLS



**123035.GLRE**



**123035.BLSI**



3D GLITTER  
PLASTIC BALLS



RED



GOLD



SILVER



GREEN



BLUE



PURPLE



BRONZE



BLACK



Ring Tree

Tree





Tree

**IP66-68**  
OUTDOOR RATED MOTIFS

Foldable Cone Tree

**122591**

|   |        |
|---|--------|
| H   | 11,00m |
|  | 50     |
| P   | 550W   |

**122592**

|   |        |
|---|--------|
| H   | 11,00m |
|  | 100    |
| P   | 1.100W |

**122593**

|   |        |
|---|--------|
| H   | 11,00m |
|  | 150    |
| P   | 1.650W |





Foldable Cone Tree

Tree





# MATERIALS & ACCESSORIES

## QUALITY CONTROL & GUARANTEE

- ENVIRONMENT PROTECTION
- DESIGN & INNOVATION
- LOW ENERGY CONSUMPTION
- LOW HEAT EMITTING
- LONG LIFETIME
- HIGH LUMINOUS EFFICIENCY
- HIGH QUALITY LED ROPE LIGHT
- HIGH QUALITY LED LIGHT CHAINS
- CERTIFIED & PATENTED LED
- REGISTERED EUROPEAN PATENTS
- CE EUROPEAN STANDARDS
- IP44-68 OUTDOOR RATED
- ISO 9001:2008










**IP65-68**

# SMOOTH LED ROPE LIGHT

30% BRIGHTER THAN ALL THE OTHER ROPE LIGHTS

Professional smooth type LED rope light - Unlimited life duration - Int. Pat. Nr. EP 1429 071 A2




## SMOOTH LED ROPE LIGHT 230V

| REF No                     | LED.SMI.WH | LED.SMI.WW | LED.SMI.BL | LED.SMI.GR | LED.SMI.RE | LED.SMI.YE | LED.SMI.PI | LED.SMI.PU |
|----------------------------|------------|------------|------------|------------|------------|------------|------------|------------|
| LED Color                  | cool white | warm white | blue       | green      | red        | yellow     | pink       | purple     |
| LED per meter              | 30         | 30         | 30         | 30         | 30         | 30         | 30         | 30         |
| Cutting Unit               | 1,50m      | 1,50m      | 1,50m      | 1,50m      | 1,50m      | 1,50m      | 1,50m      | 1,50m      |
| Max. Length with one power | 99m        | 99m        | 99m        | 99m        | 99m        | 99m        | 99m        | 99m        |
| Consumption                | 2W/m       | 2W/m       | 2W/m       | 2W/m       | 3W/m       | 3W/m       | 2W/m       | 2W/m       |
| Voltage                    | 230V       | 230V       | 230V       | 230V       | 230V       | 230V       | 230V       | 230V       |


## SMOOTH LED ROPE LIGHT 24V

| REF No                     | LED.SMI.24.WH | LED.SMI.24.WW | LED.SMI.24.BL | LED.SMI.24.GR | LED.SMI.24.RE | LED.SMI.24.YE | LED.SMI.24.PI | LED.SMI.24.PU |
|----------------------------|---------------|---------------|---------------|---------------|---------------|---------------|---------------|---------------|
| LED Color                  | cool white    | warm white    | blue          | green         | red           | yellow        | pink          | purple        |
| LED per meter              | 30            | 30            | 30            | 30            | 30            | 30            | 30            | 30            |
| Cutting Unit               | 0,20m         | 0,20m         | 0,20m         | 0,20m         | 0,40m         | 0,40m         | 0,20m         | 0,20m         |
| Max. Length with one power | 30m           | 30m           | 30m           | 30m           | 30m           | 30m           | 30m           | 30m           |
| Consumption                | 1,56W/m       | 1,56W/m       | 1,56W/m       | 1,56W/m       | 1,26W/m       | 1,26W/m       | 1,56W/m       | 1,56W/m       |
| Voltage                    | 24V           | 24V           | 24V           | 24V           | 24V           | 24V           | 24V           | 24V           |


patented



LED.SMI.RE red color



LED.SMI.WH cool white color



LED.SMI.GR green color



LED.SMI.WW warm white color



LED.SMI.YE yellow color



LED.SMI.BL blue color





| FLASH SMOOTH LED ROPE LIGHT 230V |                  |                  |                  |                  |                  |                  |
|----------------------------------|------------------|------------------|------------------|------------------|------------------|------------------|
| REF No                           | LED.FLASH.SMI.WH | LED.FLASH.SMI.WW | LED.FLASH.SMI.BL | LED.FLASH.SMI.GR | LED.FLASH.SMI.RE | LED.FLASH.SMI.YE |
| Static LED color                 | cool white       | warm white       | blue             | green            | red              | yellow           |
| Flash LED color                  | cool white       | cool white       | cool white       | cool white       | cool white       | cool white       |
| LED per meter                    | 30               | 30               | 30               | 30               | 30               | 30               |
| Static LED number/m              | 27               | 27               | 27               | 27               | 27               | 27               |
| Flash LED number/m               | 3                | 3                | 3                | 3                | 3                | 3                |
| Cutting Unit                     | 2m               | 2m               | 2m               | 2m               | 2m               | 2m               |
| Max. Length with one power       | 100m             | 100m             | 100m             | 100m             | 100m             | 100m             |
| Consumption                      | 2W/m             | 2W/m             | 2W/m             | 2W/m             | 2W/m             | 2W/m             |
| Voltage                          | 230V             | 230V             | 230V             | 230V             | 230V             | 230V             |

**PATENTED**  
 ISO 9001 RoHS CE


## CONTROLLERS AND ACCESSORIES FOR LED ROPE LIGHT CONNECTION

**RUBBER POWER CORD WITH 3A AC/DC CONVERTOR**  
 \*COSMI.230.....13mm / one channel  
 \*COSMM.230.....10mm / one channel  
 \*COSMC.230.....13mm / two channel  
 \*COSMI.230.A...13mm / one channel without plug

**IP55 WATERPROOF CONTROLLERS**  
 \*LED.MP1.IP.55-FLASHER 1X300W  
 \*LED.MP2.IP.55-TWO CHAN. 2X300W  
 \*LED.MP3.IP.55-FLASHER 2X600W  
 \*LED.MP4.IP.55-FOUR CHAN. 4X500W  
 \*LED.MP8.IP.55-EIGHT CHAN. 8X500W

**CONNECTOR FOR 13mm ROPE LIGHT ON E27 & B22 LAMPHOLDER**  
 \*KON.27.01 - E27 lampholder  
 \*KON.22.01 - B22 lampholder

**ACCESSORIES FOR ROPE LIGHT**  
 \*2W-3-01.....round pin-nail pin connector 13mm  
 \*2W-3-02.....round pin-nail pin connector 10mm  
 \*PVC.10.....shrinkable tube 8-10cm  
 \*KON.01.....glue for rope light  
 \*2W-6.....end cap 13mm  
 \*M-2W-6.....end cap 10mm  
 \*SPL-2W-01.....nail pin-nail pin connector 13mm

**FOTODIASTASI's CONNECTOR FOR TWO ROPE LIGHTS**  
 \*PVC.2W.A3.....one channel 13mm


**"T" CONNECTOR FOR ROPE LIGHT**  
 \*2W-T-13.....one channel 13mm  
 \*2W-T-10.....one channel 10mm

**CLEAR MOUNTING CLIP**  
 \*2W-5  
**SUCTION FOR ROPE LIGHT**  
 \*SC-1  
**CLEAR MOUNTING WINDOWS CLIP**  
 \*SCL-1

**CABLE TIES IN ALL COLORS**  
 \*HET 01 (100X2,5)mm  
 \*HET 02 (120X2,5)mm  
 \*HET 03 (140X2,5)mm  
 \*HET 04 (160X2,5)mm

**CLEAR CHANNEL FOR ROPE LIGHT**  
 \*CH-2W (2m length)

# LED



# MATERIALS






IP65-68

# DOUBLE SIDED SMD LED ROPE LIGHT

Professional LED SMD rope light - Unlimited life duration

MATERIALS







| 240V 3528 DOUBLE SIDED SMD LED ROPE LIGHT Ø13mm |                 |                 |                 |                 |                 |                 |
|---|-----------------|-----------------|-----------------|-----------------|-----------------|-----------------|
| REF No  | SMI.SMD.3528.WH | SMI.SMD.3528.WW | SMI.SMD.3528.BL | SMI.SMD.3528.RE | SMI.SMD.3528.GR | SMI.SMD.3528.YE |
| LED Color                                       | cool white      | warm white      | blue            | red             | green           | yellow          |
| LED per meter                                   | 60(30+30)       | 60(30+30)       | 60(30+30)       | 60(30+30)       | 60(30+30)       | 60(30+30)       |
| Cutting Unit                                    | 1m              | 1m              | 1m              | 1m              | 1m              | 1m              |
| Max. Length with one power                      | 90m             | 90m             | 90m             | 90m             | 90m             | 90m             |
| Consumption                                     | 7,4 W/m         | 7,4 W/m         | 7,4 W/m         | 7,4 W/m         | 7,4 W/m         | 7,4 W/m         |
| Voltage   | 240V            | 240V            | 240V            | 240V            | 240V            | 240V            |

Accessories of the DOUBLE SIDED SMD LED ROPE LIGHT remain the same with the standart LED ROPE LIGHT ( page 261)



# LED STRIP LIGHT


**SRL3528/60.WH**

**SRL3528/60.WW**

**SRL3528/60.BL**

**SRL3528/60.RE**

**SRL3528/60.GR**

**SRL3528/60.YE**


| 240V 3528 SMD LED STRIP LIGHT with 60 led/m |            |            |            |            |            |            |
|---|------------|------------|------------|------------|------------|------------|
| REF No                                      | SRL3528.WH | SRL3528.WW | SRL3528.BL | SRL3528.RE | SRL3528.GR | SRL3528.YE |
| LED Color                                   | cool white | warm white | blue       | red        | green      | yellow     |
| LED per meter                               | 60         | 60         | 60         | 60         | 60         | 60         |
| Cutting Unit                                | 1m         | 1m         | 1m         | 1m         | 1m         | 1m         |
| Max. Length with one power                  | 100m       | 100m       | 100m       | 100m       | 100m       | 100m       |
| Consumption                                 | 4,5W/m     | 4,5W/m     | 4,5W/m     | 4,5W/m     | 4,5W/m     | 4,5W/m     |
| Voltage                                     | 240V       | 240V       | 240V       | 240V       | 240V       | 240V       |

| 240V 5050 SMD LED STRIP LIGHT with 60 led/m |            |            |            |            |            |             |
|---|------------|------------|------------|------------|------------|-------------|
| REF No                                      | SRL5050.WH | SRL5050.WW | SRL5050.BL | SRL5050.RE | SRL5050.GR | SRL5050.RGB |
| LED Color                                   | cool white | warm white | blue       | red        | green      | RGB         |
| LED per meter                               | 60         | 60         | 60         | 60         | 60         | 48          |
| Cutting Unit                                | 1m         | 1m         | 1m         | 1m         | 1m         | 1m          |
| Max. Length with one power                  | 50m        | 50m        | 50m        | 50m        | 50m        | 50m         |
| Consumption                                 | 8,5W/m     | 8,5W/m     | 8,5W/m     | 8,5W/m     | 8,5W/m     | 8,5W/m      |
| Voltage                                     | 240V       | 240V       | 240V       | 240V       | 240V       | 240V        |

## ACCESSORIES

### Accessories for STRIP LIGHT 3528/60LED

|                           |   |  |
|---------------------------|---|--|
| Power cord PC0.3528       | Power cord for SRL3528/60 led strip, AC/DC converter 1,60m length |  |
| Middle connector MID.3528 | Middle connector for SRL3528/60 led strip with male pin           |  |
| End Cap END.3528          | End Cap for SRL3528/60 led strip                                  |  |
| Male pin MLP.3528         | Male pin for SRL3528/60 led strip                                 |  |

### Accessories for STRIP LIGHT 5050/60LED

|                           |   |  |
|---------------------------|---|--|
| Power cord PC0.5050       | Power cord for SRL5050/60 led strip, AC/DC converter 1,60m length |  |
| Middle connector MID.5050 | Middle connector for SRL5050/60 led strip with male pin           |  |
| End Cap END.5050          | End Cap for SRL5050/60 led strip                                  |  |
| Male pin MLP.5050         | Male pin for SRL5050/60 led strip                                 |  |

### Accessories for RGB STRIP LIGHT 5050/48RGB



|   |   |  |
|---|---|--|
| Power cord PC0.5050.RGB                       | Power cord for SRL5050/48.RGB led strip, AC/DC converter 1,60m length |  |
| Middle connector MID.5050.RGB                 | Middle connector for SRL5050/48.RGB led strip with male pin           |  |
| End Cap END.5050.RGB                          | End Cap for SRL5050/48.RGB led strip                                  |  |
| Male pin MLP.5050.RGB                         | Male pin for SRL5050/48.RGB led strip                                 |  |
| RGB controller for 20m strip CON.20M.5050.RGB | Mini controller for SRL5050/48.RGB led strip for 20m                  |  |
| RGB controller for 80m strip CON.80M.5050.RGB | Big controller for SRL5050/48.RGB led strip for 80m                   |  |



**P65-68**

# LED.FLRCR.84F.230V

1,50m extendable cracker light string with 84 LED  
(76 static LED + 8 strobe flash LED)



**ATTENTION**  
Every cracker light string has total 84 led (1,50m cord with 84 led's).  
Can be extended but the total number of led should not be more than 1.200 (15 light strings)

## LED.FLRCR.84F.230V 1,50m extendable cracker light 230V on Rubber cable

| REF No             | LED.FLRCR.84F.230V.WH | LED.FLRCR.84F.230V.WW | LED.FLRCR.84F.230V.BL | LED.FLRCR.84F.230V.RE |
|--------------------|-----------------------|-----------------------|-----------------------|-----------------------|
| Length             | 1,50m                 | 1,50m                 | 1,50m                 | 1,50m                 |
| Max. Extension     | 15 sets               | 15 sets               | 15 sets               | 15 sets               |
| Static LED number  | 76                    | 76                    | 76                    | 76                    |
| Static LED color   | cool white            | warm white            | blue                  | red                   |
| Flash LED number   | 8                     | 8                     | 8                     | 8                     |
| Flash LED color    | cool white            | warm white            | cool white            | cool white            |
| Rubber cable color | white                 | white                 | white                 | white                 |
| Consumption        | 9,2W                  | 9,2W                  | 9,2W                  | 9,2W                  |
| Voltage            | 230V                  | 230V                  | 230V                  | 230V                  |

Ref No : CO.FLRLED.230 LED.FLR connection set AC to DC 230V/IP44 European plug with 3A convertor  
\*\*\*All LED.FLRCR.84F.230V are made with male and female connectors on the end and WITHOUT power cord and convertor CO.FLRLED.230





MATERIALS

**P65-68**



# LED.FLSCR.84F.230V

1,50m PVC extendable cracker light string with 84 LED  
(76 static LED + 8 strobe flash LED)



**ATTENTION**  
Every cracker light string has total 84 led (1,50m cord with 84 led's).  
Can be extended but the total number of led should not be more than 1.200 (15 light strings)

## LED.FLSCR.84F.230V 1,50m extendable cracker light 230V on PVC cable

| REF No            | LED.FLSCR.84F.230V.WH | LED.FLSCR.84F.230V.WW | LED.FLSCR.84F.230V.BL | LED.FLSCR.84F.230V.RE |
|-------------------|-----------------------|-----------------------|-----------------------|-----------------------|
| Length            | 1,50m                 | 1,50m                 | 1,50m                 | 1,50m                 |
| Max. Extension    | 15 sets               | 15 sets               | 15 sets               | 15 sets               |
| Static LED number | 76                    | 76                    | 76                    | 76                    |
| Static LED color  | cool white            | warm white            | blue                  | red                   |
| Flash LED number  | 8                     | 8                     | 8                     | 8                     |
| Flash LED color   | cool white            | warm white            | cool white            | cool white            |
| PVC cable color   | white                 | white                 | white                 | white                 |
| Consumption       | 9,2W                  | 9,2W                  | 9,2W                  | 9,2W                  |
| Voltage           | 230V                  | 230V                  | 230V                  | 230V                  |


Ref No : CO.FLLED.230 LED.FLS connection set AC to DC 230V/IP44 European plug with 3A convertor  
\*\*\*All LED.FLSCR.84F.230V are made with male and female connectors on the end and WITHOUT power cord and convertor CO.FLLED.230






# LED.FLR.RGB.80.230V

10m RGB light string with 80 LED

**IP65-68**
**PATENTED**  
 ISO 9001 RoHS CE


| LED.FLR.RGB.80.230V |                     |
|---------------------|---------------------|
| REF No              | LED.FLR.RGB.80.230V |
| Length              | 10m                 |
| Max. Extension      | 15 light strings    |
| LED number          | 80                  |
| LED color           | RGB                 |
| Rubber cable color  | white, green, black |
| Consumption         | 5W                  |
| Voltage             | 230V                |



REF No : CO.FLR.RGB.230 LED.FLR connection set AC to DC 230V/IP44 European plug with 3A convertor  
 \*\*\*All LED.FLR.RGB.80 light strings are made with male and female connectors on the end and WITHOUT power cord and convertor CO.FLRLED.230

# TWIN COLOR LED LIGHT STRING

## LED.FLR.TC.80.230V

10m extendable twin color led light string with 80 LED

**IP65-68**


| LED.FLR.TC.80.230V |                                 |
|--------------------|---------------------------------|
| REF No             | LED.FLR.TC.80.230V              |
| Length             | 10m                             |
| Max. Extension     | 15 light strings                |
| LED number         | 80                              |
| LED color          | twin color (white - warm white) |
| Rubber cable color | white, green, black             |
| Consumption        | 4,6W                            |
| Voltage            | 230V                            |



REF No : CO.FLRLED.230 LED.FLR connection set AC to DC 230V/IP44 European plug with 3A convertor  
 \*\*\*All LED.FLR.TC.80 light strings are made with male and female connectors on the end and WITHOUT power cord and convertor CO.FLRLED.230

MATERIALS



IP65-68

# LED.FLR.10M.80.230V

10m extendable light string with 80 LED




### ATTENTION

Every light string has total 80 led (10m cord with 80 led's). Can be extended but the total number of led should not be more than 1.200 (15 light strings)

### CO.FLRLED.230 3A AC/DC convertor



MATERIALS



## LED.FLR.10M.80.230V 10m light string extendable with 80 LED

| REF No             | LED.FLR.80WH                         | LED.FLR.80WW                         | LED.FLR.80BL       | LED.FLR.80RE      | LED.FLR.80GR     | LED.FLR.80PI     | LED.FLR.80PU     | LED.FLR.80MU              |
|--------------------|--------------------------------------|--------------------------------------|--------------------|-------------------|------------------|------------------|------------------|---------------------------|
| Length             | 10m                                  | 10m                                  | 10m                | 10m               | 10m              | 10m              | 10m              | 10m                       |
| Max. Extension     | 15 light strings                     | 15 light strings                     | 15 light strings   | 15 light strings  | 15 light strings | 15 light strings | 15 light strings | 15 light strings          |
| LED number         | 80                                   | 80                                   | 80                 | 80                | 80               | 80               | 80               | 80                        |
| LED color          | cool white                           | warm white                           | blue               | red               | green            | pink             | purple           | multi color (WH-BL-RE-GR) |
| Rubber cable color | white, green, red blue, yellow, gold | white, green, red blue, yellow, gold | white, green, blue | white, green, red | white, green     | white, green     | white, green     | white, green              |
| Consumption        | 9W                                   | 9W                                   | 9W                 | 9W                | 9W               | 9W               | 9W               | 9W                        |
| Voltage            | 230V                                 | 230V                                 | 230V               | 230V              | 230V             | 230V             | 230V             | 230V                      |

REF No : CO.FLRLED.230 LED.FLR connection set AC to DC 230V/IP44 European plug with 3A convertor

\*\*\*All LED.FLR.80 light strings are made with male and female connectors on the end and WITHOUT power cord and convertor CO.FLRLED.230




**STROBE  
FLASH  
LED**

# LED.FLR.10M.80F.230V

10m extendable light string with 80 LED  
(72 static LED + 8 cool white strobe flash LED)

**IP65-68**

**PATENTED**  
ISO 9001 RoHS CE



**ATTENTION**  
Every light string has total 80 led (10m cord with 80 led's).  
Can be extended but the total number of led should not be more than 1.200 (15 light strings)

## LED.FLR.10M.80F.230V FLASH LED 10m light string extendable with 80 LED (72 static+8 strobe flash led)

| REF No             | LED.FLR.80F.WH   | LED.FLR.80F.WW           | LED.FLR.80F.BL   | LED.FLR.80F.RE   | LED.FLR.80F.GR   | LED.FLR.80F.PI   | LED.FLR.80F.MU            |
|--------------------|------------------|--------------------------|------------------|------------------|------------------|------------------|---------------------------|
| Length             | 10m              | 10m                      | 10m              | 10m              | 10m              | 10m              | 10m                       |
| Max. Extension     | 15 light strings | 15 light strings         | 15 light strings | 15 light strings | 15 light strings | 15 light strings | 15 light strings          |
| Static LED number  | 72               | 72                       | 72               | 72               | 72               | 72               | 72                        |
| Static LED color   | cool white       | warm white               | blue             | red              | green            | pink             | multi color (WH-BL-RE-GR) |
| Flash LED number   | 8                | 8                        | 8                | 8                | 8                | 8                | 8                         |
| Flash LED color    | cool white       | cool white or warm white | cool white       | cool white       | cool white       | cool white       | cool white                |
| Rubber cable color | white, green     | white, green             | white, green     | white, green     | white, green     | white, green     | white, green              |
| Consumption        | 9W               | 9W                       | 9W               | 9W               | 9W               | 9W               | 9W                        |
| Voltage            | 230V             | 230V                     | 230V             | 230V             | 230V             | 230V             | 230V                      |

REF No : CO.FLRLED.230    LED.FLR connection set AC to DC 230V/IP44 European plug with 3A convertor

\*\*\*All LED.FLR.80F light strings are made with male and female connectors on the end and WITHOUT power cord and convertor CO.FLRLED.230



**MATERIALS**



P65-68

# LED.FLR.10M.100.230V

10m extendable light string with 100 LED




**ATTENTION**  
 Every light string has total 100 led (10m cord with 100 led's). Can be extended but the total number of led should not be more than 1.500 (15 light strings)

**CO.FLRLED.230 3A AC/DC convertor**



MATERIALS



## LED.FLR.10M.100.230V 10m light string extendable with 100 LED

| REF No             | LED.FLR.100WH                  | LED.FLR.100WW                  | LED.FLR.100BL      | LED.FLR.100GR    | LED.FLR.100RE     | LED.FLR.100YE        | LED.FLR.100PI    | LED.FLR.100MU             |
|--------------------|--------------------------------|--------------------------------|--------------------|------------------|-------------------|----------------------|------------------|---------------------------|
| Length             | 10m                            | 10m                            | 10m                | 10m              | 10m               | 10m                  | 10m              | 10m                       |
| Max. Extension     | 15 light strings               | 15 light strings               | 15 light strings   | 15 light strings | 15 light strings  | 15 light strings     | 15 light strings | 15 light strings          |
| LED number         | 100                            | 100                            | 100                | 100              | 100               | 100                  | 100              | 100                       |
| LED color          | cool white                     | warm white                     | blue               | green            | red               | yellow               | pink             | multi color (WH-BL-RE-GR) |
| Rubber cable color | white, green, red blue, yellow | white, green, red blue, yellow | white, blue, green | white, green     | white, red, green | white, yellow, green | white, green     | white, green              |
| Consumption        | 9W                             | 9W                             | 9W                 | 9W               | 9W                | 9W                   | 9W               | 9W                        |
| Voltage            | 230V                           | 230V                           | 230V               | 230V             | 230V              | 230V                 | 230V             | 230V                      |

REF No : CO.FLRLED.230 LED.FLR connection set AC to DC 230V/IP44 European plug with 3A convertor


\*\*\*All LED.FLR.10M.100 light strings are made with male and female connectors on the end and WITHOUT power cord and convertor CO.FLRLED.230







# LED.FLR.ALLFLASH.10M.30.230V

10m extendable light string with 30 strobe flash LED


**IP65-68**
**PATENTED**  
 ISO 9001 RoHS CE


| LED.FLR.ALLFLASH • 10m light string extendable with 30 Strobe Flash LED |                           |                           |
|---|---------------------------|---------------------------|
| REF No  | LED.FLR.ALLFLASH.10M.30WH | LED.FLR.ALLFLASH.10M.30WW |
| Length  | 10m                       | 10m                       |
| Max. Extension  | 20 light strings          | 20 light strings          |
| Flash LED number  | 30                        | 30                        |
| Flash LED color   | cool white                | warm white                |
| Rubber cable color  | white, green              | white, green              |
| Consumption   | 4,5W                      | 4,5W                      |
| Voltage   | 230V                      | 230V                      |




# LED.FLR.ALLFLASH.20M.30.230V

20m extendable light string with 30 strobe flash LED

**IP65-68**


| LED.FLR.ALLFLASH • 20m light string extendable with 30 Strobe Flash LED |                           |                           |
|---|---------------------------|---------------------------|
| REF No  | LED.FLR.ALLFLASH.20M.30WH | LED.FLR.ALLFLASH.20M.30WW |
| Length  | 20m                       | 20m                       |
| Max. Extension  | 20 light strings          | 20 light strings          |
| Flash LED number  | 30                        | 30                        |
| Flash LED color   | cool white                | warm white                |
| Rubber cable color  | white, green              | white, green              |
| Consumption   | 4,5W                      | 4,5W                      |
| Voltage   | 230V                      | 230V                      |



REF No : CO.FLRLED.230 LED.FLR connection set AC to DC 230V/IP44 European plug with 3A convertor

\*\*\*All LED.FLR.ALL FLASH light strings are made with male and female connectors on the end and WITHOUT power cord and convertor CO.FLRLED.230

MATERIALS





IP65-68

# LED.FLR.5M.40.230V


5m extendable light string with 40 LED



**ATTENTION**  
Every light string has total 40 led (5m cord with 40 led's). Can be extended but the total number of led should not be more than 1.200 (30 light strings)



MATERIALS



| LED.FLR.5M.40.230V 5m light string extendable with 40 LED |                                |                                |                    |                   |                  |                  |                  |                           |
|---|--------------------------------|--------------------------------|--------------------|-------------------|------------------|------------------|------------------|---------------------------|
| REF No  | LED.FLR.40WH                   | LED.FLR.40WW                   | LED.FLR.40BL       | LED.FLR.40RE      | LED.FLR.40GR     | LED.FLR.40PI     | LED.FLR.40PU     | LED.FLR.40MU              |
| Length  | 5m                             | 5m                             | 5m                 | 5m                | 5m               | 5m               | 5m               | 5m                        |
| Max. Extension  | 30 light strings               | 30 light strings               | 30 light strings   | 30 light strings  | 30 light strings | 30 light strings | 30 light strings | 30 light strings          |
| LED number  | 40                             | 40                             | 40                 | 40                | 40               | 40               | 40               | 40                        |
| LED color   | cool white                     | warm white                     | blue               | red               | green            | pink             | purple           | multi color (WH-BL-RE-GR) |
| Rubber cable color  | white, green, red blue, yellow | white, green, red blue, yellow | white, green, blue | white, green, red | white, green     | white, green     | white, green     | white, green              |
| Consumption   | 4,5W                           | 4,5W                           | 4,5W               | 4,5W              | 4,5W             | 4,5W             | 4,5W             | 4,5W                      |
| Voltage   | 230V                           | 230V                           | 230V               | 230V              | 230V             | 230V             | 230V             | 230V                      |


REF No : CO.FLRLED.230 LED.FLR connection set AC to DC 230V/IP44 European plug with 3A convertor

\*\*\*All LED.FLR.5M.40 light strings are made with male and female connectors on the end and WITHOUT power cord and convertor CO.FLRLED.230





**IP65-68**
**PATENTED**  
 ISO 9001 RoHS CE

# LED.FLR.5M.40F.230V

**5m extendable light string with 40 LED  
 (36 static LED + 4 cool white strobe flash LED)**


**ATTENTION**  
 Every light string has total 40 led (5m cord with 40 led's).  
 Can be extended but the total number of led should not be more than 1.200 (30 light strings)



## LED.FLR.5M.40F.230V FLASH LED 5m light string extendable with 40 LED (36 static+4 strobe flash led)

| REF No             | LED.FLR.40F.WH                 | LED.FLR.40F.WW                 | LED.FLR.40F.BL     | LED.FLR.40F.RE    | LED.FLR.40F.GR   | LED.FLR.40F.PI   | LED.FLR.40F.PU   |
|--------------------|--------------------------------|--------------------------------|--------------------|-------------------|------------------|------------------|------------------|
| Length             | 5m                             | 5m                             | 5m                 | 5m                | 5m               | 5m               | 5m               |
| Max. Extension     | 30 light strings               | 30 light strings               | 30 light strings   | 30 light strings  | 30 light strings | 30 light strings | 30 light strings |
| Static LED number  | 36                             | 36                             | 36                 | 36                | 36               | 36               | 36               |
| Static LED color   | cool white                     | warm white                     | blue               | red               | green            | pink             | purple           |
| Flash LED number   | 4                              | 4                              | 4                  | 4                 | 4                | 4                | 4                |
| Flash LED color    | cool white                     | cool white or warm white       | cool white         | cool white        | cool white       | cool white       | cool white       |
| Rubber cable color | white, green, red blue, yellow | white, green, red blue, yellow | white, green, blue | white, green, red | white, green     | white, green     | white, green     |
| Consumption        | 4,5W                           | 4,5W                           | 4,5W               | 4,5W              | 4,5W             | 4,5W             | 4,5W             |
| Voltage            | 230V                           | 230V                           | 230V               | 230V              | 230V             | 230V             | 230V             |

**REF No : CO.FLRLED.230** LED.FLR connection set AC to DC 230V/IP44 European plug with 3A convertor

\*\*\*All LED.FLR.5M.40F light strings are made with male and female connectors on the end and WITHOUT power cord and convertor CO.FLRLED.230

MATERIALS





IP65-68

# LED.FLR.30.230V

3,75m extendable light string with 30 LED




### ATTENTION

Every light string has total 30 led (3,75m cord with 30 led's). Can be extended but the total number of led should not be more than 1.500 (50 light strings)

### CO.FLRLED.230 3A AC/DC convertor



MATERIALS



## LED.FLR.30.230V 3,75m light string extendable with 30 LED

| REF No             | LED.FLR.30WH                   | LED.FLR.30WW                   | LED.FLR.30BL       | LED.FLR.30RE      | LED.FLR.30GR     | LED.FLR.30YE         | LED.FLR.30MU              |
|--------------------|--------------------------------|--------------------------------|--------------------|-------------------|------------------|----------------------|---------------------------|
| Length             | 3,75m                          | 3,75m                          | 3,75m              | 3,75m             | 3,75m            | 3,75m                | 3,75m                     |
| Max. Extension     | 40 light strings               | 40 light strings               | 40 light strings   | 40 light strings  | 40 light strings | 40 light strings     | 40 light strings          |
| LED number         | 30                             | 30                             | 30                 | 30                | 30               | 30                   | 30                        |
| LED color          | cool white                     | warm white                     | blue               | red               | green            | yellow               | multi color (WH-BL-RE-GR) |
| Rubber cable color | white, green, red blue, yellow | white, green, red blue, yellow | white, green, blue | white, green, red | white, green     | white, green, yellow | white, green              |
| Consumption        | 4,5W                           | 4,5W                           | 4,5W               | 4,5W              | 4,5W             | 4,5W                 | 4,5W                      |
| Voltage            | 230V                           | 230V                           | 230V               | 230V              | 230V             | 230V                 | 230V                      |

REF No : CO.FLRLED.230 LED.FLR connection set AC to DC 230V/IP44 European plug with 3A convertor


\*\*\*All LED.FLR.30 light strings are made with male and female connectors on the end and WITHOUT power cord and convertor CO.FLRLED.230






# LED.FLR.30F.230V

3,75m extendable light string with 30 LED  
(27 static LED + 3 cool white strobe flash LED)

**IP65-68**
**PATENTED**  
ISO 9001 RoHS CE


**ATTENTION**

Every light string has total 30 led (3,75m cord with 30 led's). Can be extended but the total number of led should not be more than 1.200 (40 light strings)



MATERIALS

## LED.FLR.30F.230V FLASH LED 3,75m light string extendable with 30 LED (27 static+3 strobe flash led)

| REF No             | LED.FLR.30F.WH                 | LED.FLR.30F.WW                 | LED.FLR.30F.BL     | LED.FLR.30F.RE    | LED.FLR.30F.GR   | LED.FLR.30F.YE       |
|--------------------|--------------------------------|--------------------------------|--------------------|-------------------|------------------|----------------------|
| Length             | 3,75m                          | 3,75m                          | 3,75m              | 3,75m             | 3,75m            | 3,75m                |
| Max. Extension     | 40 light strings               | 40 light strings               | 40 light strings   | 40 light strings  | 40 light strings | 40 light strings     |
| Static LED number  | 27                             | 27                             | 27                 | 27                | 27               | 27                   |
| Static LED color   | cool white                     | warm white                     | blue               | red               | green            | yellow               |
| Flash LED number   | 3                              | 3                              | 3                  | 3                 | 3                | 3                    |
| Flash LED color    | cool white                     | cool white or warm white       | cool white         | cool white        | cool white       | cool white           |
| Rubber cable color | white, green, red blue, yellow | white, green, red blue, yellow | white, green, blue | white, green, red | white, green     | white, green, yellow |
| Consumption        | 4,5W                           | 4,5W                           | 4,5W               | 4,5W              | 4,5W             | 4,5W                 |
| Voltage            | 230V                           | 230V                           | 230V               | 230V              | 230V             | 230V                 |

REF No : CO.FLRLED.230 LED.FLR connection set AC to DC 230V/IP44 European plug with 3A convertor

\*\*\*All LED.FLR.30F light strings are made with male and female connectors on the end and WITHOUT power cord and convertor CO.FLRLED.230






**IP65-68**

# LED.FL.10M.80.230V


10m extendable light string with 80 LED on PVC cable



# LED.FL.10M.100.230V

10m extendable light string with 100 LED on PVC cable

**ATTENTION**  
 Every light string LED.FL.10M.80.230V has total 80 led (10m cord with 80 led's).  
 Can be extended but the total number of led should not be more than 1.200 (15 light strings)  
 -----  
 Every light string LED.FL.10M.100.230V has total 100 led (10m cord with 100 led's).  
 Can be extended but the total number of led should not be more than 1.500 (15 light strings)



MATERIALS

**LED.FL.10M.80.230V 10m light string extendable with 80 LED on PVC cable**  
**LED.FL.10M.100.230V 10m light string extendable with 100 LED on PVC cable**

| REF No          | LED.FL.80WH<br>LED.FL.100WH                           | LED.FL.80WW<br>LED.FL.100WW                           | LED.FL.80BL<br>LED.FL.100BL        | LED.FL.80RE<br>LED.FL.100RE       | LED.FL.80GR<br>LED.FL.100GR | LED.FL.80YE<br>LED.FL.100YE          | LED.FL.80PI<br>LED.FL.100PI | LED.FL.80MU<br>LED.FL.100MU  |
|-----------------|---|---|------------------------------------|-----------------------------------|-----------------------------|--------------------------------------|-----------------------------|------------------------------|
| Length          | 10m   | 10m   | 10m                                | 10m                               | 10m                         | 10m                                  | 10m                         | 10m                          |
| Max. Extension  | 15 light strings                                      | 15 light strings                                      | 15 light strings                   | 15 light strings                  | 15 light strings            | 15 light strings                     | 15 light strings            | 15 light strings             |
| LED number      | 80 or 100   | 80 or 100   | 80 or 100                          | 80 or 100                         | 80 or 100                   | 80 or 100                            | 80 or 100                   | 80 or 100                    |
| LED color       | cool white  | warm white  | blue                               | red                               | green                       | yellow                               | pink                        | multi color<br>(WH-BL-RE-GR) |
| PVC cable color | transparent, gold, white,<br>green, red, blue, yellow | transparent, gold, white,<br>green, red, blue, yellow | transparent, white,<br>green, blue | transparent, white,<br>green, red | transparent, white, green   | transparent, white,<br>green, yellow | transparent, white, green   | transparent, white, green    |
| Consumption     | 9W  | 9W  | 9W                                 | 9W                                | 9W                          | 9W                                   | 9W                          | 9W                           |
| Voltage         | 230V  | 230V  | 230V                               | 230V                              | 230V                        | 230V                                 | 230V                        | 230V                         |

REF No : CO.FLLED.230 LED.FL connection set AC to DC 230V/2,5A plug with 3A convertor


\*\*\*All LED.FL light strings are made with male and female connectors on the end and WITHOUT power cord and convertor CO.FLLED.230



# LED.FL.5M.40.230V




5m extendable light string with 40 LED on PVC cable

**IP65-68**
**PATENTED**  
 ISO 9001 RoHS CE

**230V**


**ATTENTION**

Every light string LED.FL.5M.40.230V has total 40 led (5m cord with 40 led's). Can be extended but the total number of led should not be more than 1.200 (30 light strings)


**MATERIALS**

## LED.FL.5M.40.230V 5m light string extendable with 40 LED on PVC cable

| REF No          | LED.FL.40WH  | LED.FL.40WW  | LED.FL.40BL                     | LED.FL.40RE                    | LED.FL.40GR               | LED.FL.40YE               | LED.FL.40PI               | LED.FL.40MU               |
|-----------------|--|--|---------------------------------|--------------------------------|---------------------------|---------------------------|---------------------------|---------------------------|
| Length          | 5m   | 5m   | 5m                              | 5m                             | 5m                        | 5m                        | 5m                        | 5m                        |
| Max. Extension  | 30 light strings                                   | 30 light strings                                   | 30 light strings                | 30 light strings               | 30 light strings          | 30 light strings          | 30 light strings          | 30 light strings          |
| LED number      | 40   | 40   | 40                              | 40                             | 40                        | 40                        | 40                        | 40                        |
| LED color       | cool white   | warm white   | blue                            | red                            | green                     | yellow                    | pink                      | multi color (WH-BL-RE-GR) |
| PVC cable color | transparent, gold, white, green, red, blue, yellow | transparent, gold, white, green, red, blue, yellow | transparent, white, green, blue | transparent, white, green, red | transparent, white, green | transparent, white, green | transparent, white, green | transparent, white, green |
| Consumption     | 4,5W   | 4,5W   | 4,5W                            | 4,5W                           | 4,5W                      | 4,5W                      | 4,5W                      | 4,5W                      |
| Voltage         | 230V   | 230V   | 230V                            | 230V                           | 230V                      | 230V                      | 230V                      | 230V                      |

REF No : CO.FLLED.230 LED.FL connection set AC to DC 230V/2,5A plug with 3A convertor

\*\*\*All LED.FL light strings are made with male and female connectors on the end and WITHOUT power cord and convertor CO.FLLED.230







IP65-68

# LED.FL.10M.80.24V

24V extendable light string with 80 LED



MATERIALS

## LED.FL.10M.80.24V Extendable light string 24V on PVC cable

| REF No          | LED.FL.80.24V.WH                          | LED.FL.80.24V.WW                          | LED.FL.80.24V.BL                | LED.FL.80.24V.RE               | LED.FL.80.24V.GR          | LED.FL.80.24V.PI          | LED.FL.80.24V.PU          | LED.FL.80.24V.MU          |
|-----------------|---|---|---------------------------------|--------------------------------|---------------------------|---------------------------|---------------------------|---------------------------|
| Length          | 10m                                       | 10m                                       | 10m                             | 10m                            | 10m                       | 10m                       | 10m                       | 10m                       |
| Max. Extension  | 7 light strings                           | 7 light strings                           | 7 light strings                 | 7 light strings                | 7 light strings           | 7 light strings           | 7 light strings           | 7 light strings           |
| LED number      | 80  | 80  | 80                              | 80                             | 80                        | 80                        | 80                        | 80                        |
| LED color       | cool white                                | warm white                                | blue                            | red                            | green                     | pink                      | purple                    | multi color (WH-BL-RE-GR) |
| PVC cable color | white, green, red blue, transparent, gold | white, green, red blue, transparent, gold | white, green, blue, transparent | white, green, red, transparent | white, green, transparent | white, green, transparent | white, green, transparent | white, green, transparent |
| Consumption     | 8W  | 8W  | 8W                              | 8W                             | 8W                        | 8W                        | 8W                        | 8W                        |
| Voltage         | 24V                                       | 24V                                       | 24V                             | 24V                            | 24V                       | 24V                       | 24V                       | 24V                       |

24V

- TRA24.24W.01** Transformer AC 240V/AC 24V / 24W in IP44 version without convertor
- TRA24.48W.01** Transformer AC 240V/AC 24V / 48W in IP44 version without convertor
- TRA24.84W.01** Transformer AC 240V/AC 24V / 84W in IP44 version without convertor
- TRA24.120W.01** Transformer AC 240V/AC 24V / 120W in IP44 version without convertor



Every 24V/AC transformer's output should be used with the reference CONVERTOR.LED.FL


\*\*\*All LED.FL.24V light strings are made with male and female connectors on the end and WITHOUT power cord, convertor and transformer TRA.24



# LED.FL.10M.96.24V


24V extendable light string with 96 LED

**IP65-68**
**PATENTED**  
 ISO 9001 RoHS CE

**24V**


## LED.FL.10M.96.24V Extendable light string 24V on PVC cable

| REF No          | LED.FL.96.24V.WH                          | LED.FL.96.24V.WW                          | LED.FL.96.24V.BL                | LED.FL.96.24V.RE               | LED.FL.96.24V.GR          | LED.FL.96.24V.YE          | LED.FL.96.24V.PI          | LED.FL.96.24V.MU          |
|-----------------|---|---|---------------------------------|--------------------------------|---------------------------|---------------------------|---------------------------|---------------------------|
| Length          | 10m                                       | 10m                                       | 10m                             | 10m                            | 10m                       | 10m                       | 10m                       | 10m                       |
| Max. Extension  | 6 light strings                           | 6 light strings                           | 6 light strings                 | 6 light strings                | 6 light strings           | 6 light strings           | 6 light strings           | 6 light strings           |
| LED number      | 96  | 96  | 96                              | 96                             | 96                        | 96                        | 96                        | 96                        |
| LED color       | cool white                                | warm white                                | blue                            | red                            | green                     | yellow                    | pink                      | multi color (WH-BL-RE-GR) |
| PVC cable color | white, green, red blue, transparent, gold | white, green, red blue, transparent, gold | white, green, blue, transparent | white, green, red, transparent | white, green, transparent | white, green, transparent | white, green, transparent | white, green, transparent |
| Consumption     | 9W  | 9W  | 9W                              | 9W                             | 9W                        | 9W                        | 9W                        | 9W                        |
| Voltage         | 24V                                       | 24V                                       | 24V                             | 24V                            | 24V                       | 24V                       | 24V                       | 24V                       |



Every 24V/AC transformer's output should be used with the reference CONVERTOR.LED.FL

**TRANSFORMERS**

|                      |   |
|----------------------|---|
| <b>TRA24.24W.01</b>  | Transformer AC 240V/AC 24V/24W in IP44 version without converter  |
| <b>TRA24.48W.01</b>  | Transformer AC 240V/AC 24V/48W in IP44 version without converter  |
| <b>TRA24.84W.01</b>  | Transformer AC 240V/AC 24V/84W in IP44 version without converter  |
| <b>TRA24.120W.01</b> | Transformer AC 240V/AC 24V/120W in IP44 version without converter |

\*\*\*All LED.FL.24V light strings are made with male and female connectors on the end and WITHOUT power cord, convertor and transformer TRA.24

**MATERIALS**





IP65-68

# LED.FL.5M.40.24V

24V extendable light string with 40 LED



**ATTENTION**  
 Every light string LED.FL.5M.40.24V has total 40 led (5m cord with 40 led's).  
 Can be extended but the total number of led should not be more than 560 (14 light strings)



## LED.FL.5M.40.24V Extendable light string 24V on PVC cable

| REF No          | LED.FL.40.24V.WH                          | LED.FL.40.24V.WW                          | LED.FL.40.24V.BL                | LED.FL.40.24V.RE               | LED.FL.40.24V.GR          | LED.FL.40.24V.PI          | LED.FL.40.24V.PU          | LED.FL.40.24V.MU          |
|-----------------|---|---|---------------------------------|--------------------------------|---------------------------|---------------------------|---------------------------|---------------------------|
| Length          | 5m  | 5m  | 5m                              | 5m                             | 5m                        | 5m                        | 5m                        | 5m                        |
| Max. Extension  | 14 light strings                          | 14 light strings                          | 14 light strings                | 14 light strings               | 14 light strings          | 14 light strings          | 14 light strings          | 14 light strings          |
| LED number      | 40  | 40  | 40                              | 40                             | 40                        | 40                        | 40                        | 40                        |
| LED color       | cool white                                | warm white                                | blue                            | red                            | green                     | pink                      | purple                    | multi color (WH-BL-RE-GR) |
| PVC cable color | white, green, red blue, transparent, gold | white, green, red blue, transparent, gold | white, green, blue, transparent | white, green, red, transparent | white, green, transparent | white, green, transparent | white, green, transparent | white, green, transparent |
| Consumption     | 4W  | 4W  | 4W                              | 4W                             | 4W                        | 4W                        | 4W                        | 4W                        |
| Voltage         | 24V                                       | 24V                                       | 24V                             | 24V                            | 24V                       | 24V                       | 24V                       | 24V                       |



\*\*\*All LED.FL.24V light strings are made with male and female connectors on the end and WITHOUT power cord, convertor and transformer TRA.24

TRANSFORMERS

Every 24V/AC transformer's output should be used with the reference CONVERTOR.LED.FL

|               |   |
|---------------|---|
| TRA24.24W.01  | Transformer AC 240V/AC 24V/24W in IP44 version without convertor  |
| TRA24.48W.01  | Transformer AC 240V/AC 24V/48W in IP44 version without convertor  |
| TRA24.84W.01  | Transformer AC 240V/AC 24V/84W in IP44 version without convertor  |
| TRA24.120W.01 | Transformer AC 240V/AC 24V/120W in IP44 version without convertor |

MATERIALS






# LED.FL.ALLFLASH.10M.15.24V

24V extendable light string with 30 strobe flash LED

IP65-68

PATENTED  
ISO 9001 RoHS CE



24V



TRA.24V.02  
UL TRANSFORMER 110V



TRA.24V.01  
CE TRANSFORMER 230V  
white



TRA.24V.01  
CE TRANSFORMER 230V  
black

Every 24V/AC transformer's output should be used with the reference CONVERTOR.LED.FL

TRANSFORMERS

|               |   |
|---------------|---|
| TRA24.24W.01  | Transformer AC 240V/AC 24V/24W in IP44 version without convertor  |
| TRA24.48W.01  | Transformer AC 240V/AC 24V/48W in IP44 version without convertor  |
| TRA24.84W.01  | Transformer AC 240V/AC 24V/84W in IP44 version without convertor  |
| TRA24.120W.01 | Transformer AC 240V/AC 24V/120W in IP44 version without convertor |

| LED.FL.ALLFLASH.10M.15.24V<br>10m light string extendable with 15 Strobe Flash LED |                                 |                                 |
|--|---------------------------------|---------------------------------|
| REF No   | LED.FL.ALLFLASH.10M.24V.WH      | LED.FL.ALLFLASH.10M.24V.WW      |
| Length   | 10m                             | 10m                             |
| Max. Extension   | 10 light strings                | 10 light strings                |
| Flashing LED number  | 15                              | 15                              |
| Flashing LED color   | cool white                      | warm white                      |
| PVC cable color  | transparent, gold, white, green | transparent, gold, white, green |
| Consumption  | 3W                              | 3W                              |
| Voltage  | 24V                             | 24V                             |

\*\*\*All LED.FL.ALL FLASH.24V light strings are made with male and female connectors on the end and WITHOUT power cord, convertor and transformer TRA.24



IP65-68

# LED.FL.ALLFLASH.20M.30.24V

24V extendable light string with 30 strobe flash LED

ALL STROBE FLASH LED



TRA.24V.02  
UL TRANSFORMER 110V



TRA.24V.01  
CE TRANSFORMER 230V  
white



TRA.24V.01  
CE TRANSFORMER 230V  
black

Every 24V/AC transformer's output should be used with the reference CONVERTOR.LED.FL

TRANSFORMERS

|               |   |
|---------------|---|
| TRA24.24W.01  | Transformer AC 240V/AC 24V/24W in IP44 version without convertor  |
| TRA24.48W.01  | Transformer AC 240V/AC 24V/48W in IP44 version without convertor  |
| TRA24.84W.01  | Transformer AC 240V/AC 24V/84W in IP44 version without convertor  |
| TRA24.120W.01 | Transformer AC 240V/AC 24V/120W in IP44 version without convertor |

| LED.FL.ALLFLASH.20M.30.24V<br>20m light string extendable with 30 Strobe Flash LED |                                 |                                 |
|--|---------------------------------|---------------------------------|
| REF No   | LED.FL.ALLFLASH.20M.24V.WH      | LED.FL.ALLFLASH.20M.24V.WW      |
| Length   | 20m                             | 20m                             |
| Max. Extension   | 5 light strings                 | 5 light strings                 |
| Flashing LED number  | 30                              | 30                              |
| Flashing LED color   | cool white                      | warm white                      |
| PVC cable color  | transparent, gold, white, green | transparent, gold, white, green |
| Consumption  | 3W                              | 3W                              |
| Voltage  | 24V                             | 24V                             |

\*\*\*All LED.FL.ALL FLASH.24V light strings are made with male and female connectors on the end and WITHOUT power cord, convertor and transformer TRA.24

MATERIALS






IP65-68

# LED.ICFLRS.30.230V

1m extendable icicle light with 30 LED



**ATTENTION**  
Every icicle light has total 9 strings with 30 LED.  
Can be extended up to 30 sets (30m)



**LED.ICFLRS.30.230V 1m LED Icicle light - Extendable**  
(9 strings with 30 LED lights)

| REF No                       | LED.ICFLRS.30WH.230V | LED.ICFLRS.30WW.230V | LED.ICFLRS.30BL.230V |
|------------------------------|----------------------|----------------------|----------------------|
| Length                       | 1m                   | 1m                   | 1m                   |
| Height                       | 0,50m                | 0,50m                | 0,50m                |
| Max. Extension               | 30 sets (30m)        | 30 sets (30m)        | 30 sets (30m)        |
| LED number                   | 30                   | 30                   | 30                   |
| LED color                    | cool white           | warm white           | blue                 |
| Strings per LED icicle light | 9                    | 9                    | 9                    |
| Rubber cable color           | white                | white                | white                |
| Consumption                  | 4,5W                 | 4,5W                 | 4,5W                 |
| Voltage                      | 230V                 | 230V                 | 230V                 |

Ref No : CO.FLRED.230 LED.ICFLRS connection set AC to DC 230V/IP44 European plug with 3A convertor

\*\*\*All LED ICICLE LIGHTS are made with male and female connectors on the end and WITHOUT power cord and convertor CO.FLRED.230



MATERIALS




# LED.ICFLRS.30F.230V


1m extendable icicle light with 30 LED  
(27 static led + 3 cool white strobe flash led)

**IP65-68**

**PATENTED**  
ISO 9001 RoHS CE



**ATTENTION**  
Every icicle light has total 9 strings with 30 LED.  
Can be extended up to 30 sets (30m)



**LED.ICFLRS.30F.230V 1m Flash LED icicle light - Extendable**  
**9 strings with 30 LED (27 static LED + 3 cool white strobe flash LED)**

| REF No                       | LED.ICFLRS.30F.WH.230V | LED.ICFLRS.30F.WW.230V | LED.ICFLRS.30F.BL.230V |
|------------------------------|------------------------|------------------------|------------------------|
| Length                       | 1m                     | 1m                     | 1m                     |
| Height                       | 0,50m                  | 0,50m                  | 0,50m                  |
| Max. Extension               | 30 sets (30m)          | 30 sets (30m)          | 30 sets (30m)          |
| Static LED number            | 27                     | 27                     | 27                     |
| Static LED color             | cool white             | warm white             | blue                   |
| Flash LED number             | 3                      | 3                      | 3                      |
| Flash LED color              | cool white             | cool white             | cool white             |
| Strings per LED icicle light | 9                      | 9                      | 9                      |
| Rubber cable color           | white                  | white                  | white                  |
| Consumption                  | 4,5W                   | 4,5W                   | 4,5W                   |
| Voltage                      | 230V                   | 230V                   | 230V                   |

Ref No : **CO.FLRLED.230** LED.ICFLRS connection set AC to DC 230V/IP44 European plug with 3A convertor

\*\*\*All LED ICICLE LIGHTS are made with male and female connectors on the end and WITHOUT power cord and convertor CO.FLRLED.230

**MATERIALS**






IP65-68


# LED.ICFLRS.60.230V

1m extendable icicle light with 60 LED



### ATTENTION

Every icicle light has total 9 strings with 60 LED. Can be extended up to 30 sets (30m)



## LED.ICFLRS.60.230V 1m LED Icicle light - Extendable (9 strings with 60 LED lights)

| REF No                       | LED.ICFLRS.60WH.230V | LED.ICFLRS.60WW.230V | LED.ICFLRS.60BL.230V |
|------------------------------|----------------------|----------------------|----------------------|
| Length                       | 1m                   | 1m                   | 1m                   |
| Height                       | 1m                   | 1m                   | 1m                   |
| Max. Extension               | 30 sets (30m)        | 30 sets (30m)        | 30 sets (30m)        |
| LED number                   | 60                   | 60                   | 60                   |
| LED color                    | cool white           | warm white           | blue                 |
| Strings per LED icicle light | 9                    | 9                    | 9                    |
| Rubber cable color           | white                | white                | white                |
| Consumption                  | 4,5W                 | 4,5W                 | 4,5W                 |
| Voltage                      | 230V                 | 230V                 | 230V                 |

Ref No : CO.FLRLED.230 LED.ICFLRS connection set AC to DC 230V/IP44 European plug with 3A convertor

\*\*\*All LED ICICLE LIGHTS are made with male and female connectors on the end and WITHOUT power cord and convertor CO.FLRLED.230




# LED.ICFLRS.60F.230V

1m extendable icicle light with 60 LED  
(56 static led + 4 cool white strobe flash led)

**IP65-68**


**PATENTED**  
ISO 9001 RoHS CE



**STROBE FLASH LED**

### ATTENTION

Every icicle light has total 9 strings with 60 LED.  
Can be extended up to 30 sets (30m)



## LED.ICFLRS.60F.230V 1m Flash LED icicle light - Extendable 9 strings with 60 LED (56 static LED + 4 cool white strobe flash LED)

| REF No                       | LED.ICFLRS.60F.WH.230V | LED.ICFLRS.60F.WW.230V | LED.ICFLRS.60F.BL.230V |
|------------------------------|------------------------|------------------------|------------------------|
| Length                       | 1m                     | 1m                     | 1m                     |
| Height                       | 1m                     | 1m                     | 1m                     |
| Max. Extension               | 30 sets (30m)          | 30 sets (30m)          | 30 sets (30m)          |
| Static LED number            | 56                     | 56                     | 56                     |
| Static LED color             | cool white             | warm white             | blue                   |
| Flash LED number             | 4                      | 4                      | 4                      |
| Flash LED color              | cool white             | cool white             | cool white             |
| Strings per LED icicle light | 9                      | 9                      | 9                      |
| Rubber cable color           | white                  | white                  | white                  |
| Consumption                  | 4,5W                   | 4,5W                   | 4,5W                   |
| Voltage                      | 230V                   | 230V                   | 230V                   |

Ref No : CO.FLRLED.230 LED.ICFLRS connection set AC to DC 230V/IP44 European plug with 3A convertor

\*\*\*All LED ICICLE LIGHTS are made with male and female connectors on the end and WITHOUT power cord and convertor CO.FLRLED.230






IP65-68

# LED.ICFLRS.150.230V

5m extendable icicle light with 150 LED

## ATTENTION

Every icicle light has total 45 strings with 150 LED. Can be extended up to 12 sets (60m)



MATERIALS

### LED.ICFLRS.150.230V 5m LED Icicle light - Extendable (45 strings with 150 LED lights)

| REF No                       | LED.ICFLRS.150WH.230V | LED.ICFLRS.150WW.230V | LED.ICFLRS.150BL.230V |
|------------------------------|-----------------------|-----------------------|-----------------------|
| Length                       | 5m                    | 5m                    | 5m                    |
| Height                       | 0,50m                 | 0,50m                 | 0,50m                 |
| Max. Extension               | 12 sets (60m)         | 12 sets (60m)         | 12 sets (60m)         |
| LED number                   | 150                   | 150                   | 150                   |
| LED color                    | cool white            | warm white            | blue                  |
| Strings per LED icicle light | 45                    | 45                    | 45                    |
| Rubber cable color           | white                 | white                 | white                 |
| Consumption                  | 13,5W                 | 13,5W                 | 13,5W                 |
| Voltage                      | 230V                  | 230V                  | 230V                  |

Ref No : CO.FLRLED.230 LED.ICFLRS connection set AC to DC 230V/IP44 European plug with 3A convertor

\*\*\*All LED ICICLE LIGHTS are made with male and female connectors on the end and WITHOUT power cord and convertor CO.FLRLED.230







# LED.ICFLRS.300.230V

5m extendable icicle light with 300 LED

**IP65-68**
**PATENTED**  
 ISO 9001 RoHS CE


**ATTENTION**

Every icicle light has total 45 strings with 300 LED.  
 Can be extended up to 8 set (40m)



## LED.ICFLRS.300.230V 5m LED Icicle light - Extendable (45 strings with 300 LED lights)

| REF No                       | LED.ICFLRS.300WH.230V | LED.ICFLRS.300WW.230V | LED.ICFLRS.300BL.230V |
|------------------------------|-----------------------|-----------------------|-----------------------|
| Length                       | 5m                    | 5m                    | 5m                    |
| Height                       | 1m                    | 1m                    | 1m                    |
| Max. Extension               | 8 sets (40m)          | 8 sets (40m)          | 8 sets (40m)          |
| LED number                   | 300                   | 300                   | 300                   |
| LED color                    | cool white            | warm white            | blue                  |
| Strings per LED icicle light | 45                    | 45                    | 45                    |
| Rubber cable color           | white                 | white                 | white                 |
| Consumption                  | 22,5W                 | 22,5W                 | 22,5W                 |
| Voltage                      | 230V                  | 230V                  | 230V                  |

Ref No : CO.FLRLED.230 LED.ICFLRS connection set AC to DC 230V/IP44 European plug with 3A convertor

\*\*\*All LED ICICLE LIGHTS are made with male and female connectors on the end and WITHOUT power cord and convertor CO.FLRLED.230

MATERIALS







**IP65-68**

# LED.FLRS.1X1.72.230V

1m extendable curtain light with 72 LED

Female and male connector



MATERIALS

### LED.FLRS.1x1.72.230V Extendable LED curtain light 230V on rubber cable

| REF No                | LED.FLRS.72WH.230V | LED.FLRS.72WW.230V | LED.FLRS.72BL.230V |
|-----------------------|--------------------|--------------------|--------------------|
| Length                | 1m                 | 1m                 | 1m                 |
| Height                | 1m                 | 1m                 | 1m                 |
| Max. Extension        | 30 sets (30m)      | 30 sets (30m)      | 30 sets (30m)      |
| LED number            | 72                 | 72                 | 72                 |
| LED color             | cool white         | warm white         | blue               |
| Strings per curtain   | 9                  | 9                  | 9                  |
| LED number per string | 8                  | 8                  | 8                  |
| Rubber cable color    | white, black       | white, black       | white, black       |
| Consumption           | 4,5W               | 4,5W               | 4,5W               |
| Voltage               | 230V               | 230V               | 230V               |

Ref No : CO.FLRLED.230 LED.FLRS connection set AC to DC 230V/IP44 European plug with 3A convertor

\*\*\*All LED CURTAIN LIGHTS are made with male and female connectors on the end and WITHOUT power cord and convertor CO.FLRLED.230






# LED.FLRS.1X2.144.230V

1m extendable curtain light with 144 LED

IP65-68

FOTODIASTASI®

PATENTED  
ISO 9001 RoHS CE



MATERIALS

## LED.FLRS.1x2.144.230V Extendable LED curtain light 230V on rubber cable

| REF No                | LED.FLRS.144WH.230V | LED.FLRS.144WW.230V | LED.FLRS.144BL.230V |
|-----------------------|---------------------|---------------------|---------------------|
| Length                | 1m                  | 1m                  | 1m                  |
| Height                | 2m                  | 2m                  | 2m                  |
| Max. Extension        | 20 sets (20m)       | 20 sets (20m)       | 20 sets (20m)       |
| LED number            | 144                 | 144                 | 144                 |
| LED color             | cool white          | warm white          | blue                |
| Strings per curtain   | 9                   | 9                   | 9                   |
| LED number per string | 16                  | 16                  | 16                  |
| Rubber cable color    | white, black        | white, black        | white, black        |
| Consumption           | 9W                  | 9W                  | 9W                  |
| Voltage               | 230V                | 230V                | 230V                |

Ref No : CO.FLRLED.230 LED.FLRS connection set AC to DC 230V/IP44 European plug with 3A convertor

\*\*\*All LED CURTAIN LIGHTS are made with male and female connectors on the end and WITHOUT power cord and convertor CO.FLRLED.230






**IP65-68**

# LED.FLRS.1X3.216.230V


1m extendable curtain light with 216 LED



**ATTENTION**  
 Every curtain has total 216 led lights (9 strings with 24 LED's in each string). Can be extended ONLY in width but the total number of led should not be more than 2.160 (10 curtains)

Rubber cable H03RNF/0,50mm<sup>2</sup> with 24 led lights

MATERIALS



**LED.FLRS.1x3.216.230V** Extendable LED curtain light 230V on rubber cable

| REF No                | LED.FLRS.216WH.230V | LED.FLRS.216WW.230V | LED.FLRS.216BL.230V |
|-----------------------|---------------------|---------------------|---------------------|
| Length                | 1m                  | 1m                  | 1m                  |
| Height                | 3m                  | 3m                  | 3m                  |
| Max. Extension        | 10 sets (10m)       | 10 sets (10m)       | 10 sets (10m)       |
| LED number            | 216                 | 216                 | 216                 |
| LED color             | cool white          | warm white          | blue                |
| Strings per curtain   | 9                   | 9                   | 9                   |
| LED number per string | 24                  | 24                  | 24                  |
| Rubber cable color    | white, black        | white, black        | white, black        |
| Consumption           | 13,5W               | 13,5W               | 13,5W               |
| Voltage               | 230V                | 230V                | 230V                |

Ref No : **CO.FLRLED.230** LED.FLRS connection set AC to DC 230V/IP44 European plug with 3A convertor

\*\*\*All LED CURTAIN LIGHTS are made with male and female connectors on the end and WITHOUT power cord and convertor CO.FLRLED.230





# LED.FLRS.2X3.555.230V

2m extendable curtain light with 555 LED

**IP65-68**
**PATENTED**  
 ISO 9001 RoHS CE

**ATTENTION**

Every curtain has total 555 led lights (15 strings with 37 LED's in each string). Can be extended in height and width but the total number of led should not be more than 2.775 (5 curtains)


**MATERIALS**
**LED.FLRS.2x3.555.230V** Extendable LED curtain light 230V on rubber cable

| REF No                | LED.FLRS.555WH.230V | LED.FLRS.555WW.230V | LED.FLRS.555BL.230V |
|-----------------------|---------------------|---------------------|---------------------|
| Length                | 2m                  | 2m                  | 2m                  |
| Height                | 3m                  | 3m                  | 3m                  |
| Max. Extension        | 5 sets (10m)        | 5 sets (10m)        | 5 sets (10m)        |
| LED number            | 555                 | 555                 | 555                 |
| LED color             | cool white          | warm white          | blue                |
| Strings per curtain   | 15                  | 15                  | 15                  |
| LED number per string | 37                  | 37                  | 37                  |
| Rubber cable color    | white, black        | white, black        | white, black        |
| Consumption           | 72W                 | 72W                 | 72W                 |
| Voltage               | 230V                | 230V                | 230V                |

Ref No : **CO.FLRLED.230** LED.FLRS connection set AC to DC 230V/IP44 European plug with 3A convertor

\*\*\*All LED CURTAIN LIGHTS are made with male and female connectors on the end and WITHOUT power cord and convertor CO.FLRLED.230




IP65-68

# LED.FLS.2x1.240.230V

2m extendable curtain light with 240 LED



**ATTENTION**  
 Every curtain has total 240 led lights (16 strings with 15 LED's in each string). Can be extended ONLY in width but the total number of led should not be more than 2.400 (10 curtains)



MATERIALS

| LED.FLS.2x1.240.230V Extendable LED curtain light 230V on PVC cable |                    |                    |                    |
|---|--------------------|--------------------|--------------------|
| REF No  | LED.FLS.240WH.230V | LED.FLS.240WW.230V | LED.FLS.240BL.230V |
| Length  | 2m                 | 2m                 | 2m                 |
| Height  | 1m                 | 1m                 | 1m                 |
| Max. Extension  | 10 sets (20m)      | 10 sets (20m)      | 10 sets (20m)      |
| LED number  | 240                | 240                | 240                |
| LED color   | cool white         | warm white         | blue               |
| Strings per curtain   | 16                 | 16                 | 16                 |
| LED number per string   | 15                 | 15                 | 15                 |
| PVC cable color   | transparent        | transparent, gold  | transparent        |
| Consumption   | 18W                | 18W                | 18W                |
| Voltage   | 230V               | 230V               | 230V               |

Ref No : CO.FLLED.230 LED.FLS connection set AC to DC 230V/IP44 European plug with 3A convertor

\*\*\*All LED CURTAIN LIGHTS are made with male and female connectors on the end and WITHOUT power cord and convertor CO.FLLED.230






# LED.FLS.2x1,5.368.230V

2m extendable curtain light with 368 LED

**IP65-68**

**PATENTED**

ISO 9001 RoHS CE



## LED.FLS.2x1,5.368.230V Extendable LED curtain light 230V on PVC cable

| REF No                | LED.FLS.368WH.230V | LED.FLS.368WW.230V | LED.FLS.368BL.230V |
|-----------------------|--------------------|--------------------|--------------------|
| Length                | 2m                 | 2m                 | 2m                 |
| Height                | 1,50m              | 1,50m              | 1,50m              |
| Max. Extension        | 5 sets (10m)       | 5 sets (10m)       | 5 sets (10m)       |
| LED number            | 368                | 368                | 368                |
| LED color             | cool white         | warm white         | blue               |
| Strings per curtain   | 16                 | 16                 | 16                 |
| LED number per string | 23                 | 23                 | 23                 |
| PVC cable color       | transparent        | transparent, gold  | transparent        |
| Consumption           | 36W                | 36W                | 36W                |
| Voltage               | 230V               | 230V               | 230V               |

Ref No : CO.FLLED.230 LED.FL connection set AC to DC 230V/IP44 European plug with 3A convertor

\*\*\*All LED CURTAIN LIGHTS are made with male and female connectors on the end and WITHOUT power cord and convertor CO.FLLED.230

MATERIALS








IP65-68

# LED.FLS.2x2.480.230V

2m extendable curtain light with 480 LED



**ATTENTION**  
 Every curtain has total 480 led lights (16 strings with 30 LED's in each string).  
 Can be extended ONLY in width but the total number of led should not be more than 2.400 (5 curtains)

MATERIALS

| LED.FLS.2x2.480.230V Extendable LED curtain light 230V on PVC cable |                    |                    |                    |
|---|--------------------|--------------------|--------------------|
| REF No  | LED.FLS.480WH.230V | LED.FLS.480WW.230V | LED.FLS.480BL.230V |
| Length  | 2m                 | 2m                 | 2m                 |
| Height  | 2m                 | 2m                 | 2m                 |
| Max. Extension  | 5 sets (10m)       | 5 sets (10m)       | 5 sets (10m)       |
| LED number  | 480                | 480                | 480                |
| LED color   | cool white         | warm white         | blue               |
| Strings per curtain   | 16                 | 16                 | 16                 |
| LED number per string   | 30                 | 30                 | 30                 |
| PVC cable color   | transparent        | transparent, gold  | transparent        |
| Consumption   | 36W                | 36W                | 36W                |
| Voltage   | 230V               | 230V               | 230V               |

Ref No : CO.FLLED.230 LED.FLS connection set AC to DC 230V/IP44 European plug with 3A convertor

\*\*\*All LED CURTAIN LIGHTS are made with male and female connectors on the end and WITHOUT power cord and convertor CO.FLLED.230





PATENTED  
ISO 9001 RoHS CE

PVC  
cable



MATERIALS





P65-68

# ACCESSORIES

## LED CURTAIN LIGHT ACCESSORIES



**RUB.CUR120.07** 1,20m cord with 7 connectors




**RUB.CUR240.14** 2,40m cord with 14 connectors




**RUB.CUR360.21** 3,60m cord with 21 connectors

## LED CURTAIN LIGHT ACCESSORIES WITH "T"-CONNECTORS



**EXTE.CUR.06** 0,93m cord with 6 connectors




**EXTE.CUR.11** 1,55m cord with 11 connectors



**EXTE.CUR.21** 2,80m cord with 21 connectors


### T.CONNECTOR



**T.CONNECTOR PVC**  
"T" connector for PVC cable light string


**T.CONNECTOR RUBBER**  
"T" connector for rubber cable light string

### E27 & B22 CONNECTOR WITH FEMALE LIGHT STRING CONNECTOR



**KON.E27.FLR**  
E27 connector with female light string connector for rubber cable

**KON.E27.FL**  
E27 connector with female light string connector for PVC cable



**KON.B22.FLR**  
B22 connector with female light string connector for rubber cable

**KON.B22.FL**  
B22 connector with female light string connector for PVC cable



**EXTE.FLR.LED.30.WHITE**  
30cm extension for rubber cable light string

**EXTE.FLR.LED.150.WHITE**  
150cm extension for rubber cable light string

**EXTE.FLR.LED.300.WHITE or GREEN**  
300cm extension for rubber cable light string


**EXTE.FL.LED.30.WHITE**  
30cm extension for PVC cable light string

**EXTE.FL.LED.150.WHITE**  
150cm extension for PVC cable light string

**EXTE.FL.LED.300.WHITE or GREEN**  
300cm extension for PVC cable light string

**EXTE.FL.LED.400.WHITE**  
400cm extension for PVC cable light string

**EXTE.FL.LED.500.WHITE**  
500cm extension for PVC cable light string




**FEMALE.FLR.30.WHITE**  
30cm Female-Female connector for rubber cable light string

**FEMALE.FL.30.WHITE**  
30cm Female-Female connector for PVC cable light string



**MALE.FLR.30.WHITE**  
30cm Male-Male connector for rubber cable light string

**MALE.FL.30.WHITE**  
30cm Male-Male connector for PVC cable light string




**FLR.CORD.30.WHITE**  
30cm rubber power cord with female connector

**FLR.CORD.100.WHITE or BLACK**  
1m rubber power cord with female connector

**FL.CORD.100.WHITE or BLACK**  
1m PVC power cord with female connector


**FL.CORD.300.WHITE or BLACK**  
3m PVC power cord with female connector

**FL.CORD.500.WHITE or BLACK**  
5m PVC power cord with female connector



**SMI.FLR.FEMALE.50**  
Female connector with rope light connector for rubber cable

**SMI.FL.FEMALE.50**  
Female connector with rope light connector for PVC cable



**SMI.FLR.MALE.50**  
Male connector with rope light connector for rubber cable

**SMI.FL.MALE.50**  
Male connector with rope light connector for PVC cable



# ACCESSORIES

**IP65-68**
**PATENTED**  
 ISO 9001 RoHS CE



**CONVERTOR.LED.FLR** 3A convertor with male and female connectors on white or black rubber cable  
**CONVERTOR.LED.FL** 3A convertor with male and female connectors on white or black PVC cable




**CO.FLR.LED.230V** 3A convertor for LED light string connection set AC to DC 230V with IP44 European plug  
**CO.FL.LED.230V** 3A convertor for LED light string connection set AC to DC 230V with 16A plug




**CONVERTOR.LED.SMI.FLR** 3A convertor with female connector and rope light connector for rubber cable  
**CONVERTOR.LED.SMI.FL** 3A convertor with female connector and rope light connector for PVC cable

**EXTE.BOX3**



Easy Fix box with 3 outputs for rubber cable light string  
 \*For LED, use only with the reference CONVERTOR.LED.FLR

**EXTE.BOX5**


Easy Fix box with 5 outputs for rubber cable light string  
 \*For LED, use only with the reference CONVERTOR.LED.FLR

**EXTE.FOT.BOX6**


Easy Fix box with 6 outputs for rubber cable light string  
 \*For LED, use only with the reference CONVERTOR.LED.FLR

**6W.RING.FL**


Easy Fix box with 6 outputs for PVC cable light string  
 \*For LED, use only with the reference CONVERTOR.LED.FL




**CO.FL.24V.4A.PVC** 4A convertor for 24V LED light string on PVC cable with male and female connectors




**CO.FL.24V.4A.RUBBER** 4A convertor for 24V LED light string on rubber cable with female connector


## TRANSFORMERS


**TRA24.24W.01**


Transformer AC 240V/AC 24V 24W in IP44 version with one output  
 For LED, use on every output the reference CONVERTOR.LED.FL


**TRA24.48W.01**


Transformer AC 240V/AC 24V 48W in IP44 version with one output  
 For LED, use on every output the reference CONVERTOR.LED.FL


**TRA24.84W.01**


Transformer AC 240V/AC 24V 84W in IP44 version with one output  
 For LED, use on every output the reference CONVERTOR.LED.FL


**TRA24.120W.01**

Transformer AC 240V/AC 24V 120W in IP44 version with one output  
 For LED, use on every output the reference CONVERTOR.LED.FL


**TRA24.48W.02**

Transformer AC 110V/AC 24V 48W in IP44 version with one output  
 For LED, use on every output the reference CONVERTOR.LED.FL


**TRA24.84W.02**

Transformer AC 110V/AC 24V 84W in IP44 version with one output  
 For LED, use on every output the reference CONVERTOR.LED.FL


**TRA24.120W.02**

Transformer AC 110V/AC 24V 120W in IP44 version with one output  
 For LED, use on every output the reference CONVERTOR.LED.FL


**MATERIALS**



# IP<sub>66</sub> POWER SUPPLIES

## EUROPEAN STANDARDS



INPUT 100-240V AC / OUTPUT 24V DC

**VDS-24035D0180**  
 CE power supply 35W  
 size L21,2 W3,6 H2,7 cm  
 Weight=0,33kg

**VDS-24100D0242**  
 CE power supply 100W  
 size L21 W7,1 H4,5 cm  
 Weight=1,05kg



INPUT 100-240V AC / OUTPUT 24V DC



INPUT 100-240V AC / OUTPUT 24V DC

**VAS-24060D070**  
 CE power supply 60W  
 size L21 W7,1 H4,5 cm  
 Weight=1,00kg

**VDS-24150D0871**  
 CE power supply 150W  
 size L24,7 W6,7 H4,5 cm  
 Weight=1,10kg



INPUT 100-240V AC / OUTPUT 24V DC



INPUT 100-240V AC / OUTPUT 24V DC

**VDS-24080D0241**  
 CE power supply 80W  
 size L17,8 W7 H4,5 cm  
 Weight=0,86kg

**VAS-24200D023**  
 CE power supply 200W  
 size L20,5 W12,6 H5,9 cm  
 Weight=2,30kg



INPUT 100-240V AC / OUTPUT 24V DC

MATERIALS



# IP<sub>66</sub> POWER SUPPLIES

## AMERICAN & CANADIAN STANDARDS



INPUT 100-240V AC / OUTPUT 24V DC

### VDS-24060D0241 U

UL & CSA power supply 60W  
size L18 W7 H4,5 cm  
Weight=0,90kg



### VDS-24100D0242 U

UL & CSA power supply 100W  
size L21 W7 H4,5 cm  
Weight=1,00kg



INPUT 100-240V AC / OUTPUT 24V DC

# IP<sub>66</sub> POWER SUPPLIES

## AUSTRALIAN STANDARDS



INPUT 100-240V AC / OUTPUT 24V DC

### VAS-24060D070

SAA power supply 60W  
size L21 W7,1 H4,5 cm  
Weight=1,00kg

### VAS-24150D023

SAA power supply 150W  
size L20,5 W12,6 H5,9 cm  
Weight=2,30kg



INPUT 100-240V AC / OUTPUT 24V DC



INPUT 100-240V AC / OUTPUT 24V DC

### VAS-24100D024

SAA power supply 100W  
size L24 W6,7 H4,5 cm  
Weight=1,20kg



### VAS-24200D023

SAA power supply 200W  
size L20,5 W12,6 H5,9 cm  
Weight=2,30kg



INPUT 100-240V AC / OUTPUT 24V DC

MATERIALS



# IP66-68 CABLE CONNECTORS

MATERIALS



**RST20i/2M**  
RST20i 2 pole MALE




**RST20i/3M**  
RST20i 3 pole MALE



**RST20i/2F**  
RST20i 2 pole FEMALE

**RST20i/3F**  
RST20i 3 pole FEMALE



**RST20i/3M**  
RST20i 3 pole MALE

**RST20i/3F**  
RST20i 3 pole FEMALE

- CWP-RST2M-2x1**  
Europlug + 2m H05RNF/2x1mm<sup>2</sup> + RST20i/2F connector
- CWP-RST3M-2x1**  
Europlug + 3m H05RNF/2x1mm<sup>2</sup> + RST20i/2F connector
- CWP-RST5M-2x1**  
Europlug + 5m H05RNF/2x1mm<sup>2</sup> + RST20i/2F connector
- CWP-RST2M-3x1**  
Europlug + 2m H05RNF/3x1mm<sup>2</sup> + RST20i/2F connector
- CWP-RST3M-3x1**  
Europlug + 3m H05RNF/3x1mm<sup>2</sup> + RST20i/2F connector
- CWP-RST5M-3x1**  
Europlug + 5m H05RNF/3x1mm<sup>2</sup> + RST20i/2F connector



**RST20i/2/11/30**  
2 pole distribution block  
with 3 outputs  
(1 male + 3 female)



**RST20i/3/11/30**  
3 pole distribution block  
with 3 outputs  
(1 male + 3 female)




**SPL-RST20i2**  
2 pole splitter connector  
with 2 outputs  
(1 female + 2 outputs)



**SPL-RST20i3**  
3 pole splitter connector  
with 2 outputs  
(1 female + 2 outputs)

- CW-RST2M-2x1**  
2m H05RNF/2x1mm<sup>2</sup> + RST20i/2F connector
- CW-RST3M-2x1**  
3m H05RNF/2x1mm<sup>2</sup> + RST20i/2F connector
- CW-RST5M-2x1**  
5m H05RNF/2x1mm<sup>2</sup> + RST20i/2F connector
- CW-RST2M-3x1**  
2m H05RNF/3x1mm<sup>2</sup> + RST20i/2F connector
- CW-RST3M-3x1**  
3m H05RNF/3x1mm<sup>2</sup> + RST20i/2F connector
- CW-RST5M-3x1**  
5m H05RNF/3x1mm<sup>2</sup> + RST20i/2F connector





# IP66-68 POLE MOUNT CONNECTORS & INLINE PROTECTION

PATENTED  
ISO 9001 RoHS CE



**IP66-68**  
OUTDOOR RATED

POLE MOUNT  
WITH POLE MOUNT  
CONNECTORS M25  
AND INLINE PROTECTION

**M25/2M**  
2 pole MALE

**M25/3M**  
3 pole MALE

**M25/2F**  
2 pole FEMALE

**M25/3F**  
3 pole FEMALE

**M25/2M**  
2 pole MALE

**M25/2F**  
2 pole FEMALE

**RC06C**  
IP55 INLINE RCD  
PROTECTOR 16A  
230V - 30mA



**SPL-RST20i / IP66-68 CONNECTION**



**RST20i / IP66-68 CONNECTION**

MATERIALS





IP65

# NM14

E14 WATERPROOF SOCKETS  
24V OR 230V FOR OUTDOOR USE

MATERIALS



**LED.E14.03**  
**CRYSTAL TYPE LED LAMP**



with 3 SMD LED







# E14 LIGHT CHAINS IN 24V OR 230V

**IP65**
**PATENTED**  
ISO 9001 RoHS CE


MATERIALS

## NM14 LIGHT CHAINS WITH E14 SOCKETS AND PLUG

| REF No                          | NM14.10.06         | NM14.10.09         | NM14.15.15           | NM14.50.50           | NM14.10.50           | NM14.10.01            | NM14.20.01            | NM14.30.01            |
|---------------------------------|--------------------|--------------------|----------------------|----------------------|----------------------|-----------------------|-----------------------|-----------------------|
| Length                          | 6m<br>(4,50+1,50)m | 9m<br>(7,50+1,50)m | 15m<br>(13,50+1,50)m | 50m<br>(48,50+1,50)m | 50m<br>(48,50+1,50)m | 100m<br>(98,50+1,50)m | 100m<br>(98,50+1,50)m | 100m<br>(98,50+1,50)m |
| Number of lampholder            | 10                 | 10                 | 15                   | 50                   | 100                  | 100                   | 200                   | 300                   |
| Consumption with 0,5W LED lamps | 5W                 | 5W                 | 7,5W                 | 25W                  | 50W                  | 50W                   | 100W                  | 150W                  |
| package                         | 1                  | 1                  | 1                    | 1                    | 1                    | 1                     | 1                     | 1                     |





IP44-65

# CRYSTAL LIGHT

WITH E14 WATERPROOF SOCKETS 24V OR 230V FOR OUTDOOR USE

MATERIALS





# E14 CRYSTAL LIGHT CHAINS IN 24V OR 230V

**IP44-65**
**PATENTED**  
 ISO 9001 RoHS CE

**Embodied plug  
made in Greece**
**End cap - Pat.No:  
2002079/07-05-1998**

**PatentNo:  
2002079/07-05-1998**

**CRYSTAL LIGHT CHAINS WITH PLUG**

| REF No                              | KPY.10.06          | KPY.10.09          | KPY.15.15            | KPY.30.15            | KPY.50.50            | KPY.10.50            | KPY.10.01             | KPY.20.01             |
|-------------------------------------|--------------------|--------------------|----------------------|----------------------|----------------------|----------------------|-----------------------|-----------------------|
| Length                              | 6m<br>(4,50+1,50)m | 9m<br>(7,50+1,50)m | 15m<br>(13,50+1,50)m | 15m<br>(13,50+1,50)m | 50m<br>(48,50+1,50)m | 50m<br>(48,50+1,50)m | 100m<br>(98,50+1,50)m | 100m<br>(98,50+1,50)m |
| Number of lampholder                | 10                 | 10                 | 15                   | 30                   | 50                   | 100                  | 100                   | 200                   |
| Consumption with 0,5W/E14 LED lamps | 5W                 | 5W                 | 7,5W                 | 15W                  | 25W                  | 50W                  | 50W                   | 100W                  |
| package                             | 1                  | 1                  | 1                    | 1                    | 1                    | 1                    | 1                     | 1                     |



MATERIALS



IP44-65

# ASTRA LIGHT

WITH E14 WATERPROOF SOCKETS 24V OR 230V FOR OUTDOOR USE

MATERIALS



Retail package



Patent No: 2002079/07-05-1998





# E14 ASTRA LIGHT CHAINS IN 24V OR 230V

**IP44-65**
**PATENTED**  
 ISO 9001 RoHS CE

 End cap - Pat.No:  
 2002079/07-05-1998

 Embodied plug  
 made in Greece

## ASTRA LIGHT CHAINS WITH PLUG

| REF No                              | APY.10.06          | APY.10.09          | APY.15.15            | APY.30.15            | APY.50.50            | APY.10.50            | APY.10.01             | APY.20.01             |
|-------------------------------------|--------------------|--------------------|----------------------|----------------------|----------------------|----------------------|-----------------------|-----------------------|
| Length                              | 6m<br>(4,50+1,50)m | 9m<br>(7,50+1,50)m | 15m<br>(13,50+1,50)m | 15m<br>(13,50+1,50)m | 50m<br>(48,50+1,50)m | 50m<br>(48,50+1,50)m | 100m<br>(98,50+1,50)m | 100m<br>(98,50+1,50)m |
| Number of lampholder                | 10                 | 10                 | 15                   | 30                   | 50                   | 100                  | 100                   | 200                   |
| Consumption with 0,5W/E14 LED lamps | 5W                 | 5W                 | 7,5W                 | 15W                  | 25W                  | 50W                  | 50W                   | 100W                  |
| package                             | 1                  | 1                  | 1                    | 1                    | 1                    | 1                    | 1                     | 1                     |



MATERIALS




IP44-65

# PRISMA BALL LIGHT

WITH E14 WATERPROOF SOCKETS 24V OR 230V FOR OUTDOOR USE

MATERIALS



Retail package




Patent No:  
2002079/07-05-1998





# E14 PRISMA BALL LIGHT CHAINS IN 24V OR 230V IP<sub>44-65</sub>

**PATENTED**  
 ISO 9001 RoHS CE

 End cap - Pat.No:  
 2002079/07-05-1998

 Embodied plug  
 made in Greece

## PRISMA BALL LIGHT CHAINS WITH PLUG

| REF No REF No                       | PBA.10.06          | PBA.10.09          | PBA.15.15            | PBA.30.15            | PBA.50.50            | PBA.10.50            | PBA.10.01             | PBA.20.01             |
|-------------------------------------|--------------------|--------------------|----------------------|----------------------|----------------------|----------------------|-----------------------|-----------------------|
| Length                              | 6m<br>(4,50+1,50)m | 9m<br>(7,50+1,50)m | 15m<br>(13,50+1,50)m | 15m<br>(13,50+1,50)m | 50m<br>(48,50+1,50)m | 50m<br>(48,50+1,50)m | 100m<br>(98,50+1,50)m | 100m<br>(98,50+1,50)m |
| Number of lampholder                | 10                 | 10                 | 15                   | 30                   | 50                   | 100                  | 100                   | 200                   |
| Consumption with 0,5W/E14 LED lamps | 5W                 | 5W                 | 7,5W                 | 15W                  | 25W                  | 50W                  | 50W                   | 100W                  |
| package                             | 1                  | 1                  | 1                    | 1                    | 1                    | 1                    | 1                     | 1                     |



MATERIALS



**IP54-65**

# B22 WATERPROOF SOCKETS

24V OR 230V FOR OUTDOOR USE

Retail package



MATERIALS





# B22 LIGHT CHAINS IN 24V OR 230V

**IP54-65**
**PATENTED**  
 ISO 9001 RoHS CE


End cap - Pat.No: 2002079/07-05-1998



Embodied plug made in Greece



## B22 LIGHT CHAINS WITH PLUG

| REF No                        | N22.10.06          | N22.10.09          | N22.15.15            | N22.30.15            | N22.50.50            | N22.10.50            | N22.10.01             | N22.20.01             |
|-------------------------------|--------------------|--------------------|----------------------|----------------------|----------------------|----------------------|-----------------------|-----------------------|
| Length                        | 6m<br>(4,50+1,50)m | 9m<br>(7,50+1,50)m | 15m<br>(13,50+1,50)m | 15m<br>(13,50+1,50)m | 50m<br>(48,50+1,50)m | 50m<br>(48,50+1,50)m | 100m<br>(98,50+1,50)m | 100m<br>(98,50+1,50)m |
| Number of lampholder          | 10                 | 10                 | 15                   | 30                   | 50                   | 100                  | 100                   | 200                   |
| Consumption with 1W LED lamps | 10W                | 10W                | 15W                  | 30W                  | 50W                  | 100W                 | 100W                  | 200W                  |
| package                       | 1                  | 1                  | 1                    | 1                    | 1                    | 1                    | 1                     | 1                     |



MATERIALS



**IP54-65**

**E27 WATERPROOF SOCKETS**  
24V OR 230V FOR OUTDOOR USE

Retail package



MATERIALS



# E27 LIGHT CHAINS IN 24V OR 230V

**IP54-65**
**PATENTED**  
 ISO 9001 RoHS CE


End cap - Pat.No: 2002079/07-05-1998



Embodied plug made in Greece



## E27 LIGHT CHAINS WITH PLUG

| REF No                        | N27.10.06          | N27.10.09          | N27.15.15            | N27.30.15            | N27.50.50            | N27.10.50            | N27.10.01             | N27.20.01             |
|-------------------------------|--------------------|--------------------|----------------------|----------------------|----------------------|----------------------|-----------------------|-----------------------|
| Length                        | 6m<br>(4,50+1,50)m | 9m<br>(7,50+1,50)m | 15m<br>(13,50+1,50)m | 15m<br>(13,50+1,50)m | 50m<br>(48,50+1,50)m | 50m<br>(48,50+1,50)m | 100m<br>(98,50+1,50)m | 100m<br>(98,50+1,50)m |
| Number of lampholder          | 10                 | 10                 | 15                   | 30                   | 50                   | 100                  | 100                   | 200                   |
| Consumption with 1W LED lamps | 10W                | 10W                | 15W                  | 30W                  | 50W                  | 100W                 | 100W                  | 200W                  |
| package                       | 1                  | 1                  | 1                    | 1                    | 1                    | 1                    | 1                     | 1                     |



MATERIALS



# B22 & E27 SMD LED LAMPS

## E27 SMD LED LAMPS 230V or 24V



SMD.LED.E27.06.WW  
230V/1W



SMD.LED.E27.06.WH  
230V/1W



SMD.LED.E27.06.YE  
230V/1W



SMD.LED.E27.06.BL  
230V/1W



SMD.LED.E27.06.RE  
230V/1W



SMD.LED.E27.06.GR  
230V/1W



## B22 SMD LED LAMPS 230V or 24V



SMD.LED.B22.06.WW  
230V/1W



SMD.LED.B22.06.WH  
230V/1W



SMD.LED.B22.06.YE  
230V/1W



SMD.LED.B22.06.BL  
230V/1W



SMD.LED.B22.06.RE  
230V/1W



SMD.LED.B22.06.GR  
230V/1W

# E14 CRYSTAL LED LAMPS

230V or 24V



- LED.E14.03.WH - 230V/0,5W
- LED.E14.03.WW - 230V/0,5W
- LED.E14.03.RE - 230V/0,5W
- LED.E14.03.BL - 230V/0,5W
- LED.E14.03.GR - 230V/0,5W
- LED.E14.03.YE - 230V/0,5W



# E14 CRYSTAL LED FLASH BULBS

\*Available in all colors


230V

24V

**E14**  
STR.14.01  
230V/0,3W



**E14**  
STR.14.02  
24V/0,3W



# E27 & B22 LED STROBE FLASH BULBS

230V

**B22**  
LED.STR.22.09  
230V/1,5W



**E27**  
LED.STR.27.09  
230V/1,5W



# E27 & B22 XENON STROBE FLASH BULBS

230V

**B22**  
LED.STR.22.09  
230V/3W



**E27**  
LED.STR.27.09  
230V/3W



MATERIALS



IP44-65

# LED FALLING TUBE

85-265V

MATERIALS



Double sided Falling tube LED.FT.300, LED.FT.500, LED.FT.800, and LED.FT.1000

| REF No                     | LED.E27.FT.300 | LED.B22.FT.300 | LED.E14.FT.300 | LED.E27.FT.500 | LED.B22.FT.500 | LED.E14.FT.500 | LED.E27.FT.800 | LED.E27.FT.1000 |
|----------------------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|-----------------|
| Type of socket             | E27            | B22            | E14            | E27            | B22            | E14            | E27            | E27             |
| Height of tube             | 30cm           | 30cm           | 30cm           | 50cm           | 50cm           | 50cm           | 80cm           | 100cm           |
| Number of LED's            | 64             | 64             | 64             | 96             | 96             | 96             | 96             | 120             |
| LED color                  | white          | white          | white          | white          | white          | white          | white          | white           |
| Power consumption per tube | 4W             | 4W             | 4W             | 6W             | 6W             | 6W             | 6W             | 8W              |
| Voltage                    | 85-265V        | 85-265V        | 85-265V        | 85-265V        | 85-265V        | 85-265V        | 85-265V        | 85-265V         |

Protection grade : IP54 if they will be used with IP54 waterproof lampholders. Upon request can be produced in any color and size.





PATENTED  
ISO 9001 RoHS CE



MATERIALS






**IP65 - 68**  
OUTDOOR RATED

# Branch Garland

With or without light strings  
Other colors and sizes available upon request



MATERIALS

## Branch Garland without light strings and decorations

65  
tips/m

| REF Number  | Product description | Size           | Number of tips |
|-------------|---------------------|----------------|----------------|
| BRG - 20/65 | Branch garland      | ∅ 20cm x 2,70m | 175            |
| BRG - 25/65 | Branch garland      | ∅ 25cm x 2,70m | 175            |
| BRG - 30/65 | Branch garland      | ∅ 30cm x 2,70m | 175            |
| BRG - 35/65 | Branch garland      | ∅ 35cm x 2,70m | 175            |
| BRG - 40/65 | Branch garland      | ∅ 40cm x 2,70m | 175            |
| BRG - 45/65 | Branch garland      | ∅ 45cm x 2,70m | 175            |
| BRG - 50/65 | Branch garland      | ∅ 50cm x 2,70m | 175            |

## Branch Garland without light strings and decorations

130  
tips/m

| REF Number   | Product description | Size           | Number of tips |
|--------------|---------------------|----------------|----------------|
| BRG - 20/130 | Branch garland      | ∅ 20cm x 2,70m | 351            |
| BRG - 25/130 | Branch garland      | ∅ 25cm x 2,70m | 351            |
| BRG - 30/130 | Branch garland      | ∅ 30cm x 2,70m | 351            |
| BRG - 35/130 | Branch garland      | ∅ 35cm x 2,70m | 351            |
| BRG - 40/130 | Branch garland      | ∅ 40cm x 2,70m | 351            |
| BRG - 45/130 | Branch garland      | ∅ 45cm x 2,70m | 351            |
| BRG - 50/130 | Branch garland      | ∅ 50cm x 2,70m | 351            |





MATERIALS



**IP65 - 68**  
OUTDOOR RATED

# Swags

MATERIALS



## Swags without light strings and decorations

| REF Number   | Product description | Size                            | Number of tips |
|--------------|---------------------|---------------------------------|----------------|
| SWG - 25/135 | Swag garland        | ∅ min 14cm - ∅ max 25cm x 1,35m | 170            |
| SWG - 30/270 | Swag garland        | ∅ min 14cm - ∅ max 30cm x 2,70m | 330            |
| SWG - 35/270 | Swag garland        | ∅ min 14cm - ∅ max 35cm x 2,70m | 330            |
| SWG - 40/270 | Swag garland        | ∅ min 14cm - ∅ max 40cm x 2,70m | 600            |
| SWG - 45/270 | Swag garland        | ∅ min 14cm - ∅ max 45cm x 2,70m | 600            |
| SWG - 50/400 | Swag garland        | ∅ min 14cm - ∅ max 50cm x 4m    | 900            |
| SWG - 60/400 | Swag garland        | ∅ min 14cm - ∅ max 60cm x 4m    | 900            |
| SWG - 50/500 | Swag garland        | ∅ min 14cm - ∅ max 50cm x 5m    | 1340           |
| SWG - 60/500 | Swag garland        | ∅ min 14cm - ∅ max 60cm x 5m    | 1340           |






MATERIALS



**IP65 - 68**  
OUTDOOR RATED

# Wreaths

MATERIALS



**SC315**

|     |       |
|-----|-------|
| ∅   | 1,50m |
| LED | 33W   |

**SC314**

|     |       |
|-----|-------|
| ∅   | 1,50m |
| LED | 33W   |

**SC312**

|     |       |
|-----|-------|
| ∅   | 1,50m |
| LED | 33W   |

| Wreaths                                       |                     |             |             |                |
|---|---------------------|-------------|-------------|----------------|
| without light strings and decorations         |                     |             |             |                |
| other colors and sizes available upon request |                     |             |             |                |
| REF Number                                    | Product description | Wreath Size | Branch size | Number of tips |
| WRE - 25/75                                   | Wreath              | ∅ 75cm      | ∅ 25cm      | 306            |
| WRE - 25/100                                  | Wreath              | ∅ 100cm     | ∅ 25cm      | 408            |
| WRE - 30/120                                  | Wreath              | ∅ 120cm     | ∅ 30cm      | 489            |
| WRE - 30/150                                  | Wreath              | ∅ 150cm     | ∅ 30cm      | 1324           |
| WRE - 35/175                                  | Wreath              | ∅ 175cm     | ∅ 35cm      | 1428           |
| WRE - 40/200                                  | Wreath              | ∅ 200cm     | ∅ 40cm      | 1632           |










# PVC METALLIC & MAT CARPET

## Metallic carpet



### METALLIC COLOR CARPET

| METALLIC COLOR | REF No | NET.60.SM       | NET.60.GM     | NET.60.RM    | NET.60.BM     | NET.60.BRM      | NET.60.BLM     | NET.60.GRM     |
|----------------|--------|-----------------|---------------|--------------|---------------|-----------------|----------------|----------------|
|                | Height | 60cm            | 60cm          | 60cm         | 60cm          | 60cm            | 60cm           | 60cm           |
|                | Color  | silver metallic | gold metallic | red metallic | blue metallic | bronze metallic | black metallic | green metallic |

## Mat carpet



### MAT COLOR CARPET

| MAT COLOR | REF No | NET.15   | NET.30   | NET.60   | NET.90   |
|-----------|--------|--|--|--|--|
|           | Height | 15cm   | 30cm   | 60cm   | 90cm   |
|           | Color  | G-green, B-blue, Y-yellow, R-red, P-pink, PU-purple, W-white | G-green, B-blue, Y-yellow, R-red, P-pink, PU-purple, W-white | G-green, B-blue, Y-yellow, R-red, P-pink, PU-purple, W-white | G-green, B-blue, Y-yellow, R-red, P-pink, PU-purple, W-white |



# PVC METALLIC & MAT GARLAND

## METALLIC GARLAND

### METALLIC COLOR PVC GARLAND

Available in colors: green, gold, silver, red, blue

| REF No   | BIP.60.M | BIP.80.M | BIP.100.M | BIP.120.M |
|----------|----------|----------|-----------|-----------|
| Diameter | 60mm     | 80mm     | 100mm     | 120mm     |



## MAT GARLAND

### MAT COLOR PVC GARLAND

Available in colors: green, white, red, blue, yellow, pink, purple

| REF No   | BIP.60 | BIP.80 | BIP.100 | BIP.120 |
|----------|--------|--------|---------|---------|
| Diameter | 60mm   | 80mm   | 100mm   | 120mm   |





# 3D SHINY PLASTIC BALLS



| 3D SHINY PLASTIC BALLS |   |   |   |   |   |                                       |                                       |                                       |                                       |
|------------------------|---|---|---|---|---|---------------------------------------|---------------------------------------|---------------------------------------|---------------------------------------|
| REF No                 | BALL.40.SH  | BALL.60.SH  | BALL.80.SH  | BALL.100.SH   | BALL.120.SH   | BALL.150.SH                           | BALL.200.SH                           | BALL.250.SH                           | BALL.300.SH                           |
| DESCRIPTION            | 3D shiny decorative ball                            | 3D shiny decorative ball                            | 3D shiny decorative ball                            | 3D shiny decorative ball                            | 3D shiny decorative ball                            | 3D shiny decorative ball              | 3D shiny decorative ball              | 3D shiny decorative ball              | 3D shiny decorative ball              |
| COLORS                 | silver, gold, red, blue, green, bronze, black, pink | silver, gold, red, blue, green, bronze, black, pink | silver, gold, red, blue, green, bronze, black, pink | silver, gold, red, blue, green, bronze, black, pink | silver, gold, red, blue, green, bronze, black, pink | silver, gold, red, blue, green, black | silver, gold, red, blue, green, black | silver, gold, red, blue, green, black | silver, gold, red, blue, green, black |
| DIAMETER               | 40mm  | 60mm  | 80mm  | 100mm   | 120mm   | 150mm                                 | 200mm                                 | 250mm                                 | 300mm                                 |
| PACKAGE                | 1.800 pcs   | 720 pcs   | 384 pcs   | 144 pcs   | 60 pcs  | 32 pcs                                | 27 pcs                                | 18 pcs                                | 12 pcs                                |

MATERIALS



# 3D PEARL PLASTIC BALLS



| 3D PEARL PLASTIC BALLS |                                   |                                   |                                   |                                   |                                   |                          |                          |                          |                          |
|------------------------|-----------------------------------|-----------------------------------|-----------------------------------|-----------------------------------|-----------------------------------|--------------------------|--------------------------|--------------------------|--------------------------|
| REF No                 | BALL.40.SHP                       | BALL.60.SHP                       | BALL.80.SHP                       | BALL.100.SHP                      | BALL.120.SHP                      | BALL.150.SHP             | BALL.200.SHP             | BALL.250.SHP             | BALL.300.SHP             |
| DESCRIPTION            | 3D pearl decorative ball          | 3D pearl decorative ball          | 3D pearl decorative ball          | 3D pearl decorative ball          | 3D pearl decorative ball          | 3D pearl decorative ball | 3D pearl decorative ball | 3D pearl decorative ball | 3D pearl decorative ball |
| COLORS                 | white, red, green, purple, bronze | white, red, green, purple, bronze | white, red, green, purple, bronze | white, red, green, purple, bronze | white, red, green, purple, bronze | white, bronze            | white, bronze            | white, bronze            | white, bronze            |
| DIAMETER               | 40mm                              | 60mm                              | 80mm                              | 100mm                             | 120mm                             | 150mm                    | 200mm                    | 250mm                    | 300mm                    |
| PACKAGE                | 1.800 pcs                         | 720 pcs                           | 384 pcs                           | 144 pcs                           | 60 pcs                            | 32 pcs                   | 27 pcs                   | 18 pcs                   | 12 pcs                   |



# 3D GLITTER PLASTIC BALLS

PATENTED  
ISO 9001 RoHS CE



| 3D GLITTER PLASTIC BALLS |                            |   |      |         |  |
|--------------------------|----------------------------|---|------|---------|--|
| REF                      | DESCRIPTION                | COLORS  | ∅    | PACKAGE |  |
| BALL3D15GL               | 3D glitter decorative ball | silver, gold, red, blue, black, bronze, green, purple | 15cm | 24 pcs  |  |
| BALL3D30GL               | 3D glitter decorative ball | silver, gold, red, blue, black, bronze, green, purple | 30cm | 4 pcs   |  |



# 3D MAT PLASTIC BALLS

| 3D MAT PLASTIC BALLS |                        |                   |        |       |         |
|----------------------|------------------------|-------------------|--------|-------|---------|
| REF                  | DESCRIPTION            | COLORS            | HEIGHT | WIDTH | PACKAGE |
| BALL20               | 3D mat decorative ball | silver, gold, red | 20cm   | 7cm   | 24 pcs  |



MATERIALS



# 2D & 3D GLITTER DECORATIVE STARS

3D

2D

MATERIALS



| 2D GLITTER DECORATIVE STARS |                      |                   |        |         |
|-----------------------------|----------------------|-------------------|--------|---------|
| REF                         | DESCRIPTION          | COLORS            | HEIGHT | PACKAGE |
| STAR.36                     | 2D glitter star 36cm | silver, gold, red | 36cm   | 48 pcs  |

| 3D GLITTER DECORATIVE BETHLEHEM STARS |                                |                   |        |         |
|---------------------------------------|--------------------------------|-------------------|--------|---------|
| REF                                   | DESCRIPTION                    | COLORS            | HEIGHT | PACKAGE |
| BE.STAR.40                            | 3D glitter Bethlehem star 40cm | silver, gold, red | 40cm   | 8 pcs   |



# 2D GLITTER DECORATIVE SNOWFLAKES

PATENTED  
ISO 9001 RoHS CE



2D

| 2D GLITTER DECORATIVE SNOWFLAKE |                           |                   |        |         |
|---------------------------------|---------------------------|-------------------|--------|---------|
| REF                             | DESCRIPTION               | COLORS            | HEIGHT | PACKAGE |
| SNOW.46                         | 2D glitter snowflake 46cm | silver, gold, red | 46cm   | 24 pcs  |



# 3D DECORATIVE BOW



3D



| 3D DECORATIVE BOW |                        |               |        |         |
|-------------------|------------------------|---------------|--------|---------|
| REF               | DESCRIPTION            | COLORS        | HEIGHT | PACKAGE |
| BOW30             | 3D decorative bow 30cm | red with gold | 30cm   | 9 pcs   |
| BOW46             | 3D decorative bow 46cm | red with gold | 46cm   | 6 pcs   |
| BOW70             | 3D decorative bow 70cm | red with gold | 70cm   | 4 pcs   |

MATERIALS



# PLEXI GLASS ORNAMENTS

Can be made in any shape, color and size

MATERIALS



PLX010.GO.GL ◀ 30cm ▶ 31cm  
 PLX010.GO.GL ◀ 40cm ▶ 42cm  
 PLX010.GO.GL ◀ 60cm ▶ 63cm  
 PLX010.GO.GL ◀ 90cm ▶ 94cm



PLX010.BL.GL ◀ 30cm ▶ 31cm  
 PLX010.BL.GL ◀ 40cm ▶ 42cm  
 PLX010.BL.GL ◀ 60cm ▶ 63cm  
 PLX010.BL.GL ◀ 90cm ▶ 94cm



PLX010.RE.GL ◀ 30cm ▶ 31cm  
 PLX010.RE.GL ◀ 40cm ▶ 42cm  
 PLX010.RE.GL ◀ 60cm ▶ 63cm  
 PLX010.RE.GL ◀ 90cm ▶ 94cm



PLX010.PU ◀ 30cm ▶ 31cm  
 PLX010.PU ◀ 40cm ▶ 42cm  
 PLX010.PU ◀ 60cm ▶ 63cm  
 PLX010.PU ◀ 90cm ▶ 94cm



PLX010.OR ◀ 30cm ▶ 31cm  
 PLX010.OR ◀ 40cm ▶ 42cm  
 PLX010.OR ◀ 60cm ▶ 63cm  
 PLX010.OR ◀ 90cm ▶ 94cm



PLX002.WH ◀ 30cm ▶ 26cm  
 PLX002.WH ◀ 40cm ▶ 35cm  
 PLX002.WH ◀ 60cm ▶ 52cm  
 PLX002.WH ◀ 90cm ▶ 78cm



PLX002.PI ◀ 30cm ▶ 26cm  
 PLX002.PI ◀ 40cm ▶ 35cm  
 PLX002.PI ◀ 60cm ▶ 52cm  
 PLX002.PI ◀ 90cm ▶ 78cm



PLX002.PU ◀ 30cm ▶ 26cm  
 PLX002.PU ◀ 40cm ▶ 35cm  
 PLX002.PU ◀ 60cm ▶ 52cm  
 PLX002.PU ◀ 90cm ▶ 78cm




PLX002.BL ◀ 30cm ▶ 26cm  
 PLX002.BL ◀ 40cm ▶ 35cm  
 PLX002.BL ◀ 60cm ▶ 52cm  
 PLX002.BL ◀ 90cm ▶ 78cm

# PLEXI GLASS ORNAMENTS


Can be made in any shape, color and size



- PLX003.WH 30cm 26cm
- PLX003.WH 40cm 35cm
- PLX003.WH 60cm 52cm
- PLX003.WH 90cm 78cm



- PLX003.RE 30cm 26cm
- PLX003.RE 40cm 35cm
- PLX003.RE 60cm 52cm
- PLX003.RE 90cm 78cm



- PLX003.PU 30cm 26cm
- PLX003.PU 40cm 35cm
- PLX003.PU 60cm 52cm
- PLX003.PU 90cm 78cm



- PLX003.BL 30cm 26cm
- PLX003.BL 40cm 35cm
- PLX003.BL 60cm 52cm
- PLX003.BL 90cm 78cm



- PLX003.OR 30cm 26cm
- PLX003.OR 40cm 35cm
- PLX003.OR 60cm 52cm
- PLX003.OR 90cm 78cm



- PLX011.GO.GL 30cm 26cm
- PLX011.GO.GL 40cm 34cm
- PLX011.GO.GL 60cm 52cm
- PLX011.GO.GL 90cm 78cm



- PLX011.RE.GL 30cm 26cm
- PLX011.RE.GL 40cm 34cm
- PLX011.RE.GL 60cm 52cm
- PLX011.RE.GL 90cm 78cm





# PLEXI GLASS ORNAMENTS

Can be made in any shape, color and size

MATERIALS



PLX005.PI ◀ 30cm ▶ 27cm  
 PLX005.PI ◀ 40cm ▶ 36cm  
 PLX005.PI ◀ 60cm ▶ 54cm  
 PLX005.PI ◀ 90cm ▶ 81cm



PLX005.PU ◀ 30cm ▶ 27cm  
 PLX005.PU ◀ 40cm ▶ 36cm  
 PLX005.PU ◀ 60cm ▶ 54cm  
 PLX005.PU ◀ 90cm ▶ 81cm



PLX005.OR ◀ 30cm ▶ 27cm  
 PLX005.OR ◀ 40cm ▶ 36cm  
 PLX005.OR ◀ 60cm ▶ 54cm  
 PLX005.OR ◀ 90cm ▶ 81cm



PLX005.BL ◀ 30cm ▶ 27cm  
 PLX005.BL ◀ 40cm ▶ 36cm  
 PLX005.BL ◀ 60cm ▶ 54cm  
 PLX005.BL ◀ 90cm ▶ 81cm



PLX006.RE ◀ 30cm ▶ 27cm  
 PLX006.RE ◀ 40cm ▶ 36cm  
 PLX006.RE ◀ 60cm ▶ 54cm  
 PLX006.RE ◀ 90cm ▶ 81cm



PLX006.PI ◀ 30cm ▶ 27cm  
 PLX006.PI ◀ 40cm ▶ 36cm  
 PLX006.PI ◀ 60cm ▶ 54cm  
 PLX006.PI ◀ 90cm ▶ 81cm



PLX006.PU ◀ 30cm ▶ 27cm  
 PLX006.PU ◀ 40cm ▶ 36cm  
 PLX006.PU ◀ 60cm ▶ 54cm  
 PLX006.PU ◀ 90cm ▶ 81cm




PLX006.OR ◀ 30cm ▶ 27cm  
 PLX006.OR ◀ 40cm ▶ 36cm  
 PLX006.OR ◀ 60cm ▶ 54cm  
 PLX006.OR ◀ 90cm ▶ 81cm



PLX006.BL ◀ 30cm ▶ 27cm  
 PLX006.BL ◀ 40cm ▶ 36cm  
 PLX006.BL ◀ 60cm ▶ 54cm  
 PLX006.BL ◀ 90cm ▶ 81cm

# PLEXI GLASS ORNAMENTS

Can be made in any shape, color and size



**PLX007.RE** ◀ 30cm ▶ 30cm  
**PLX007.RE** ◀ 40cm ▶ 40cm  
**PLX007.RE** ◀ 60cm ▶ 60cm  
**PLX007.RE** ◀ 90cm ▶ 90cm



**PLX007.PI** ◀ 30cm ▶ 30cm  
**PLX007.PI** ◀ 40cm ▶ 40cm  
**PLX007.PI** ◀ 60cm ▶ 60cm  
**PLX007.PI** ◀ 90cm ▶ 90cm



**PLX007.PU** ◀ 30cm ▶ 30cm  
**PLX007.PU** ◀ 40cm ▶ 40cm  
**PLX007.PU** ◀ 60cm ▶ 60cm  
**PLX007.PU** ◀ 90cm ▶ 90cm



**PLX007.OR** ◀ 30cm ▶ 30cm  
**PLX007.OR** ◀ 40cm ▶ 40cm  
**PLX007.OR** ◀ 60cm ▶ 60cm  
**PLX007.OR** ◀ 90cm ▶ 90cm



**PLX007.BL** ◀ 30cm ▶ 30cm  
**PLX007.BL** ◀ 40cm ▶ 40cm  
**PLX007.BL** ◀ 60cm ▶ 60cm  
**PLX007.BL** ◀ 90cm ▶ 90cm



**PLX008.RE** ◀ 30cm ▶ 31cm  
**PLX008.RE** ◀ 40cm ▶ 41cm  
**PLX008.RE** ◀ 60cm ▶ 61cm  
**PLX008.RE** ◀ 90cm ▶ 91cm



**PLX008.PI** ◀ 30cm ▶ 31cm  
**PLX008.PI** ◀ 40cm ▶ 41cm  
**PLX008.PI** ◀ 60cm ▶ 61cm  
**PLX008.PI** ◀ 90cm ▶ 91cm



**PLX008.PU** ◀ 30cm ▶ 31cm  
**PLX008.PU** ◀ 40cm ▶ 41cm  
**PLX008.PU** ◀ 60cm ▶ 61cm  
**PLX008.PU** ◀ 90cm ▶ 91cm



**PLX008.OR** ◀ 30cm ▶ 31cm  
**PLX008.OR** ◀ 40cm ▶ 41cm  
**PLX008.OR** ◀ 60cm ▶ 61cm  
**PLX008.OR** ◀ 90cm ▶ 91cm




**PLX008.BL** ◀ 30cm ▶ 31cm  
**PLX008.BL** ◀ 40cm ▶ 41cm  
**PLX008.BL** ◀ 60cm ▶ 61cm  
**PLX008.BL** ◀ 90cm ▶ 91cm



# PLEXI GLASS ORNAMENTS

Can be made in any shape, color and size

MATERIALS



PLX009.RE ☐ 30cm

PLX009.RE ☐ 40cm

PLX009.RE ☐ 60cm

PLX009.RE ☐ 90cm




PLX009.PI ☐ 30cm

PLX009.PI ☐ 40cm

PLX009.PI ☐ 60cm

PLX009.PI ☐ 90cm



PLX009.PU ☐ 30cm

PLX009.PU ☐ 40cm

PLX009.PU ☐ 60cm

PLX009.PU ☐ 90cm



PLX009.OR ☐ 30cm

PLX009.OR ☐ 40cm

PLX009.OR ☐ 60cm

PLX009.OR ☐ 90cm



*New*

**PLEXI GLASS ORNAMENTS**

Can be made in any shape, color and size



2  
0  
1  
6

MATERIALS

- asgwas amegas
- onnellista uutta vuotta
- あけまして おめでとう ございます
- Καλή Χρονιά
- godt nyttår
- yeni yılınız kutlu olsun
- gelukkige nuwejaar
- С Новым Годом
- გილოცავთ ახალ წელს
- laimingų Naujųjų Metų
- 新年快乐
- felice anno nuovo
- عام سعيد
- ein gutes neues Jahr
- bonne année

**Create your sign in**

- ... any size
- ... any language
- ... any color
- ... any font





# BARCANA

A DECOR GROUP COMPANY

2301 Crown Ct. Irving, TX 75038  
USA  
Tel: 800-227-2262  
Email: [sales@barcana.com](mailto:sales@barcana.com)  
[barcana.com](http://barcana.com)